AD-A107 921 NAVAL RESEARCH LAB WASHINGTON DC F/G 3/2

REVISED LISTING - S201 FAR-ULTRAVIOLET ATLAS OF THE LARGE MAGEL--ETC(U)

NOV 81 T T PAGE, G R CARRUTHERS

UNCLASSIFIED NRL-MR-4660 NL

1 OF 2

AD
A107921

END
DATE
FILMED
1 82
DTIC

CONT.

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE

READ INSTRUCTIONS BEFORE COMPLETING FORM

1. REPORT NUMBER: NRL Memorandum Report 4660
2. GOVT ACCESSION NO.: AD-A109 924
3. RECIPIENT'S CATALOG NUMBER:
4. TITLE (and Subtitle): REVISED LISTING — S201 FAR-ULTRAVIOLET ATLAS OF THE LARGE MAGELLANIC CLOUD
5. TYPE OF REPORT & PERIOD COVERED: Interim report on a continuing NRL problem.
6. PERFORMING ORG. REPORT NUMBER:
7. AUTHOR(s): T. Page* and G. R. Carruthers
8. CONTRACT OR GRANT NUMBER(s):
9. PERFORMING ORGANIZATION NAME AND ADDRESS: Naval Research Laboratory, E.O. Hulburt Center for Space Research, Washington, DC 20375
10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS: 61153N; RR034-06-42; 41-0944-0-1
11. CONTROLLING OFFICE NAME AND ADDRESS: National Aeronautics and Space Administration, Washington, DC 20546
12. REPORT DATE: November 23, 1981
13. NUMBER OF PAGES: 93
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office):
15. SECURITY CLASS. (of this report): UNCLASSIFIED
15a. DECLASSIFICATION/DOWNGRADING SCHEDULE:
16. DISTRIBUTION STATEMENT (of this Report): Approved for public release; distribution unlimited.
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report):
18. SUPPLEMENTARY NOTES: *Present address: Johnson Space Center, NASA.
19. KEY WORDS (Continue on reverse side if necessary and identify by block number):
Far-ultraviolet imagery and photometry
Large magellanic cloud
Far-UV star atlas

20. ABSTRACT (Continue on reverse side if necessary and identify by block number)

Far-ultraviolet electrographic images, covering the wavelength ranges 1050 to 1600 Å and 1230 to 1600 Å, were obtained of the Large Magellanic Cloud during the Apollo 16 mission with the NRL Far-Ultraviolet Camera/Spectrograph (Experiment S201). The images were analyzed as described in the "S201 Far-Ultraviolet Atlas of the Large Magellanic Cloud" (NRL Report 8206), and the "Revised S201 Catalog of Far-Ultraviolet

(Continues)

DD FORM 1473, 1 JAN 73 — EDITION OF 1 NOV 65 IS OBSOLETE
S/N 0102-014-6601

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

20. ABSTRACT (Continued)

Objects" (NRL Report 8487). The listing of far-UV objects in the LMC provided here is improved in quantitative accuracy and completeness compared to that originally provided in NRL Report 8206. These improvements include more accurate estimates of interstellar extinction corrections, comparisons with more sensitive ground-based Hα emission measurements, and calibration of the S201 photometry by comparison with OAO-2 photometry of objects in common. The listing presents ultraviolet brightnesses, measured on one or more of four frames (two 1050 − 1600 Å and two 1250 − 1600 Å exposures), for 473 objects or groupings of objects in the LMC. Also listed, where available, are Hα brightnesses of associated nebulosities, and values of hydrogen index (defined as ratio of Hα brightness to far-UV brightness, both corrected for interstellar extinction).

alpha

CONTENTS

REVISED LISTING - S201 FAR-ULTRAVIOLET ATLAS OF THE LARGE MAGELLANIC CLOUD

I. INTRODUCTION

Far-ultraviolet imagery of the Large Magellanic Cloud was obtained with the Naval Research Laboratory's Far Ultraviolet Camera (Experiment S201) during the Apollo-16 mission, 21-23 April 1972. This imagery covered two wavelength ranges, 1050-1600 Å and 1250-1600 Å, with a limiting angular resolution of about 3 arc min.

The analysis of the Large Magellanic Cloud imagery was discussed in NRL Report 8206, S201 Far Ultraviolet Atlas of the Large Magellanic Cloud (July 12, 1978) and in a paper published in The Astrophysical Journal ("Distributions of Hot Stars and Hydrogen in the Large Magellanic Cloud," 15 September 1981). The purpose of the present Memorandum Report is to present a revised listing of the individual objects or regions in the LMC which were detected and measured, similar to that in the original Atlas but with the following improvements and additions:

1. The extinction correction for objects observed in the LMC has been modified based on recent studies of the LMC interstellar extinction using the International Ultraviolet Explorer (IUE) satellite. Also, extinction at the hydrogen Balmer-α (6563 Å) wavelength has been taken into account in the derivation of Hydrogen Index values.

2. More recent Hα observations by Davies, Elliott, and Meaburn (1) have been included in the Hydrogen Index derivations.

3. The S201 photometry has been compared with OAO-2 photometry of stars in common to place the S201 measurements on an absolute scale of ultraviolet brightness.

II. DATA AND ANALYSIS

The far-ultraviolet images of the Large Magellanic Cloud are qualitatively useful for determining the spatial distributions of early-type stars in the LMC without confusion by images of the far more numerous cooler stars (almost all stars detected in the S201 imagery are of spectral type earlier than A2; i.e., with effective temperatures above 9000 K). The distribution of hot stars differs considerably from the general stellar population

Manuscript submitted September 4, 1981.

distribution as revealed by visual imagery; the short (3 min) 1250-1600 Å exposure shows the previously known OB associations and clusters, whereas the longest (30 min) 1250-1600 Å exposure shows the general distribution of hot stars, most of which are less luminous than those in the associations. Comparison of the UV imagery with Hα and blue imagery (1) indicates that, for the most part, the extended nebulosities in the LMC (many of which are considerably larger than the S201 resolution limit) are not conspicuous in the far-ultraviolet. This is also indicated by IUE observations of the 30 Doradus nebula (2) and of local galactic H II regions. Thus, the observed far-UV is presumed to be either direct starlight or starlight scattered by dust in close proximity to the stars.

Quantitative analysis of the imagery is, to some extent, complicated by the effects of interstellar extinction, correction for which is particularly uncertain in the LMC because of incomplete knowledge of E(B-V) and of the extinction vs. wavelength in the LMC. It is known from ANS and IUE observations that the LMC extinction law is considerably different from that applicable in the local regions of our galaxy and shows large variation with position in the LMC (3).

Ultraviolet Photometry

The procedures used for the reduction and processing of the S201 electrographic imagery have been presented in detail in our Far Ultraviolet Atlas of the Large Magellanic Cloud (NRL Report 8206) and in the Revised S201 Catalog of Far Ultraviolet Objects (NRL Report 8487). In summary, for any identifiable image, the integrated intensity is proportional to the density volume $V = \sum(d_L - b_L)$. Here, d_L and b_L are the optical densities D_L and B_L (as measured by the PDS microdensitometer used to scan the films) times 100, of each pixel in the image and in background areas near (but outside) the image, respectively; the sum is over all pixels detectably above the adopted background. The subscript L indicates that the densities have been corrected for nonlinearities of the emulsion and microdensitometer. The density volume can then be related to ultraviolet brightness by reference to preflight calibrations of the instrument and/or comparison of observations of objects in common with other photometrically calibrated observations, such as those of OAO-2 (4). We have determined,

through comparison of our preflight calibration predictions with OAO-2 measurements by Code et al. (4) that the absolute sensitivity of the S201 camera was probably a factor of 1.5 (0.45 stellar magnitudes) less, at the time of the observations, than predicted by our preflight calibrations.

In the LMC, determination of the UV brightnesses of individual objects is difficult, because of the limited resolution of our imagery and because of the multitude of field stars against which an individual object must be observed. This makes determination of the true background which should be subtracted from the measured density, in determinations of the density volumes, very uncertain. However, contour plots such as those in the Atlas (NRL Report 8206) give useful measurements of the ultraviolet brightness distribution over the face of the LMC, which are significant to studies of the interstellar medium in the LMC (photoionization and photodissociation equilibria of many interstellar species are largely controlled by the stellar ultraviolet radiation field longward of 912 Å) and which, in conjunction with other determinations of stellar spectral type or effective temperature, provide indications of the distribution of dust extinction over the LMC. In areas where the individual stellar contributions cannot be resolved, the local surface brightness (above sky background outside the LMC) may be useful for some purposes. Based on our preflight calibrations, a density above background of 0.1 D corresponds to an intensity of 1.89×10^6 photons/cm^2 sec sterad at the effective wavelength (1400 Å) of the camera with CaF_2 corrector (wavelength range 1250-1600 Å). For a flat continuum extending over the camera effective passband of 250 Å, this corresponds to 7.56×10^3 photons/cm^2 sec Å sterad (1.07×10^{-7} erg/cm^2 sec Å sterad).

We obtained a measure of the total UV brightness of the LMC in the 1050-1600 Å and 1250-1600 Å bands by summing the densities above sky background of all pixels in the LMC region of each frame. The contributions of seven SAO stars were subtracted. The total brightness of the LMC (based on our preflight calibrations) in the 1250-1600 Å wavelength range (λ_{eff} = 1400 Å) is 220 photons/cm^2 sec Å or F_{1400} = 3.12×10^{-9} ergs/cm^2 sec Å. This corresponds to a UV magnitude, in the system of Code et al. (4), of $m_{1400} = 0.23$. In the 1050-1600 Å range (λ_{eff} = 1300 Å) the corresponding UV magnitude is $m_{1300} = 0.13$.

Averaged over the apparent angular size of the LMC on our image (about 6° diameter, or 9×10^{-3} sterad) the mean surface brightness is $S_{1400} = 2.4 \times 10^4$ photons/cm^2 sec Å sterad (3.4×10^{-7} ergs/cm^2 sec Å sterad), and $S_{1300} = 2.5 \times 10^4$ photons/cm^2 sec Å sterad (3.8×10^{-7} ergs/cm^2 Å sterad).

These measurements include both direct and dust-scattered starlight (we assume that nebular emission lines make a negligible contribution to the total UV brightness). As mentioned earlier, use of the OAO-2 photometry as a reference standard will increase the above intensity by a factor of 1.5. Except for a minor correction due to interstellar extinction within our galaxy in the line of sight to the LMC, this gives an indication of the local stellar radiation field, on the average, within the LMC. The average surface brightness at 1400 Å corresponds to a radiation density of $U_{1400} = \frac{4\pi}{c} S_{1400} = 1.4 \times 10^{-16}$ ergs/cm^3 Å. This may be compared with estimates of the radiation field within our own galaxy of about 10^{-16} ergs/cm^3 Å at 1400 Å by Witt and Johnson (5) and about half this value predicted by Henry (6).

In the Revised Listing (Appendix B), we present our best estimates of the UV brightnesses of individual objects (actually, individual brightness peaks in our imagery) above the local background (defined individually for each brightness peak). The net density volume divided by exposure, V/E (uncorrected for interstellar extinction) is a direct measure of the ultraviolet brightness, as discussed in the next section. These V/E values can be converted into absolute ultraviolet magnitudes, as discussed in the Revised S201 Catalog, using the relationships

$$m_L = 14.13 - 2.512 \lg (V/E)_L$$

$$m_C = 13.18 - 2.512 \lg (V/E)_C$$

Here, subscript L indicates exposures in the 1050-1600 Å wavelength range (LiF corrector, effective wavelength 1300 Å), which in the LMC included Frames 124 (1 min exposure) and 125 (3 min exposure). Subscript C designates exposures in the 1250-1600 Å range (CaF_2 corrector, effective wavelength 1400 Å), which includes Frames 129 (10 min exposure) and 130 (30 min exposure).

Hydrogen Index

In the Atlas we derived a "hydrogen index" (hereafter H Ind) as the ratio of Hα flux, HA, to far-UV flux, UF (corrected for dust extinction),

at over 100 places in the LMC. This index was first presented as a rough measure of the hydrogen near hot stars or star groups detected on our far-UV images. That is, if the ionizing extreme-UV ($\lambda < 912$ Å) flux is assumed roughly proportional to the far-UV flux, then the intensity of Hα emission is related to the local hydrogen density. Here, we present a revised determination of H Ind and its variation over the LMC, using a more recent determination of the LMC extinction law, allowing for extinction at Hα as well as in the UV, and utilizing additional data on the Hα brightness distribution in the LMC.

The far-UV flux values are proportional to the measured density volume, V (corrected for nonlinearities and background) divided by the exposure time, E, in minutes. As shown in the <u>Revised S201 Catalog of Far-UV Objects</u> (NRL Report 8487), a density-volume

$$V = 0.037\ n \qquad (1)$$

where n is the number of photoelectrons forming the far-UV image. Thus,

$$V/E = 6.17 \times 10^{-4}\ n \text{ per sec} \qquad (2)$$

where E is the exposure time in min, and n/sec is related to the photons arriving each sec from the object. The detection efficiency (photoelectrons per photon, based on preflight calibrations) of the S201 Camera in the imaging mode averages 0.05 over the range 1050-1600 Å with the LiF corrector, and 0.04 over the range 1250-1600 Å with the CaF_2 corrector. Hence, the photon flux in these wavelengths is

$$N_L = n_L/0.05(30.0) = 1.08 \times 10^3\ (V_L/E) \text{ photons/sec cm}^2 \text{ for } 1300\ \text{Å} \pm 250\ \text{Å}, \qquad (3)$$

and

$$N_C = n_C/0.04(30.0) = 1.35 \times 10^3\ (V_C/E) \text{ photons/sec cm}^2 \text{ for } 1400\ \text{Å} \pm 150\ \text{Å}, \qquad (4)$$

where 30.0 cm^2 is the aperture area of the S201 camera. Since these photons each carry 1.52×10^{-11} erg and 1.42×10^{-11} erg respectively, the far-UV flux is

$$F_L = 1.64 \times 10^{-8}\ (V_L/E) \text{ erg sec}^{-1} \text{ cm}^{-2} \qquad (5)$$

and

$$F_C = 1.92 \times 10^{-8}\ (V_C/E) \text{ erg sec}^{-1} \text{ cm}^{-2}. \qquad (6)$$

These were corrected for interstellar extinction, based on previous estimates (7) of the visual reddening (RE = E(B-V)). In order to estimate reddening for all our measurements of V/E, for which specific values of RE were not available, we plotted Lucke's (7) RE values and sketched in

contour lines (see Fig. 1). Although Lucke's 81 measured values are good to $\pm$ 0.05, corresponding to $\pm$ 16 to $\pm$ 17% in corrected ultraviolet flux, UF, there is inevitably some uncertainty in the interpolated values of RE, due to small scale variations in the extinction at a given distance, and the uncertainty in distance to an object along the line of sight. The stellar associations for which Lucke determined RE may lie in front of or behind far-UV objects with nearly the same celestial coordinates. However, it is highly likely that an LH cluster and an associated Henize nebula are in close 3-dimensional proximity.

In the Atlas, we used the "average" galactic interstellar extinction curve of Bless and Savage (8). However, measurements with the ANS satellite (9,10) in the 30 Doradus region, and with IUE (3) there and elsewhere in the LMC indicate a higher ratio of far-UV extinction to E(B-V) in the LMC than is typical in the local region of our galaxy (see Figure 2). Using the extinction curve of Ref. (3) with A_λ = 3 E(B-V) + E(λ-V), we have, for effective wavelengths of 1300 Å (LiF corrector) and 1400 Å (CaF_2 corrector), E(1300-V)/E(B-V) = 8.97 and E(1400-V)/E(B-V) = 7.09. Therefore, the ultraviolet fluxes corrected for reddening are

$$UF_L = F_L \, 10^{4.8\,RE} \tag{7}$$

$$UF_C = F_C \, 10^{4.0\,RE} \tag{8}$$

As expected, UF_L values for an object are generally larger than the UF_C values because of the wider bandpass and larger extinction correction at the effective wavelength of 1300 Å. The scatter in the LMC extinction curve of Nandy et al. (3) is about 0.2 mag. The extinction correction at Hα is assumed to be A_{6563} = 2.5 RE; hence the corrected Hα flux is $UHA = HA \cdot 10^{RE}$, approximately, where HA is the Hα flux as measured by Henize et al. (11,12) in units of 10^{-4} erg/cm^2 sec sterad. The HA values given here are often summed for several close H II regions that could not be separately resolved on our S201 photos. For instance, N180A-C means the summed flux from N180A, N180B, and N180C. In order to get a single hydrogen index representing all measurements of a given object, we averaged the values for two ILi frames with 1/2 the values for two ICa frames:

$$H\ Ind_L = UHA/UF_L \tag{9}$$

$$H\ Ind_C = UHA/UF_C \tag{10}$$

$$H\ Ind = (H\ Ind_{L1} + H\ Ind_{L2} + 1/2\ H\ Ind_{C1} + 1/2\ H\ Ind_{C2})/4 \tag{11}$$

The major errors in V/E, UF, and H Ind are due to uncertainty in background, b. As can be seen from the isodensity contour plots in the Atlas, many of the objects measured are in regions where the background density is changing. The local background was estimated on mosaics of d, taking the first minimum in d in each of four directions from the peak density, along +x, +y, -x, and -y, and averaging these to get b. The background is high and posed the most difficulties on the 3-min ILi exposure, frame A125.

The HA values are probably good to ± 10%, although values near zero are subject to larger percentage errors. In fact, DEM, in a careful survey of a 5-hour exposure with the SRC 48-inch Schmidt camera using an interference filter with 100 Å bandpass centered on $H\alpha$ and [NII], found the faint Henize H II regions much larger, and detected 100 more, most of them fainter than Henize's limit. They give no quantitative measurements of brightness, but use the steps vf (very faint), f (faint), fb (fairly bright), b (bright), and vb (very bright). We calibrated this scale against HA by assigning the numbers vf = 1, f = 2, fb = 3, b = 5, vb = 10, and multiplying by the dimensions given in arc-min. For instance, a faint (f) nebula of size 3.5' x 2' has a brightness $(\text{arc-min})^2$ of 2 x 3.5 x 2 = 14. Fig. 3 is a plot of these values against HA for 64 cases where the DEM dimensions are roughly the same as Henize's. To a fairly good approximation,

$$\text{DEM brightness } (\text{arc-min})^2 = 3 \text{ HA}. \tag{12}$$

Using this calibration, we could fill in 227 H II regions at positions in the LMC where we had measured far-UV flux, leaving out only 19 DEM objects of the total of 356. (These positions were all searched on our mosaics.)

In the Revised Listing (Appendix B), we list density volumes for 473 objects or regions in the LMC. We also list values of UF, defined here as simply the density volumes corrected for extinction as per Equations 7 and 8. (True UF values, in ergs/sec cm^2, can be obtained by multiplying by the factors 1.64×10^{-8} for F_L and 1.92×10^{-8} for F_C, respectively.) Likewise, the H Ind values are the corrected density volumes divided by UHA. Figure 4 is a contour plot of H Ind (times 100), individual values of which are given in the Listing.

We thank Dr. Karl Henize for useful discussions. This work was supported, in part, by NASA Grant NASW-3023 to T.P.

REFERENCES

1. R. D. Davies, K. H. Elliott, and J. Meaburn, Mem. R. Astr. Soc., 81, 89 (1976).

2. J. Koornneef and J. S. Mathis, Astrophys. J., 245, 49 (1981).

3. K. Nandy, D. H. Morgan, A. J. Willis, R. Wilson, P. M. Gondhalekhar, and L. Houziaux, Nature, 283, 725 (1980).

4. A. D. Code, A. V. Holm, and R. L. Bottemiller, Astrophys. J. Supp., 39, 195 (1979).

5. A. N. Witt and M. W. Johnson, Astrophys. J., 181, 363 (1973).

6. R. C. Henry, Astrophys. J. Supp., 33, 451 (1977).

7. P. B. Lucke, Astrophys. J. Supp., 28, 73 (1974).

8. R. C. Bless and B. D. Savage, Astrophys. J., 171, 293 (1972).

9. J. Borgman and A. C. Danks, Astron. and Astrophys., 54, 41 (1977).

10. J. Koornneef, Astron. and Astrophys., 64, 179 (1978).

11. K. G. Henize, Astrophys. J. Supp., 2, 315 (1956).

12. L. Doherty, K. G. Henize, and L. H. Aller, Astrophys. J. Supp., 2, 345 (1956).

13. R. X. McGee, J. W. Brooks, and R. A. Batchelor, Astr. J. Phys., 25, 581 (1972).

14. P. B. Lucke and P. W. Hodge, Astron. J., 75, 171 (1970).



Figure 1

Contour plot of E(B-V) in the LMC, based on values given by Lucke (7). These were used for correcting the far-UV and Hα brightnesses for interstellar extinction using the curve of Nandy et al. (3) in Fig. 2. Superimposed on the plot is an approximate RA-DEC (1950) grid, with north to the right.



Figure 2

Interstellar extinction curves typical of the local regions of our galaxy (8) and for the 30 Doradus region of the LMC (3). C and L indicate the effective wavelengths of the S201 imagery with CaF_2 corrector (1400 Å) and with LiF corrector (1300 Å).



Figure 3

Plot of our estimates of Hα brightness x (arc min)^2 for emission nebulae observed by Davies et al. (1) vs. Hα brightnesses of Henize et al. (11,12) for objects in common.



Figure 4

Contours of the Hydrogen Index (times 100) in the Large Magellanic Cloud. Contour lines are for 100 H Ind = 10, 20, 50, and 100. The vertical and horizontal axes are as for Fig. 1.

Appendix A

S201-ATLAS-LISTING TAPE AND LINEARIZED-DENSITY-MOSAIC TAPES

The listing in Appendix B of this Atlas is available on seven-track, 800-bit-per-inch, odd-parity tape. The tape was written on a Univac 1110 computer under the EXEC VIII operating system using Fortran-formatted write statements. Thus the file structure is of the Univac SDF sequential formatted record type. A more detailed description of this format can be found in the Sperry Univac 1100 Series Fortran V Library Programmer Reference (UP-7876).

There is one data file on this tape, consisting of 1796 data records of 132 field data characters each. The first data record contains a title line, "REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD." This is followed by a 132-character line of column headings, as in Appendix B (but not repeated). The meanings of the remaining 1795 data records are given in Tables A1 and A2. To accommodate groups of LH objects (see text), there is a different line format for them (Table A2). Character 31 specifies the group-data-line format.

The Atlas tape file ends with a software end-of-file mark and a hardware end-of-file mark. Table A3 gives a simple Fortran program for reading the Atlas tape. The tape has been checked for errors, using this program.

Two linearized-density-mosaic tapes provide the mosaics of D_L values used in summing density volumes from frames A124 and A125 (on one tape) and A129 and A130 (on the other tape). These two tapes were written on a Univac 1108 under the EXEC II operating system, and each contains two files, one for each frame, covering the area from $x = 475$ to $x = 986$ and from $y = 381$ to $y = 830$. Each file ends with a software end-of-file mark and a hardware end-of-file mark. The simple Fortran program in Table A3 will print out the mosaics in convenient form. The mosaics are each 145 pages long; in pairs (290 pages) they require larger-than-normal storage.

Other programs can be written for listing single Lucke-Hodge objects, selecting characters 68-72 with no parentheses and no asterisk in 30, for listing Henize nebulas, selecting characters 91-98 with no parentheses, and for listing unidentified objects, selecting double minus characters 119-120 and parentheses or nothing in 68-76 and 91-97.

Table A1 - Meanings of Characters in a Normal Data Line

Characters	Meaning (digits right-justified)
2-4	Frame number
6-8	x raster coordinate
10-12	y raster coordinate
14	Hours of right ascension
15	Separator (:)
16-19	Minutes of right ascension rounded to tenths
21-23	Degrees of declination
24	Separator (:)
25-26	Arc-minutes of declination
28-29	x-raster interval summed (*X)
30	X (times)
31-32	y-raster interval summed (*Y)
33	An asterisk (*) indicates that area *X*Y is <u>not</u> rectangular
34-36	Peak density at center of image (P)
37	An asterisk (*) indicates P is <u>not</u> a maximum
38-40	Background density (BG)
42-46	Density volume of area summed (V)
48-49	Exposure time in minutes (E)
50	Filter type (L or C)
52-56	Density volume divided by exposure time (V/E)
57	An asterisk (*) indicates that the density exceeds 600
58-60	Reddening, RE = E(B-V), in magnitudes, rounded to hundredths
61	An asterisk (*) indicates an RE value observed by Lucke
62-66	Unreddened UV flux (UF)
68-76	LH followed by one- to three-digit numbers are LH objects, parentheses mean that the Lucke-Hodge area overlaps the area summed; SAO followed by six digits means a foreground star near the area summed
76-79	North-south extent of LH object in arc-minutes rounded to tenths
81-84	East-west extent of LH objects in arc-minutes rounded to tenths
86-89	Number of blue stars in LH object (BS)
91-98	Numbers and letters of Henize nebula or nebulas (N NO.); parentheses mean that the nebula area overlaps the LH area summed; D followed by two- to three-digit numbers are DEM objects (Ref. 1)
98-103	Hα flux in units of 10^{-4} erg/s $\cdot$ cm^2 $\cdot$ sterad, rounded to tenths, from Henize nebula or nebulas or DEM object (HA)
105-109	Hydrogen index, H IND. = HA/UF, rounded to hundredths
110	An asterisk (*) indicates an uncertain H IND. value; $V < 10$
111-120	Numbers separated by a comma or dash are NGC numbers associated with the LH object; in one case the number starts with IC; in a few cases an LH number in parentheses or an SAO number in parentheses indicates overlaps
119-124	Six-digit number of an SAO star
125	A query (?) indicates an uncertain SAO identification; the letter H (one case) indicates that the number is in the HD Catalog; MC followed by a two-digit number is a radio source in the MC catalog (Ref. 13). If followed by SNR, the radio source has been identified as a supernova remnant
126-129	Visual magnitude of an SAO star, rounded to tenths (M)
131-132	Letter and digit for spectral type of an SAO star (SP)

Table A2 - Meanings of Characters in a Group Data Line

Characters	Meaning (digits right-justified)
2-4	Frame number
6-8	x raster coordinate
10-12	y raster coordinate
14	Hours or right ascension (R.A.)
15	Separator (:)
16-19	Minutes of right ascension rounded to tenths
21-23	Degrees of declination
24	Separator (:)
25-26	Arc-minutes of declination
28-30	Number of pixels summed in a group of LH objects
31	An asterisk (*) indicates a group data line
34-36	Peak density at center of group image (P)
37	An asterisk (*) indicates that P is not a maximum
38-40	Background density (BG)
42-46	Density volume in the group area summed
48-49	Exposure time in minutes
50	Filter type (L or C)
52-56	Density volume divided by exposure time (V/E)
57	An asterisk (*) indicates that the density exceeds 600
58-60	Reddening, RE = E(B-V), in magnitudes, rounded to hundredths
61	An asterisk (*) indicates an RE value observed by Lucke
62-66	Unreddened UV flux (UF)
68-77	LH followed by one- to three-digit numbers that are separated by commas are LH objects in the group
79-82	Total area of the LH group in (arc-min) rounded to tenths
83	An asterisk (*) indicates a group
86-88	Total number of blue stars in the LH group (BS)
91-98	Numbers of Henize nebulas ovrelapping the LH group
111-117	NGC numbers associated with LH objects in the group

Table A3 - Simple Fortran Program for Reading the LMC Atlas and Mosaic Tapes

```
Line 1:            DIMENSION LINE (22)
     2:            REWIND 1
     3:       5    READ(1,1000,END=100) LINE
     4:    1000    FORMAT (22A6)
     5:            WRITE(6,1000) LINE
     6:            GO TO 5
     7:     100    STOP
     8:            END
```

Appendix B

S201 ATLAS LISTING OF FAR-UV OBJECTS IN THE AREA OF THE LARGE MAGELLANIC CLOUD

The S201 Atlas listing contains 473 far-UV objects in the LMC area, each detected on one or more of the four frames: A124 (1-min ILi exposure), A125 (3-min ILi exposure), A129 (10-min ICa exposure) and A130 (30-min ICa exposure). There are 26 columns, listing data from four other catalogs, as well as S201 measurements of far-UV flux from 122 Lucke-Hodge associations [19] with associated NGC objects, from 156 Henize nebulas [17], and from 20 SAO foreground stars [24]. The column entries are defined as follows, with asterisks on column entries flagging peculiar entries as noted.

FR.	S201 Apollo frame number
X	x coordinate in the PDS microdensitometer scan
Y	y coordinate on the PDS microdensitometer scan
R.A.	right ascension for the 1950 epoch in hours and minutes (to tenths of minutes), obtained from the LH, Henize, or SAO catalog for objects therein and from the xy coordinates for unidentified objects
DEC.	declination for the 1950 epoch in degrees and arc-minutes, obtained from the LH, Henize, or SAO catalog for objects therein and from the xy coordinates for unidentified objects
*X	number of pixels summed along the x axis, centered at X

*Y	number of pixels summed along the y axis, centered at Y. A multiplication sign between the two values *X and *Y indicates that the cataloged size of the object is matched by an area $\Delta x \Delta y$ in units of the area of one pixel; an asterisk indicates that the $\Delta x \Delta y$ area is <u>not</u> a rectangle but is slanted or curved. For grouped images the total number of pixels summed is listed as a single value followed by an asterisk, instead of being listed as a product of two values.
P	The central (peak) density of the image, corrected for nonlinear response but <u>not</u> for PDS lag. An asterisk indicates that the image center (pixel at x,y) is <u>not</u> a density maximum.
BG	the local background density, obtained by averaging the four density values on the centers of the four sides of the rectangle $\Delta x \Delta y$ from the mosaic of density values corrected for nonlinear response. In some images BG has a 1/2-density-unit remainder, and the listed value has been rounded upward to a whole number and is 1/2 density-unit high.
V	density volume = $\sum$(D-BG) over the summed $\Delta x \Delta y$
E, F	exposure time, in minutes, and filter (L = LiF, with passband 1050 to 1600 Å; C = CaF_2 with passband 1250 to 1600 Å)
V/E	density volume divided by exposure, a measure of the flux reaching the S201 camera. An asterisk indicates densities > 600.
RE	color excess in magnitudes. An asterisk indicates values measured by Lucke [20]; other values are interpolated from the contour plot, Fig. 14. Lucke's values of E(B-V) in the LMC have been increased by 0.05 magnitude for foreground reddening (Borgman et al. [10,11]).

UF — density volume V/E corrected for extinction based on RE. A dash indicates a value of $V/E < 0$. For ILi frames $UF = (V/E)10^{4.8(RE)}$. For ICa frames $UF = (V/E)10^{4.0(RE)}$.

LH NO. — number of association or cloud in the Lucke-Hodge catalog [14]. Numbers in parentheses are assumed to be associated with the Henize nebulas listed under N NO. or are other, overlapping LH numbers. In 23 cases, groups of two or more LH numbers are listed.

SIZE — dimensions of the LH association or cloud in arc-minutes north-south (along scan x) and east-west (along scan y). The summed area $\Delta x \Delta y$ was generally one raster larger in each dimension to allow for the S201 camera resolution of 3 arc-minutes. (One raster = 33 μm on the film = 1.19 arc-minutes in the sky.) In 37 cases the area published by Lucke [7] does not agree with these dimensions, which are presumably only rough estimates. For grouped images the total area in $(\text{arc-minutes})^2$ is listed, followed by an asterisk.

BS — Number of blue stars (Lucke's count [20]) in the LH association or cloud

N NO. — number of a nebula in the Henize catalog [17]. In many cases, the summed area $\Delta x \Delta y$ corresponds to several Henize nebulas; for example, 77A-E means N77A and N77B and N77C and N77D and N77E; 8, A means N8 and N8A and 26, 27 means N26 and N27. These combinations were selected after plotting the nebula positions and dimensions on a mosaic of density vs x,y. The N numbers in parentheses are near unidentified images (density maxima on two or more frames).

D NO. — numbers of DEM objects, Ref. 1

HA — Henize's Hα intensity estimate calibrated by Dougherty, Henize, and Aller [12] in Hα-flux units of 10^{-4} erg/s cm^2 sterad

HA (cont.) summed for all nebulas listed under N NO. Their calibration was as follows: Henize "T" = 1.0×10^{-4} erg/s cm^2 sterad pixel, Henize "1" = 2.0×10^{-4} erg/s cm^2 sterad pixel, Henize "2" = 4.5×10^{-4} erg/s cm^2 sterad pixel, Henize "3" = 7.0×10^{-4} erg/s cm^2 sterad pixel, Henize "4" = 9.5×10^{-4} erg/s cm^2 sterad pixel, Henize "5" = 12.0×10^{-4} erg/s cm^2 sterad pixel. Hence, the Hα intensity of N5, Henize "Int 2," dimensions 199 by 202 arc-seconds, or 2.8 X 2.8 pixels, is 4.5×10^{-4} (2.8×2.8) = 35.2×10^{-4} erg/s cm^2 sterad. For N77A-E, the contributions of the five overlapping parts are 1.80 + 1.40 + 0.63 + 5.67 + 98.2 = 107.7, and the dimensions are 299 by 370 arc-seconds, corresponding to Δx = 5.2 pixels and Δy = 4.2 pixels. The summed area is 7 X 6 pixels, to allow for the S201 camera resolution.

H IND. hydrogen index, the ratio HA/UF, or Hα flux per unit of unreddened far-UV flux. A dash indicates that the measured UF is zero or negative (due to measurement errors); an asterisk indicates an uncertain value because V is low.

NGC NO. objects in Dreyer's "New General Catalogue of Nebulae and Clusters of Stars" (Mem. R.A.S. 49, Part 1, 1888) associated with LH associations or clouds. When more than two are listed by Lucke and Hodge, only the first and last are listed here.

SAO NO. number of a star in the Smithsonian Astrophysical Observatory catalog identified with a measured image. In one case (R.A. = 5:32.2) a number from the Henry Draper Catalog is given, followed by H.

MC NO. number of radio sources in the MC Catalog (Ref. 13). If followed by SNR, identified as supernova remnants.

M visual magnitude from the SAO catalog

SP spectral type from the SAO catalog

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X	*Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	MIND.	NOC NO.	SAO NO.	M	S
124	725	811	4:38.3	-68:55	3X	5	75	65	85	1L	85	.05	147					.0	.00		249073	8.1	A0
125	727	812	4:38.3	-68:55	5X	5	201	167	363	3L	121	.05	210					.0	.00		249073	8.1	A0
129	725	812	4:38.3	-68:55	7X	8	112	40	1344	10C	134	.05	212					.0	.00		249073	8.1	A0
130	725	810	4:38.3	-68:55	9X	9	331	91	5794	30C	193	.05	305					.0	.00		249073	8.1	A0
124	772	800	4:43.1	-68:01	2X	2	67*	67	-1	1L	-1	.10	-3				2	3.4	-1.43				
125	773	801	4:43.1	-68:01	2X	2	167*	167	-1	3L	0	.10	0				2	3.4	.00				
129	770	800	4:43.1	-68:01	2X	2	40*	41	2	10C	0	.10	0				2	3.4	.00				
130	771	798	4:43.1	-68:01	2X	2	100*	99	6	30C	0	.10	0				2	3.4	.00				
124	632	764	4:43.5	-71:01	11X	12	473	69	6568	1L	6568	.05	11413					.0	.00		256122	5.7	B9
125	634	765	4:43.5	-71:01	19X	21	958	170	85950	3L	28650*	.05	49787					.0	.00		256122	5.7	B9
129	632	764	4:43.5	-71:01	18X	19	917	38	97000	10C	9700*	.05	15373					.0	.00		256122	5.7	B9
130	633	761	4:43.5	-71:01	24X	24	953	91	141600	30C	4720*	.05	7480					.0	.00		256122	5.7	B9
124	771	797	4:43.7	-68:05	2X	2	69	65	14	1L	14	.08	33				(2)	.0	.00				
125	770	799	4:43.7	-68:05	2X	2	174	165	29	3L	10	.08	24				(2)	.0	.00				
129	770	794	4:43.7	-68:04	2X	2	42	40	8	10C	1	.08	2				(2)	.0	.00				
130	771	793	4:43.7	-68:04	3X	3	96	91	26	30C	1	.08	2				(2)	.0	.00				
124	713	774	4:45.4	-69:19	2X	2	73	68	16	1L	16	.15	83					.0	.00		--		
125	711	774	4:45.4	-69:19	3X	3	181	174	45	3L	15	.15	78					.0	.00		--		
129	711	774	4:45.4	-69:19	2X	2	48	44	15	10C	2	.15	7					.0	.00		--		
130	712	771	4:45.4	-69:19	2X	2	114	104	35	30C	1	.15	3					.0	.00		--		
124	702	769	4:45.5	-69:32	2X	2	73	68	19	1L	19	.15	99					.0	.00		--		
125	702	769	4:45.5	-69:32	2X	2	181	171	33	3L	11	.15	57					.0	.00		--		
129	703	770	4:45.5	-69:32	2X	2	53	43	35	10C	4	.15	15					.0	.00		--		
130	703	768	4:45.5	-69:32	2X	2	118	104	50	30C	2	.15	7					.0	.00		--		
124	671	758	4:46.3	-70:15	2X	2	75	69	18	1L	18	.13	75					.0	.00		--		

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X	*Y	P	BO	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NOC NO.	SAO NO.	M	S
125	672	761	4:46.3	-70:15	2X	2	180	171	32	3L	11	.13	46					.0	.00		--		
129	671	760	4:46.3	-70:15	3X	3	63	40	151	10C	15	.13	49					.0	.00		--		
130	671	758	4:46.3	-70:15	5X	4	162	96	555	30C	19	.13	62					.0	.00		--		
124	701	761	4:47.3	-69:36	2X	2	73	68	16	1L	16	.15	83	--				.0	.00	16937957			
125	702	760	4:47.3	-69:36	3X	3	181	175	39	3L	13	.15	68	--				.0	.00	16937957			
129	704	763	4:47.3	-69:36	2X	2	53	48	19	10C	2	.15	7	--				.0	.00	16937957			
130	703	761	4:47.3	-69:36	2X	2	130	110	74	30C	2	.15	7	--				.0	.00	16937957			
124	654	749	4:47.8	-70:37	2X	2	71*	68	11	1L	11	.12	41					.0	.00		--		
125	653	749	4:47.8	-70:37	2X	2	181	172	30	3L	10	.12	37					.0	.00		--		
129	654	750	4:47.8	-70:37	2X	2	48	39	35	10C	4	.12	12					.0	.00		--		
130	654	747	4:47.8	-70:37	2X	2	116	95	73	30C	2	.12	6					.0	.00		--		
124	792	767	4:49.0	-67:48	6X	8	76	67	184	1L	184	.05	319					.0	.00		249120	7.8	A2
125	796	769	4:49.0	-67:48	7X	9	196	170	784	3L	261	.05	453					.0	.00		249120	7.8	A3
129	793	770	4:49.0	-67:48	8X	9	93	42	1726	10C	173	.05	274					.0	.00		249120	7.8	A2
124	753	764	4:49.2	-68:29	3X	4	71	70	6	1L	6	.12	22				76	4.5	.27				
125	752	765	4:49.2	-68:29	3X	4	178	176	3	3L	1	.12	3				76	4.5	1.98				
129	752	765	4:49.2	-68:29	3X	4	41*	41	2	10C	0	.12	0				76	4.5	.00				
130	755	762	4:49.2	-68:29	3X	4	105*	105	13	30C	0	.12	0				76	4.5	.00				
124	718	751	4:49.7	-69:17	7X	6	77	74	35	1L	35	.16	205				77A-E	107.7	.76		MC10		
125	719	755	4:49.7	-69:17	7X	6	193	189	57	3L	19	.16	111				77A-E	107.7	1.40		MC10		
129	719	755	4:49.7	-69:17	7X	6	89	69	215	10C	22	.16	96				77A-E	107.7	1.62		MC10		
130	719	752	4:49.7	-69:17	7X	6	257	177	791	30C	26	.16	113				77A-E	107.7	1.38		MC10		
130	792	768	4:49.7	-67:44	10X	13	259	101	7252	30C	242	.05	383					.0	.00		24912077.8		A2
124	791	771	4:50.0	-67:46	10X	8	74*	71	65	1L	65	.10	196	(SAO249120)			3	52.5	.34				
125	792	772	4:50.0	-67:46	10X	8	187*	178	256	3L	85	.10	256	(SAO249120)			3	52.5	.26				

REVISED 5201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X	*Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
129	790	769	4:50.0	-67:46	10X	8	66*	56	590	10C	59	.10	148	(SA0249120)			3	52.5	.45				
130	790	767	4:50.0	-67:46	10X	8	178*	139	1667	30C	56	.10	140	(SA0249120)			3	52.5	.47				
125	731	757	4:50.2	-69:06	4X	3	192	185	35	3L	12	.16	70	--				.0	.00	16987			
129	728	755	4:50.2	-69:06	4X	3	63	51	73	10C	7	.16	30	--				.0	.00	16987			
130	728	753	4:50.2	-69:06	4X	4	155	126	289	30C	10	.16	43	--				.0	.00	16987			
124	694	748	4:50.4	-69:50	2X	2	78	72	22	1L	22	.16	128	--				.0	.00	17047			
125	695	747	4:50.4	-69:50	3X	4	199	184	110	3L	37	.16	216	--				.0	.00	1704?			
129	694	747	4:50.4	-69:50	6X	4	80	53	304	10C	30	.16	130	--				.0	.00	17047			
130	694	745	4:50.4	-69:50	7X	7	201	127	1460	30C	49	.16	213	--				.0	.00	17047			
124	710	746	4:51.1	-69:30	13X	17	94	76	1001	1L	1001	.17	6552	(LH1)			79,A-E	395.7	.09	1712.22	MC13		
125	712	747	4:51.1	-69:30	13X	17	262	194	3762	3L	1254	.17	8209	(LH1)			79,A-E	395.7	.07	1712.22	MC13		
129	711	746	4:51.1	-69:30	13X	17	199	76	5819	10C	582	.17	2785	(LH1)			79,A-E	395.7	.21	1712.22	MC13		
130	711	744	4:51.1	-69:30	13X	17	652	201	21388	30C	713	.17	3412	(LH1)			79,A-E	395.7	.17	1712.22	MC13		
124	710	746	4:51.1	-69:25	4X	8	94	86	88	1L	88	.17*	576	LH1	3.0 7.5	23	(79)	.0	.00	1712.22			
125	713	747	4:51.1	-69:25	4X	8	252*	228	265	3L	88	.17*	576	LH1	3.0 7.5	23	(79)	.0	.00	1712.22			
129	711	746	4:51.1	-69:25	4X	8	199	125	667	10C	67	.17*	320	LH1	3.0 7.5	23	(79)	.0	.00	1712.22			
130	712	745	4:51.1	-69:25	4X	8	490*	405	1618	30C	54	.17*	258	LH1	3.0 7.5	23	(79)	.0	.00	1712.22			
124	683	741	4:51.2	-70:04	5X	6	83	73	94	1L	94	.16	550	--				.0	.00	1711			
125	685	743	4:51.2	-70:04	6X	6	212	181	482	3L	161	.16	943	--				.0	.00	1711			
129	684	742	4:51.2	-70:04	8X	7	112	49	1071	10C	107	.16	467	--				.0	.00	1711			
130	684	740	4:51.2	-70:04	12X	9	327	114	7200	30C	240	.16	1047	--				.0	.00	1711			
125	803	764	4:51.3	-67:32	2X	2	183	172	38	3L	13	.11	43					.0	.00		--		
129	803	766	4:51.3	-67:32	2X	2	54	45	34	10C	3	.11	8					.0	.00		--		
130	803	764	4:51.3	-67:32	2X	2	126	107	71	30C	2	.11	5					.0	.00		--		
124	714	741	4:52.4	-69:21	5X	4	91	87	31	1L	31	.18	226	LH2	3.0 2.0	10	010	26.0	.17	1727			

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X	*Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NOC NO.	SAO NO.	M	S
125	717	742	4:52.4	-69:21	5X	4	241*	230	77	3L	26	.18	190	LH2	3.0 2.0	10	010	28.0	.21	1727			
129	715	742	4:52.4	-69:21	5X	4	180	136	273	10C	27	.18	141	LH2	3.0 2.0	10	010	28.0	.28	1727			
130	716	739	4:52.4	-69:21	5X	4	517*	410	718	30C	24	.18	125	LH2	3.0 2.0	10	010	26.0	.31	1727			
124	714	741	4:52.5	-69:25	5X	5	91	86	55	1L	55	.18	402	(LH2)			79CE	58.0	.22	1727			
125	714	742	4:52.5	-69:25	5X	5	245*	236	109	3L	36	.18	263	(LH2)			79CE	58.0	.33	1727			
129	715	742	4:52.5	-69:25	5X	5	180	129	390	10C	39	.18	204	(LH2)			79CE	58.0	.43	1727			
130	713	739	4:52.5	-69:25	4X	5	520*	477	703	30C	23*	.18	120	(LH2)			79CE	58.0	.73	1727			
124	840	767	4:52.5	-66:47	2X	3	74	70	23	1L	23	.12	86	--			(4,6)	.0	.00	1714?			
125	842	767	4:52.5	-66:47	2X	6	198	184	103	3L	34	.12	128	--			(4,6)	.0	.00	1714?			
129	840	770	4:52.5	-66:47	5X	3	64	53	113	10C	11	.12	33	--			(4,6)	.0	.00	1714?			
130	840	768	4:52.5	-66:47	8X	6	163	123	1000	30C	33	.12	99	--			(4,6)	.0	.00	1714?			
124	813	762	4:52.6	-67:22	5X	5	71*	70	20	1L	20	.12	75	(LH3)			5	35.2	.62				
125	813	761	4:52.6	-67:22	5X	5	187*	183	51	3L	17	.12	64	(LH3)			5	35.2	.73				
129	814	762	4:52.6	-67:22	5X	5	73	63	81	10C	8	.12	24	(LH3)			5	35.2	1.93				
130	814	760	4:52.6	-67:22	5X	5	192	159	275	30C	9	.12	27	(LH3)			5	35.2	1.72				
129	849	773	4:52.6	-66:36	2X	2	56	47	36	10C	4	.10	10				(6,11)	.0	.00				
130	849	769	4:52.6	-66:36	2X	2	122	109	48	30C	2	.13	6				(6,11)	.0	.00				
124	813	762	4:52.7	-67:18	6X	6	71*	70	37	1L	37	.12	139	LH3	5.0 5.0	7	(5)	.0	.00				
125	815	761	4:52.7	-67:18	6X	6	189*	183	113	3L	38	.12	143	LH3	5.0 5.0	7	(5)	.0	.00				
129	814	762	4:52.7	-67:18	6X	6	73	61	128	10C	13	.12	39	LH3	5.0 5.0	7	(5)	.0	.00				
130	815	759	4:52.7	-67:18	6X	6	176*	156	332	30C	11	.12	33	LH3	5.0 5.0	7	(5)	.0	.00				
124	869	730	4:53.0	-70:24	4X	4	77	73	30	1L	30	.15	157					.0	.00		--		
125	870	731	4:53.0	-70:24	6X	2	193	179	138	3L	46	.15	241					.0	.00		--		
129	870	730	4:53.0	-70:24	4X	4	62	49	122	10C	12	.15	47					.0	.00		--		
130	870	728	4:53.0	-70:24	5X	5	159	116	543	30C	18	.15	71					.0	.00		--		

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X *Y	P	BO	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NOC NO.	SAO NO.	M	S
124	719	739	4:53.1	-69:18	3X 3	83*	81	6	1L	6	.25	95				81AB	11.6	.22				
125	718	740	4:53.1	-69:18	3X 3	223*	223	-3	3L	-1	.25	-15				81AB	11.6	-1.38				
129	720	739	4:53.1	-69:18	3X 3	101*	99	14	10C	1	.25	10				81AB	11.6	2.06				
130	720	737	4:53.1	-69:18	3X 3	279*	272	25	30C	1	.25	10				81AB	11.6	2.06				
124	778	751	4:53.1	-68:08	4X 3	78	76	13	1L	13	.09	35				8,A	23.1	.81				
125	777	754	4:53.1	-68:08	4X 3	189	184	30	3L	10	.09	27				8,A	23.1	1.05				
129	778	752	4:53.1	-68:08	4X 3	87	73	63	10C	6	.09	13				8,A	23.1	2.19				
130	778	750	4:53.1	-68:08	4X 3	226	189	167	30C	6	.09	13				8,A	23.1	2.19				
124	832	762	4:53.2	-66:59	5X 6	85	79	61	1L	61	.16	357	(LH4)			4A-F	31.0	.13	1731			
125	832	763	4:53.2	-66:59	5X 6	218	205	116	3L	39	.16	228	(LH4)			4A-F	31.0	.20	1731			
129	832	763	4:53.2	-66:59	5X 6	145	105	324	10C	32	.16	139	(LH4)			4A-F	31.0	.32	1731			
130	832	761	4:53.2	-66:59	5X 6	470	306	1475	30C	49	.16	213	(LH4)			4A-F	31.0	.21	1731			
124	843	763	4:53.2	-66:40	3X 3	76	72	19	1L	19	.13	79				D29	.5	.01				
125	847	766	4:53.2	-66:40	9X 8	215*	188	931	3L	310	.13	1304				D29	.5	.00				
124	737	741	4:53.3	-68:56	2X 3	77	71	30	1L	30	.25	475	--			D14,16	7.5	.03	1734?			
125	737	744	4:53.3	-68:56	4X 5	190	182	95	3L	32	.25	507	--			D14,16	7.5	.03	1734?			
129	739	742	4:53.3	-68:56	14X 7	67	50	887	10C	89	.25	890	--			D14,16	7.5	.01	1734?			
130	739	741	4:53.3	-68:56	16X17	178	116	5197	30C	173	.25	1730	--			D14,16	7.5	.01	1734?			
124	832	762	4:53.4	-66:56	5X 5	85	79	55	1L	55	.16*	322	LH4	4.0 4.0	23	(4)	.0	.00	1731			
125	833	783	4:53.4	-66:56	5X 5	218	208	73	3L	24	.16*	140	LH4	4.0 4.0	23	(4)	.0	.00	1731			
129	832	783	4:53.4	-66:56	5X 5	145	108	265	10C	27	.16*	117	LH4	4.0 4.0	23	(4)	.0	.00	1731			
130	833	760	4:53.4	-66:56	5X 5	412*	317	755	30C	25	.16*	109	LH4	4.0 4.0	23	(4)	.0	.00	1731			
124	807	756	4:53.5	-67:28	3X 3	71*	70	9	1L	9	.11	30				7	3.2	.14				
125	808	757	4:53.5	-67:28	3X 3	174*	174	3	3L	1	.11	3				7	3.2	1.37				
129	808	757	4:53.5	-67:28	3X 3	46*	47	-1	10C	0	.11	0				7	3.2	.00				

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X	*Y	P	BO	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	MIND.	NGC NO.	SAO NO.	M	S
130	808	755	4:53.5	-67:28	3X	3	113*	113	4	30C	0	.11	0				7	3.2	.00				
129	757	744	4:54.0	-68:34	2X	2	57	50	20	10C	2	.20	12				(80)	.0	.00				
130	757	741	4:54.0	-68:34	2X	2	136	120	56	30C	2	.20	12				(80)	.0	.00				
124	660	727	4:54.1	-70:40	3X	3	75	73	19	1L	19	.14	89	--			D21	2.8	.04	1754?			
125	660	725	4:54.1	-70:40	5X	4	201	182	236	3L	79	.14	371	--			D21	2.8	.01	1754?			
129	658	725	4:54.1	-70:40	3X	4	68	45	184	10C	18	.14	65	--			D21	2.8	.06	1754?			
130	658	722	4:54.1	-70:40	6X	7	178	105	1070	30C	36	.14	130	--			D21	2.8	.03	1754?			
124	686	726	4:54.2	-70:05	8X	8	78	73	73	1L	73	.16	427				185	60.6	.21				
125	686	727	4:54.2	-70:05	8X	8	198*	187	213	3L	71	.16	416				185	60.6	.21				
129	686	727	4:54.2	-70:05	8X	8	87*	59	403	10C	40	.16	174				185	60.6	.50				
130	686	725	4:54.2	-70:05	8X	8	236	144	1115	30C	37	.16	161				185	60.6	.54				
124	723	734	4:54.3	-69:13	5X	7	88	82	74	1L	74	.26*	1309	LH5	4.0 6.0	26	(83)	.0	.00	1727-48			
125	725	736	4:54.3	-69:13	5X	7	243*	213	382	3L	127	.23*	2248	LH5	4.0 6.0	26	(83)	.0	.00	1727-48			
129	724	734	4:54.3	-69:13	5X	7	171	106	566	10C	57	.26*	624	LH5	4.0 6.0	26	(83)	.0	.00	1727-48			
130	725	733	4:54.3	-69:13	5X	7	430*	307	1135	30C	38	.26*	416	LH5	4.0 6.0	26	(83)	.0	.00	1727-48			
124	764	740	4:54.3	-68:27	3X	3	76	75	8	1L	8	.20	72				80	9.2	.20				
125	763	743	4:54.3	-68:27	3X	3	196	191	19	3L	6	.20	54				80	9.2	.27				
129	763	741	4:54.3	-68:27	3X	3	76	68	33	10C	3	.20	18				80	9.2	.81				
130	763	739	4:54.3	-68:27	3X	3	193	172	77	30C	3	.20	18				80	9.2	.81				
124	758	741	4:54.4	-68:35	2X	2	77	73	13	1L	13	.20	118					.0	.00		--		
125	757	742	4:54.4	-68:35	2X	2	187	181	24	3L	8	.20	72					.0	.00		--		
124	723	734	4:54.5	-69:16	6X	7	88	81	104	1L	104	.26	1840	(LH5)			83,A-D	150.8	.15	1727-48	MC16		
125	725	735	4:54.5	-69:16	6X	7	248	215	389	3L	130	.28	2301	(LH5)			83,A-D	150.8	.12	1727-48	MC16		
129	724	734	4:54.5	-69:16	6X	7	171	102	774	10C	77	.26	844	(LH5)			83,A-D	150.8	.33	1727-48	MC16		
130	724	732	4:54.5	-69:16	6X	7	585	294	3221	30C	107	.26	1173	(LH5)			83,A-D	150.8	.23	1727-48	MC16		

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X *Y	P	BG	V	E.F	V/-	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NOC NO.	SAD NO.	M	S
124	708	731	4:54.7	-69.35	2X 2	77*	77	0	1L	0	.16	0				87	.6	.00				
125	709	732	4:54.7	-69:35	2X 2	195*	195	1	3L	0	.16	0				87	.6	.00				
129	707	730	4:54.7	-69:35	2X 2	77*	78	1	10C	0	.16	0				87	.6	.00				
130	707	728	4:54.7	-69:35	2X 2	199*	202	-3	30C	0	.16	0				87	.6	.00				
124	675	722	4:55.0	-70:18	2X 2	77	73	14	1L	14	.15	73	--				.0	.00	1766?			
125	677	719	4:55.0	-70:18	3X 2	201	189	40	3L	13	.15	68	--				.0	.00	1766?			
129	677	723	4:55.0	-70:18	2X 2	59	53	24	10C	2	.15	7	--				.0	.00	1766?			
130	677	721	4:55.0	-70:18	2X 3	148	128	77	30C	3	.15	11	--				.0	.00	1766?			
124	711	728	4:55.1	-69:29	2X 3	80*	81	5	1L	5	.16	29	(LH8)			88	.7	.03	1767-82			
125	712	729	4:55.1	-69:29	2X 3	220*	220	23	3L	8	.16	46	(LH8)			88	.7	.02	1767-82			
129	711	728	4:55.1	-69:29	2X 3	102*	108	15	10C	2	.16	8	(LH8)			88	.7	.13	1767-82			
130	711	726	4:55.1	-69:29	2X 3	275*	307	21	30C	1	.16	4	(LH8)			88	.7	.25	1767-82			
124	821	751	4:55.1	-67:11	5X 6	85	79	59	1L	59	.12*	222	LH6	3.0 5.0	10	(9)	.0	.00	1735,47			
125	822	751	4:55.1	-67:11	5X 6	228	212	222	3L	74	.12*	278	LH6	3.0 5.0	10	(9)	.0	.00	1735,47			
129	821	751	4:55.1	-67:11	5X 6	143	107	339	10C	34	.12*	102	LH6	3.0 5.0	10	(9)	.0	.00	1735,47			
130	822	749	4:55.1	-67:11	5X 6	443*	308	1062	30C	35	.12*	105	LH6	3.0 5.0	10	(9)	.0	.00	1735,47			
124	821	751	4:55.2	-67:13	9X 8	85	77	135	1L	135	.12	508	(LH6)			9	81.2	.21	1735,47			
125	822	752	4:55.2	-67:13	9X 8	228	199	757	3L	252	.12	949	(LH6)			9	81.2	.11	1735,47			
129	821	751	4:55.2	-67:13	9X 8	143	86	1154	10C	115	.12	347	(LH6)			9	81.2	.31	1735,47			
130	821	749	4:55.2	-67:13	9X 8	473	229	4685	30C	156	.12	471	(LH6)			9	81.2	.23	1735,47			
124	670	720	4:55.3	-70:26	3X 3	78	73	37	1L	37	.15	194	--				.0	.00	1754?			
125	671	722	4:55.3	-70:26	4X 4	199	184	147	3L	49	.15	257	--				.0	.00	1754?			
129	670	721	4:55.3	-70:26	3X 3	66	51	86	10C	9	.15	35	--				.0	.00	1754?			
130	670	719	4:55.3	-70:26	4X 6	163	123	503	30C	17	.15	67	--				.0	.00	1754?			
124	705	723	4:55.4	-69:45	3X 5	83	79	50	1L	50	.18	293				(88)	.0	.00				

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X *Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NOC NO.	SAO NO.	M	S
125	703	725	4:55.4	-69:45	6X 4	216	197	225	3L	75	.16	439				(88)	.0	.00				
129	704	725	4:55.4	-69:44	4X 4	101	81	229	10C	23	.16	100				(88)	.0	.00				
130	704	723	4:55.4	-69:44	6X12	300	213	2400	30C	80	.16	349				(88)	.0	.00				
124	714	723	4:55.4	-69:28	11X11	95	80	964	1L	964	.16	5650	(LH8)			(88,89)	.0	.00	1767-82			
125	714	725	4:55.4	-69:28	14X15	269	204	4545	3L	1515	.16	8879	(LH8)			(88,89)	.0	.00	1767-82			
129	713	725	4:55.4	-69:28	6X14	201	186	3400	10C	340	.16	1484	(LH8)			(88,89)	.0	.00	1767-82			
130	713	723	4:55.4	-69:28	7X14	630	310	9400	30C	313*	.16	1366	(LH8)			(88,89)	.0	.00	1767-82			
124	772	740	4:55.5	-68:15	5X 4	76	70	54	1L	54	.17	353	--				.0	.00	1755			
125	773	739	4:55.5	-68:15	5X 6	190	176	177	3L	59	.17	386	--				.0	.00	1755			
129	772	740	4:55.5	-68:15	5X 5	75	48	333	10C	33	.17	157	--				.0	.00	1755			
130	772	737	4:55.5	-68:15	6X 7	195	113	1238	30C	41	.17	196	--				.0	.00	1755			
124	650	714	4:55.6	-70:56	3X 3	76	72	19	1L	19	.13	79					.0	.00		--		
125	649	716	4:55.6	-70:56	3X 3	196	180	101	3L	34	.13	143					.0	.00		--		
129	644	717	4:55.6	-70:56	3X 3	59	44	88	10C	9	.13	29					.0	.00		--		
130	645	713	4:55.6	-70:56	4X 6	148	105	580	30C	19	.13	62					.0	.00		--		
129	881	761	4:55.6	-66:00	2X 2	53	43	39	10C	4	.10	10				10	31.0	3.90		--		
130	881	759	4:55.6	-66:00	3X 3	126	101	154	30C	5	.10	12				10	31.0	3.25		--		
124	718	728	4:55.7	-69:21	2X 2	83*	82	4	1L	4	.20	36	(LH8)			90	1.5	.07	1767-82			
125	723	727	4:55.7	-69:21	2X 2	228	224	7	3L	2	.20	18	(LH8)			90	1.5	.13*	1767-82			
129	719	729	4:55.7	-69:21	2X 2	109	108	-1	10C	0	.20	0	(LH8)			90	1.5	.00	1767-82			
130	722	726	4:55.7	-69:21	2X 2	314*	288	-51	30C	-2	.20	-12	(LH8)			90	1.5	-.20	1767-82			
124	759	735	4:55.7	-68:31	4X 4	72*	73	12	1L	12	.26	212				84	10.8	.09				
125	760	735	4:55.7	-68:31	4X 4	190*	186	36	3L	12	.26	212				84	10.8	.09				
129	759	735	4:55.7	-68:31	4X 4	54*	54	13	10C	1	.26	10				84	10.8	1.97				
130	759	733	4:55.7	-68:31	4X 4	126*	128	37	30C	1	.26	10				84	10.8	1.97				

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FN.	X	Y	R.A.	DEC.	*X *Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
124	750	733	4:55.9	-68:43	5X 5	75*	74	25	1L	25	.26	442				85,86	19.6	.08				
125	752	734	4:55.9	-68:43	5X 5	186*	184	61	3L	20	.26	354				85,86	19.6	.10				
129	750	733	4:55.9	-68:43	5X 5	62*	58	40	10C	4	.26	43				85,86	19.6	.83				
130	750	731	4:55.9	-68:43	5X 5	155	142	91	30C	3	.26	32				85,86	19.6	1.11				
124	678	717	4:56.2	-70:17	3X 2	76	73	15	1L	15	.16	87	--				.0	.00	1766			
125	678	716	4:56.2	-70:17	2X 3	201	187	77	3L	26	.16	152	--				.0	.00	1766			
129	677	717	4:56.2	-70:17	2X 2	62	53	27	10C	3	.16	13	--				.0	.00	1766			
130	677	715	4:56.2	-70:17	2X 2	148	128	57	30C	2	.16	8	--				.0	.00	1766			
124	684	757	4:56.3	-65:56	2X 2	71	67	15	1L	15	.10	45					.0	.00		--		
125	883	760	4:56.3	-65:56	2X 2	177	168	35	3L	12	.10	36					.0	.00		--		
124	623	707	4:56.4	-71:25	5X 5	71*	71	15	1L	15	.15	78	LH7	4.0 4.0	--		.0	.00				
125	624	709	4:56.4	-71:25	5X 5	177*	179	-20	3L	-7	.15	-36	LH7	4.0 4.0	--		.0	.00				
129	621	708	4:56.4	-71:25	5X 5	47	42	36	10C	4	.15	15	LH7	4.0 4.0	--		.0	.00				
130	622	705	4:56.4	-71:25	5X 5	108	99	37	30C	1	.15	3	LH7	4.0 4.0	--		.0	.00				
124	689	718	4:56.5	-70:03	3X 3	80	73	45	1L	45	.16	263				(185)	.0	.00				
125	689	719	4:56.5	-70:03	4X 3	204	187	116	3L	39	.16	228				(185)	.0	.00				
129	688	718	4:56.5	-70:03	3X 3	75	58	103	10C	10	.16	43				(185)	.0	.00				
130	688	716	4:56.5	-70:03	5X 5	198	141	633	30C	21	.16	91				(185)	.0	.00				
124	858	750	4:56.6	-66:30	22X20	112	73	3437	1L	3437	.15	18037	(LH9,10,13,14)			11,A-L	1874.0	.15	1760-73	MC18		
125	859	751	4:56.6	-66:30	22X20	342	189	11151	3L	3717	.15	19507	(LH9,10,13,14)			11,A-L	1874.0	.14	1760-73	MC18		
129	856	750	4:56.6	-66:30	22X20	407	66	21099	10C	2110	.15	8400	(LH9,10,13,14)			11,A-L	1874.0	.32	1760-73	MC18		
130	858	749	4:56.6	-66:30	22X20	990	168	73306	30C	2444*	.15	9729	(LH9,10,13,14)			11,A-L	1874.0	.27	1760 73	MC18		
124	858	750	4:56.6	-66:29	7X 5	112	101	125	1L	125	.15*	656	LH9	6.0 4.0	38	(11)	.0	.00	1760.61			
125	857	750	4:56.6	-66:29	7X 5	316*	280	464	3L	155	.15*	813	LH9	6.0 4.0	38	(11)	.0	.00	1760.61			
129	857	751	4:56.6	-66:29	7X 5	407	253	1477	10C	148	.15*	589	LH9	6.0 4.0	38	(11)	.0	.00	1760.61			

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X *Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
130	858	749	4:56.6	-66:2,	7X 5	990	840	2251	30C	75*	.15*	298	LH9	6.0 4.0	38	(11)	.0	.00	1760.61			
124	860	749	4:56.6	-66:28	69*	112	85	714	1L	714	.15	3747	LH9--13	49.0*	38	(11)	.0	.00	1760-69			
125	859	749	4:56.6	-66:28	75*	298*	245	2070	3L	690	.15	3621	LH9--13	49.0*	38	.11)	.0	.00	1760-69			
129	859	749	4:56.6	-66:28	75*	259*	170	3886	10C	389	.15	1548	LH9--13	49.0*	38	(11)	.0	.00	1760-69			
130	857	748	4:56.5	-66:28	79*	840*	513	11429	30C	381*	.15	1516	LH9--14	50.5*	38	(11)	.0	.00	1760-73			
124	860	751	4:56.6	-66:27	54*	112	90	339	1L	339	.15	1779	LH9,10	40.0*	38	(11)	.0	.00	1760-63			
125	859	750	4:56.6	-66:27	50*	333*	268	934	3L	311	.15	1632	LH9,10	40.0*	38	(11)	.0	.00	1760-63			
129	859	751	4:56.6	-66:27	45*	385	216	2183	10C	218	.15	867	LH9,10	40.0*	38	(11)	.0	.00	1760-63			
130	859	748	4:56.6	-66:27	50*	953*	679	4806	30C	160*	.15	636	LH9,10	40.0*	38	(11)	.0	.00	1760-63			
124	715	721	4:56.7	-69:26	14X18	98	80	1230	1L	1230	.16*	7209	LH8	15.0 20.0	76	(90,94)	.0	.00	1767-82			
125	716	722	4:56.7	-69:26	14X18	277	212	3048	3L	1016	.16*	5955	LH8	15.0 20.0	76	(90,94)	.0	.00	1767-82			
129	716	722	4:56.7	-69:26	14X18	201	92	6391	10C	639	.16*	2789	LH8	15.0 20.0	76	(90,94)	.0	.00	1767-82			
130	716	720	4:56.7	-69:26	14X18	679	269	23026	30C	768*	.16*	3352	LH8	15.0 20.0	76	(90,94)	.0	.00	1767-82			
124	861	752	4:56.7	-66:24	5X 5	94*	92	20	1L	20	.15	104	LH10	4.0 4.0	--	(11)	.0	.00	1763			
125	861	751	4:56.7	-66:24	5X 5	312*	286	166	3L	55	.15	288	LH10	4.0 4.0	--	(11)	.0	.00	1763			
129	861	751	4:56.7	-66:24	5X 5	238	212	144	10C	14	.15	55	LH10	4.0 4.0	--	(11)	.0	.00	1763			
130	862	749	4:56.7	-66:24	5X 5	734*	579	1214	30C	41*	.15	163	LH10	4.0 4.0	--	(11)	.0	.00	1763			
124	710	719	4:57.0	-69:33	5X 5	88*	86	40	1L	40	.16	234	(LH8)			94A-C	20.9	.13	1767-82			
125	711	720	4:57.0	-69:33	5X 5	228*	223	105	3L	35	.16	205	(LH8)			94A-C	20.9	.15	1767-82			
129	711	720	4:57.0	-69:33	5X 5	134*	128	53	10C	5	.16	21	(LH8)			94A-C	20.9	1.44	1767-82			
130	711	718	4:57.0	-69:33	5X 5	454*	417	269	30C	9	.16	39	(LH8)			94A-C	20.9	.77	1767-82			
129	839	744	4:57.1	-66:54	4X 3	68	57	93	10C	9	.16	39					.0	.00		--		
130	840	743	4:57.1	-66:54	5X 7	178	139	725	30C	24	.16	104					.0	.00		--		
124	724	721	4:57.2	-69:18	2X 3	77*	78	2	1L	2	.20	18				93	.5	.04				
125	724	723	4:57.2	-69:18	2X 3	213*	215	10	3L	3	.20	27				93	.5	.03				

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X	*Y	P	BO	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
129	724	721	4:57.2	-69:18	2X	3	83*	84	8	10C	1	.20	6				93	.5	.13				
130	724	719	4:57.2	-69:18	2X	3	229*	239	16	30C	1	.20	6				93	.5	.13				
124	858	750	4:57.2	-66:30	6X	7	112	99	204	1L	204	.15	1070	(LH9,13)			118C	355.0	.47	1760-69			
125	858	748	4:57.2	-66:30	6X	7	284*	262	478	3L	159	.15	834	(LH9,13)			118C	355.0	.60	1760-69			
129	858	749	4:57.2	-66:30	6X	7	271*	229	1055	10C	106	.15	421	(LH9,13)			118C	355.0	1.19	1760-69			
130	858	747	4:57.2	-66:30	6X	7	897*	734	2202	30C	73*	.15	290	(LH9,13)			118C	355.0	1.73	1760-69			
124	746	725	4:57.3	-68:50	4X	4	76	74	15	1L	15	.26	265	(LH11)			92,AB	14.4	.10				
125	747	726	4:57.3	-68:50	4X	4	198	193	32	3L	11	.26	194	(LH11)			92,AB	14.4	.14				
129	745	725	4:57.3	-68:50	4X	4	78*	73	67	10C	7	.26	76	(LH11)			92,AB	14.4	.34				
130	747	723	4:57.3	-68:50	4X	4	239	199	230	30C	8	.26	87	(LH11)			92,AB	14.4	.30				
124	748	725	4:57.3	-68:45	3X	3	76	75	4	1L	4	.26	70	LH11	1.5 1.0	--	(92)	.0	.00				
125	750	727	4:57.3	-68:45	3X	3	192*	190	9	3L	3	.26	53	LH11	1.5 1.0	--	(92)	.0	.00				
129	747	725	4:57.3	-68:45	3X	3	88	78	30	10C	3	.26	32	LH11	1.5 1.0	--	(92)	.0	.00				
130	748	723	4:57.3	-68:45	3X	3	223*	200	80	30C	3	.26	32	LH11	1.5 1.0	--	(92)	.0	.00				
124	849	709	4:57.4	-70:53	3X	3	78	73	24	1L	24	.16	140					.0	.00		--		
125	850	710	4:57.4	-70:53	4X	3	198	182	113	3L	38	.16	222					.0	.00		--		
129	850	709	4:57.4	-70:53	3X	2	56	43	61	10C	6	.16	26					.0	.00		--		
130	850	708	4:57.4	-70:53	7X	5	144	110	678	30C	23	.16	100					.0	.00		--		
125	697	713	4:57.4	-69:55	3X	3	204	189	114	3L	38	.16	222					.0	.00		--		
129	698	716	4:57.4	-69:55	4X	6	78	62	188	10C	19	.16	82					.0	.00		--		
130	698	714	4:57.4	-69:55	6X	5	210	163	685	30C	23	.16	100					.0	.00		--		
124	698	718	4:57.5	-69:51	3X	3	80	76	24	1L	24	.16	140					.0	.00		--		
125	698	717	4:57.5	-69:51	4X	3	205	192	96	3L	32	.16	187					.0	.00		--		
124	784	727	4:57.5	-68:29	7X	8	96	78	253	1L	253	.26	4478	(LH12)			91,AB	229.5	.09	1770	MC19		
125	785	728	4:57.5	-68:29	7X	8	259	204	891	3L	297	.26	5257	(LH12)			91,AB	229.5	.08	1770	MC19		

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X	*Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE		BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
129	763	728	4:57.5	-68:29	7X	8	207	83	1487	10C	149	.26	1633	(LH12)				91.AB	229.5	.26	1770	MC19		
130	763	726	4:57.5	-68:29	7X	8	663	216	6234	30C	208*	.26	2280	(LH12)				91.AB	229.5	.18	1770	MC19		
124	858	745	4:57.5	-66:28	5X	5	88*	88	15	1L	15	.15	78	LH13	3.0	3.0	--		.0	.00	1769			
125	860	746	4:57.5	-66:28	5X	5	238*	235	59	3L	20	.15	104	LH13	3.0	3.0	--		.0	.00	1769			
129	859	746	4:57.5	-66:28	5X	5	152*	146	-3	10C	0	.15	0	LH13	3.0	3.0	--		.0	.00	1769			
130	860	744	4:57.5	-66:28	5X	5	454*	452	-130	30C	-4	.15	-15	LH13	3.0	3.0	--		.0	.00	1769			
124	764	727	4:57.6	-68:25	7X	5	9*	82	145	1L	145	.26*	2566	LH12	6.0	4.0	25	(91)	.0	.00	1770			
125	766	728	4:57.6	-68:25	7X	5	248*	215	380	3L	127	.26*	2248	LH12	6.0	4.0	25	(91)	.0	.00	1770			
129	763	728	4:57.6	-68:25	7X	5	207	103	880	10C	88	.26*	964	LH12	6.0	4.0	25	(91)	.0	.00	1770			
130	765	725	4:57.6	-68:25	7X	5	523*	290	2801	30C	93	.26*	1019	LH12	6.0	4.0	25	(91)	.0	.00	1770			
124	841	741	4:57.7	-66:53	2X	2	75	71	13	1L	13	.16	76						.0	.00		--		
125	841	743	4:57.7	-66:53	2X	2	190	178	41	3L	14	.16	82						.0	.00		--		
124	812	735	4:57.8	-67:32	2X	3	76	70	21	1L	21	.12	79	--					.0	.00	17747867			
125	810	736	4:57.8	-67:32	3X	3	195	182	78	3L	26	.12	97	--					.0	.00	17747867			
129	810	732	4:57.8	-67:32	4X	3	68	52	162	10C	16	.12	48	--					.0	.00	17747867			
130	809	734	4:57.8	-67:32	9X	7	174	133	2094	30C	70	.12	211	--					.0	.00	17747867			
124	704	717	4:57.9	-69:44	2X	2	84	78	23	1L	23	.16	134	--					.0	.00	17727827			
125	705	716	4:57.9	-69:44	2X	4	212	199	69	3L	23	.16	134	--					.0	.00	17727827			
129	704	715	4:57.9	-69:44	4X	4	97	76	167	10C	17	.16	74	--					.0	.00	17727827			
130	704	713	4:57.9	-69:44	5X	6	279	198	950	30C	32	.16	139	--					.0	.00	17727827			
124	862	744	4:58.0	-66:22	3X	3	78*	78	1	1L	1	.15	5	LH14	1.5	1.0	--	(11)	.0	.00	1773			
125	865	744	4:58.0	-66:22	3X	3	181*	185	-9	3L	-3	.15	-15	LH14	1.5	1.0	--	(11)	.0	.00	1773			
129	863	743	4:58.0	-66:22	3X	3	70*	71	-2	10C	0	.15	0	LH14	1.5	1.0	--	(11)	.0	.00	1773			
130	864	741	4:58.0	-66:22	3X	3	156*	163	-22	30C	-1	.15	-3	LH14	1.5	1.0	--	(11)	.0	.00	1773			
129	778	727	4:58.1	-68:10	2X	2	52	47	18	10C	2	.14	7						.0	.00		--		

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X	*Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
130	777	726	4:58.1	-68:10	2X	2	124	112	41	30C	1	.14	3					.0	.00		--		
124	694	711	4:58.2	-69:55	2X	2	80	74	21	1L	21	.16	123					.0	.00		--		
125	697	713	4:58.2	-69:55	3X	4	204	189	104	3L	35	.16	205					.0	.00		--		
129	696	712	4:58.2	-69:55	3X	4	79	58	136	10C	14	.16	61					.0	.00		--		
130	696	710	4:58.2	-69:55	6X	5	212	163	700	30C	23	.16	100					.0	.00		--		
124	872	741	4:58.6	-66:16	6X	5	77*	75	21	1L	21	.13	88				12.A	26.8	.41				
125	873	742	4:58.6	-66:16	6X	5	195	187	43	3L	14	.13	58				12.A	26.8	.62				
129	872	743	4:58.6	-66:16	6X	5	73*	65	99	10C	10	.13	33				12.A	26.8	1.10				
130	872	741	4:58.6	-66:16	6X	5	195	164	298	30C	10	.13	33				12.A	26.8	1.10				
124	894	743	4:58.9	-65:44	13X22		81	74	516	1L	516	.09*	1395	LH15	13.0 24.0	49	D43	208.0	.18	1787			
125	897	744	4:58.9	-65:44	13X22		208*	188	1207	3L	402	.09*	1086	LH15	13.0 24.0	49	D43	208.0	.24	1787			
129	894	743	4:58.9	-65:44	13X22		119	74	3035	10C	304	.09*	696	LH15	13.0 24.0	49	D43	208.0	.37	1787			
130	895	742	4:58.9	-65:44	13X22		348*	197	7404	30C	247	.09*	565	LH15	13.0 24.0	49	D43	208.0	.45	1787			
124	746	716	4:59.2	-68:52	4X	6	81	73	96	1L	96	.20	875	--			(92)	.0	.00	1785?			
125	746	717	4:59.2	-68:52	6X	6	205	184	386	3L	129	.20	1176	--			(92)	.0	.00	1785?			
129	746	716	4:59.2	-68:52	6X	7	92	54	611	10C	61	.20	384	--			(92)	.0	.00	1785?			
130	746	714	4:59.2	-68:52	8X	8	252	130	2720	30C	91	.20	574	--			(92)	.0	.00	1785?			
124	885	738	4:59.7	-65:55	13X10		97	72	935	1L	935	.10	2823	(CL.,LH15)				.0	.00	1787			
125	890	739	4:59.7	-65:55	22X18		*218	178	5819	3L	1940	.10	5858	(CL.,LH15)				.0	.00	1787			
129	890	741	4:59.7	-65:55	20X20		124	47	12250	10C	1225	.10	3077	(CL.,LH15)				.0	.00	1787			
130	890	739	4:59.7	-65:55	20X19		402	151	27600	30C	920	.10	2310	(CL.,LH15)				.0	.00	1787			
124	653	700	4:59.9	-70:51	4X	4	77	72	48	1L	48	.15	251					.0	.00		--		
125	653	699	4:59.9	-70:51	4X	4	199	182	163	3L	54	.15	283					.0	.00		--		
129	654	700	4:59.9	-70:51	4X	3	58	43	142	10C	14	.15	55					.0	.00		--		
130	654	697	4:59.9	-70:51	6X	4	151	110	510	30C	17	.15	67					.0	.00		--		

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X *Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	MA	HIND.	NGC NO.	SAO NO.	M	S
125	716	708	4:59.9	-69:31	2X 2	195	188	22	3L	7	.16	41	--				.0	.00	1793?			
129	716	707	4:59.9	-69:31	4X 2	62	55	44	10C	4	.16	17	--				.0	.00	1793?			
130	716	705	4:59.9	-69:31	3X 3	162	137	152	30C	5	.16	21	--				.0	.00	1793?			
130	764	713	4:59.9	-68:31	2X 2	130	122	32	30C	1	.05	1					.0	.00		24916478.2		A2
124	786	717	5:00.0	-68:03	4X 5	78	75	11	1L	11	.14	51				16A	4.8	.13				
125	786	719	5:00.0	-68:03	4X 5	193	188	21	3L	7	.14	32				16A	4.8	.21				
129	788	720	5:00.0	-68:03	4X 5	60	56	31	10C	3	.14	10				16A	4.8	.66				
130	787	718	5:00.0	-68:03	4X 5	152	138	106	30C	4	.14	14				16A	4.8	.47				
124	682	702	5:00.1	-70:15	9X10	86	77	152	1L	152	.16	890				186A-E	57.5	.09				
125	682	703	5:00.1	-70:15	9X10	236	196	610	3L	203	.16	1189				186A-E	57.5	.07				
129	682	702	5:00.1	-70:15	9X10	127	69	820	10C	82	.16	357				186A-E	57.5	.23				
130	682	699	5:00.1	-70:15	9X10	385	176	3118	30C	104	.16	453				186A-E	57.5	.18				
124	877	733	5:00.1	-66:09	4X 4	70*	71	-6	1L	-6	.13	-25				13	4.0	-.22				
125	878	735	5:00.1	-66:09	4X 4	180*	182	8	3L	3	.13	12				13	4.0	.45				
129	877	734	5:00.1	-66:09	4X 4	58*	58	8	10C	1	.13	3				13	4.0	1.80				
130	877	732	5:00.1	-66:09	4X 4	137*	140	20	30C	1	.13	3				13	4.0	1.80				
124	869	732	5:00.2	-66:19	4X 4	73*	71	6	1L	6	.15	31				14	11.5	.52				
125	870	733	5:00.2	-66:19	4X 4	178*	181	16	3L	5	.15	26				14	11.5	.62				
129	869	734	5:00.2	-66:19	4X 4	58*	57	48	10C	5	.15	19				14	11.5	.85				
130	869	732	5:00.2	-66:19	4X 4	143*	140	55	30C	2	.15	7				14	11.5	2.32				
124	829	727	5:00.4	-67:09	2X 2	74	71	10	1L	10	.15	52					.0	.00		--		
125	829	728	5:00.4	-67:09	2X 2	190	178	43	3L	14	.15	73					.0	.00		--		
129	828	726	5:00.4	-67:09	2X 4	59	49	74	10C	7	.15	27					.0	.00		--		
130	828	724	5:00.4	-67:09	5X 8	144	111	765	30C	26	.15	103					.0	.00		--		
124	725	707	5:00.6	-69:18	2X 2	75*	74	5	1L	5	.17	32					.0	.00		--		

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X	*Y	P	BG	V	E.F	V/E	HE	UF	LI NO	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
125	726	710	5:00.6	-69:18	2X	2	195	186	29	3L	10	.17	65					.0	.00		--		
129	727	707	5:00.6	-69:18	2X	2	58	52	21	10C	2	.17	9					.0	.00		--		
130	727	705	5:00.6	-69:18	2X	2	149	130	65	30C	2	.17	9					.0	.00		--		
124	860	729	5:00.7	-66:27	2X	2	73	72	3	1L	3	.15	15				15	4.0	.38				
125	861	732	5:00.7	-66:27	2X	2	178	176	5	3L	2	.15	10				15	4.0	.57				
129	862	729	5:00.7	-66:27	2X	2	51*	50	6	10C	1	.15	3				15	4.0	1.88				
130	861	725	5:00.7	-66:27	2X	2	112*	112	3	30C	0	.15	0				15	4.0	.00				
124	722	705	5:00.8	-69:25	4X	4	80	73	57	1L	57	.05	99					.0	.00		249166	9.0	A0
125	722	706	5:00.8	-69:25	4X	4	204	185	172	3L	57	.05	99					.0	.00		249166	9.0	A0
129	722	704	5:00.8	-69:25	6X	5	82	53	406	10C	41	.05	64					.0	.00		249166	9.0	A0
130	722	702	5:00.8	-69:25	8X	8	228	128	2340	30C	78	.05	123					.0	.00		249166	9.0	A0
124	780	712	5:00.9	-68:10	3X	3	78	74	19	1L	19	.14	89	--				.0	.00	18067			
125	782	715	5:00.9	-68:10	4X	4	199	185	156	3L	52	.14	244	--				.0	.00	18067			
129	780	714	5:00.9	-68:10	4X	7	71	50	352	10C	35	.14	127	--				.0	.00	18067			
130	780	712	5:00.9	-68:10	4X	9	186	131	895	30C	30	.14	108	--				.0	.00	18067			
124	775	711	5:01.2	-68:18	3X	3	82	73	50	1L	50	.15	262	--			052	20.0	.11	18067			
125	775	713	5:01.2	-68:18	5X	5	199	183	163	3L	54	.15	283	--			052	20.0	.10	18067			
129	776	712	5:01.2	-68:18	7X	5	77	49	683	10C	68	.15	270	--			052	20.0	.10	18067			
130	776	710	5:01.2	-68:18	10X	8	210	115	2800	30C	93	.15	370	--			052	20.0	.08	18067			
124	816	712	5:01.6	-67:24	2X	2	75	71	12	1L	12	.16	70					.0	.00		--		
125	816	716	5:01.6	-67:24	2X	2	187	178	36	3L	12	.16	70					.0	.00		--		
129	819	719	5:01.6	-67:24	2X	2	53	47	23	10C	2	.16	8					.0	.00				
130	819	716	5:01.6	-67:24	2X	2	130	110	74	30C	2	.16	8					.0	.00				
124	690	695	5:02.0	-70:05	2X	2	76	75	4	1L	4	.16	23				053	8.0	.30				
125	690	694	5:02.0	-70:05	2X	2	201	192	25	3L	8	.16	46				053	8.0	.19				

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X *Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
129	691	695	5:02.0	-70:05	4X 3	65	53	84	10C	8	.16	34				053	6.0	.26		--		
130	691	693	5:02.0	-70:05	6X 7	159	123	835	30C	28	.16	122				053	6.0	.07		--		
124	881	724	5:02.1	-68:08	21X23	76	71	834	1L	834	.12	3141				10.13	802.0	.34				
125	881	726	5:02.1	-68:08	21X23	196	180	2723	3L	908	.12	3420				10.13	802.0	.31				
129	880	726	5:02.1	-68:08	21X23	85	55	4176	10C	418	.12	1262				10.13	802.0	.84				
130	880	724	5:02.1	-68:08	21X23	236	133	13993	30C	466	.12	1407				10.13	802.0	.75				
129	809	714	5:02.1	-67:36	6X 5	56	50	61	10C	6	.10	15					.0	.00		--		
124	881	724	5:02.2	-66:08	2X 2	76	71	17	1L	17	.15	89	--			D61?	16.0	.25	1805			
125	881	726	5:02.2	-66:08	3X 3	196	182	75	3L	25	.15	131	--			D61?	16.0	.17	1805			
129	880	726	5:02.2	-66:08	12X17	85	48	2706	10C	271	.15	1078	--			D61?	16.0	.02	1805			
130	880	724	5:02.2	-66:08	27X25	236	105	35000	30C	1167	.15	4645	-			D61?	16.0	.00	1805			
124	650	688	5:02.4	-70:57	2X 2	76	73	10	1L	10	.14	46					.0	.00		--		
125	650	692	5:02.4	-70:57	2X 2	193	182	36	3L	12	.14	56					.0	.00		--		
129	651	687	5:02.4	-70:57	2X 2	51	43	32	10C	3	.14	10					.0	.00		--		
130	651	685	5:02.4	-70:57	2X 2	124	108	58	30C	2	.14	7					.0	.00		--		
124	488	669	5:02.5	-74:25	6X 6	122	69	705		705	.05	1225					.0	.00		256152	7.0	A0
125	489	670	5:02.5	-74:25	8X 9	344	175	3410	3L	1137	.05	1975					.0	.00		256152	7.0	A0
129	488	669	5:02.5	-74:25	9X 9	257	30	4723	10C	472	.05	748					.0	.00		256152	7.0	A0
130	488	665	5:02.5	-74:25	11X13	645	72	23700	30C	790*	.05	1252					.0	.00		256152	7.0	A0
129	852	718	5:03.0	-66:44	2X 2	62	49	45	10C	5	.16	21				D56	47.0	3.24		--		
130	852	714	5:03.0	-66:44	4X 5	148	113	405	30C	13	.16	56				D56	47.0	1.21		--		
124	739	696	5:03.3	-69:02	4X 5	79*	78	27	1L	27	.16	158	LH16	1.5 3.0	2	D60	6.0	.05				
125	740	696	5:03.3	-69:02	4X 5	218*	210	83	3I	28	.16	164	LH16	1.5 3.0	2	D60	6.0	.05				
129	740	698	5:03.3	-69:02	4X 5	94*	87	96	10C	10	.16	43	LH16	1.5 3.0	2	D60	6.0	.20				
130	739	693	5:03.3	-69:02	4X 5	310*	260	376	30C	13	.16	56	LH16	1.5 3.0	2	D60	6.0	.15				

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X *Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE		BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
124	836	710	5:03.6	-67:01	6X 3	74	70	48	1L	48	.15	251					0577	16.0	.09				
125	837	711	5:03.6	-67:01	5X 4	192	176	189	3L	63	.15	330					0577	16.0	07				
129	837	713	5:03.6	-67:01	4X 4	63	45	206	10C	21	.15	83					0577	16.0	.27				
130	838	711	5:03.6	-67:01	7X10	157	111	943	30C	31	15	123					0577	16.0	.18				
124	758	698	5:03.7	-68:40	2X 2	79	73	21	1L	21	.18	153					0587	7.0	.07				
125	758	698	5:03.7	-68:40	3X 2	193	186	38	3L	13	.18	95					0587	7.0	.11				
129	758	698	5:03.7	-68:40	2X 2	64	54	39	10C	4	.18	20					0587	7.0	.53				
130	758	696	5:03.7	-68:40	5X 3	159	132	263	30C	9	.18	47					0587	7.0	.23				
124	818	704	5:03.8	-67.23	3X 4	73*	74	3	1L	3	.17	19	(LH19)				17,AB	8.9	.69	1814-20			
125	821	707	5:03.8	-67:23	3X 4	198*	197	4	3L	1	.17	6	(LH19)				17,AB	8.9	2.19	1814-20			
129	824	706	5:03.8	-67:23	3X 4	130	113	67	10C	7	17	33	(LH19)				17,AB	8.9	.40	1814-20			
130	821	705	5:03.8	-67:23	3X 4	255*	241	182	30C	6	.17	28	(LH19)				17,AB	8.9	.47	1814-20			
124	738	693	5:03.9	-69:03	51*	84*	79	82	1L	82	.16	480	LH16,17,20	22	5*	12		.0	.00				
125	740	693	5:03.9	-69:03	53*	215*	207	402	3L	134	16	785	LH16,17,20	22	5*	12		.0	.00				
129	740	693	5:03.9	-69:03	51*	109*	90	455	10C	46	16	200	LH16,17,20	22	5*	12		.0	.00				
130	738	690	5:03.9	-69.03	48*	337*	248	1380	30C	46	16	200	LH16,17,20	22	5*	12		.0	.00				
124	739	694	5:03.9	-69:01	45*	82*	80	54	1L	54	.16	316	LH16,20	20	5*	7		.0	.00				
125	740	694	5:03.9	-69:01	45*	218*	209	168	3L	56	.16	328	LH16,20	20	.5*	7		.0	.00				
124	736	692	5:04.0	-69:05	4X 3	86	83	16	1L	16	.16	93	LH17	2.0	1.0	5	062	1.3	.02				
125	738	693	5:04.0	-69:05	4X 3	228	218	42	3L	14	.16	82	LH17	2.0	1.0	5	062	1.3	.02				
129	737	692	5:04.0	-69.05	4X 3	115	101	52	10C	5	.16	21	LH17	2.0	1.0	5	062	1.3	.09				
130	737	690	5:04.0	69.05	4X 3	344	303	214	30C	7	16	30	LH17	2.0	1.0	5	062	1.3	.06				
124	823	705	5:04.0	-67:16	8X 8	86	76	147	1L	147	.17*	962	LH19	7.0	7.0	18	(17)	.0	.00	1814-20			
125	825	706	5.04.0	-67:16	8X 8	228*	197	597	3L	199	.17*	1302	LH19	7.0	7.0	18	(17)	0	.00	1814-20			
129	824	706	5:04.0	-67:16	8X 8	130	74	1024	10C	102	.17*	488	LH19	7.0	7.0	18	(17)	.0	.00	1814-20			

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X	*Y	P	BO	V	E.F	V/E	RE	UF	LH NO.	SIZE		BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
130	826	704	5:04.0	-67:16	8X	8	312*	212	2172	30C	72	.17*	344	LH19	7.0	7.0	18	(17)	.0	.00	1814-20			
124	678	684	5:04.1	-70:20	9X	5	93*	83	136	1L	136	.16*	797	LH18	8.0	4.0	20	(188)	.0	.00	1813.23			
125	680	685	5:04.1	-70:20	9X	5	229*	220	381	3L	127	.16*	744	LH18	8.0	4.0	20	(188)	.0	.00	1813.23			
129	681	683	5:04.1	-70:20	9X	5	93*	92	201	10C	20	.16*	87	LH18	8.0	4.0	20	(188)	.0	.00	1813.23			
130	681	681	5:04.1	-70:20	9X	5	264*	277	910	30C	30	.16*	130	LH18	8.0	4.0	20	(188)	.0	.00	1813.23			
124	681	685	5:04.1	-70:18	2X	2	80*	78	-1	1L	-1	.16	-5	(LH18)				188	.1	-.03	1813.23			
125	682	686	5:04.1	-70:18	2X	2	210*	211	3	3L	1	.16	5	(LH18)				188	.1	.03	1813.23			
129	683	683	5:04.1	-70:18	2X	2	96	92	5	10C	1	.16	4	(LH18)				188	.1	.04	1813.23			
130	683	681	5:04.1	-70:18	2X	2	275	260	29	30C	1	.16	4	(LH18)				188	.1	.04	1813.23			
124	642	678	5:04.2	-71:09	2X	2	77	72	16	1L	16	.13	67						.0	.00		--		
125	644	678	5:04.2	-71:09	2X	2	193	184	34	3L	11	.13	46						.0	.00		--		
129	642	679	5:04.2	-71:09	2X	2	48	39	32	10C	3	.13	9						.0	.00		--		
130	642	676	5:04.2	-71:09	2X	2	111	94	64	30C	2	.13	6						.0	.00		--		
124	885	711	5:04.3	-66:28	8X	6	80	70	281	1L	281	.17	1839	--					.0	.00	1818			
125	887	713	5:04.3	-66:28	10X	10	213	178	1290	3L	430	.17	2814	--					.0	.00	1818			
129	885	713	5:04.3	-66:28	9X	10	109	48	2467	10C	247	.17	1182	--					.0	.00	1818			
130	885	711	5:04.3	-66:28	11X	14	329	118	10100	30C	337	.17	1612	--					.0	.00	1818			
124	769	895	5:04.4	-68:29	5X	3	79	74	37	1L	37	.15	194						.0	.00		--		
125	768	898	5:04.4	-68:29	3X	3	201	187	80	3L	27	.15	141						.0	.00		--		
129	768	893	5:04.4	-68:29	3X	2	70	57	66	10C	7	.15	27						.0	.00		--		
130	768	892	5:04.4	-68:29	4X	6	181	141	502	30C	17	.15	67						.0	.00		--		
124	739	891	5:04.5	-69:01	5X	5	82*	82	5	1L	5	.16	29	LH20	4.0	4.0	5		.0	.00				
125	741	891	5:04.5	-69:01	5X	5	212*	211	28	3L	9	.16	52	LH20	4.0	4.0	5		.0	.00				
129	740	891	5:04.5	-69:01	5X	5	104*	98	105	10C	11	.16	48	LH20	4.0	4.0	5		.0	.00				
130	739	888	5:04.5	-69:01	5X	5	277*	264	180	30C	6	.16	26	LH20	4.0	4.0	5		.0	.00				

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X *Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	C
124	798	698	5:04.6	-67:49	6X 5	81	77	36	1L	36	.10*	108	LH21	5.0 3.0	4	(22)	.0	.00				
125	799	699	5:04.6	-67:49	6X 5	207*	198	87	3L	29	.10*	87	LH21	5.0 3.0	4	(22)	.0	.00				
129	798	699	5:04.6	-67:49	6X 5	91	69	235	10C	24	.10*	60	LH21	5.0 3.0	4	(22)	.0	.00				
130	798	698	5:04.6	-67:49	6X 5	238*	177	559	30C	19	.10*	47	LH21	5.0 3.0	4	(22)	.0	.00				
124	728	686	5:04.8	-69:19	2X 2	77	74	11	1L	11	.16	64	--				.0	.00	1828.35			
125	730	686	5:04.8	-69:19	2X 2	193	186	27	3L	9	.16	52	--				.0	.00	1828.35			
129	727	687	5:04.8	-69:19	2X 2	59	49	36	10C	4	.16	17	--				.0	.00	1828.35			
130	727	685	5:04.8	-69:19	3X 3	148	121	188	30C	6	.16	26	--				.0	.00	1828.35			
124	657	676	5:04.9	-70:48	4X 4	89*	89	42	1L	42	.14	197	(LH24)			190	21.3	.15	1833.37			
125	659	679	5:04.9	-70:48	4X 4	260*	238	125	3L	42	.14	197	(LH24)			190	21.3	.15	1833.37			
129	658	677	5:04.9	-70:48	4X 4	143*	132	273	10C	27	.14	98	(LH24)			190	21.3	.30	1833.37			
130	659	675	5:04.9	-70:48	4X 4	605*	466	680	30C	23*	.14	83	(LH24)			190	21.3	.35	1833.37			
124	809	697	5:04.9	-67:38	4X 5	75*	74	12	1L	12	.08	29	(LH22)			21	11.8	.49				
125	811	699	5:04.9	-67:38	4X 5	201	194	48	3L	16	.08	38	(LH22)			21	11.8	.37				
129	809	699	5:04.9	-67:38	4X 5	65*	59	61	10C	6	.08	12	(LH22)			21	11.8	1.18				
130	810	697	5:04.9	-67:38	4X 5	176	143	204	30C	7	.08	14	(LH22)			21	11.8	1.01				
124	812	697	5:04.9	-67:34	6X 4	77	74	22	1L	22	.08	53	LH22	5.0 2.0	6	(21)	.0	.00				
125	811	699	5:04.9	-67:34	6X 4	201	193	61	3L	20	.08	48	LH22	5.0 2.0	6	(21)	.0	.00				
129	810	699	5:04.9	-67:34	6X 4	69	58	76	10C	8	.08	16	LH22	5.0 2.0	6	(21)	.0	.00				
130	812	697	5:04.9	-67:34	6X 4	151*	134	247	30C	8	.08	16	LH22	5.0 2.0	6	(21)	.0	.00				
124	786	693	5:05.1	-68:08	4X 3	91*	89	23	1L	23	.11	77	(LH25,SAO249185)			23A	14.9	.25				
125	784	695	5:05.1	-68:08	4X 3	228*	226	73	3L	24	.11	80	(LH25,SAO249185)			23A	14.9	.24				
129	783	694	5:05.1	-68:08	4X 3	134*	134	210	10C	21	.11	57	(LH25,SAO249185)			23A	14.9	.34				
130	785	692	5:05.1	-68:08	4X 3	667	481	756	30C	25*	.11	68	(LH25,SAO249185)			23A	14.9	.28				
124	796	696	5:05.1	-67:52	2X 2	78*	78	6	1L	6	.10	18	(LH21)			22	1	.01				

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X *Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NOC NO.	SAO NO.	M	S
125	797	697	5:05.1	-67:52	2X 2	193*	194	12	3L	4	.10	12	(LH21)			22	.1	.01				
129	798	699	5:05.1	-67:52	2X 2	91	86	14	10C	1	.10	2	(LH21)			22	.1	.06				
130	799	697	5:05.1	-67:52	2X 2	248	232	42	30C	1	.10	2	(LH21)			22	.1	.06				
124	651	676	5:05.2	-70:58	3X 3	83	80	12	1L	12	.14	56	(LH23)			191AB	8.4	.21				
125	652	677	5:05.2	-70:58	3X 3	208	200	28	3L	9	.14	42	(LH23)			191AB	8.4	.28				
129	651	676	5:05.2	-70:58	3X 3	88	69	62	10C	6	.14	21	(LH23)			191AB	8.4	.55				
130	651	673	5:05.2	-70:58	3X 3	236	177	200	30C	7	.14	25	(LH23)			191AB	8.4	.46				
124	651	676	5:05.2	-70:55	4X 3	83	79	19	1L	19	.14	89	LH23	1.5 1.0	--	075	1.0	.02				
125	653	677	5:05.2	-70:55	4X 3	202*	198	34	3L	11	.14	51	LH23	1.5 1.0	--	075	1.0	.03				
129	651	676	5:05.2	-70:55	4X 3	88	66	66	10C	7	.14	25	LH23	1.5 1.0	--	075	1.0	.06				
130	652	673	5:05.2	-70:55	4X 3	221*	167	283	30C	9	.14	32	LH23	1.5 1.0	--	075	1.0	.04				
124	785	693	5:05.2	-68:09	9X12	94	73	1004	1L	1004	.05	1744					.0	.00		249185	7.8	B9
125	783	694	5:05.2	-68:09	14X14	221*	184	4012	3L	1337	.05	2323					.0	.00		249185	7.8	B9
129	785	694	5:05.2	-68:09	13X18	220	48	7343	10C	734	.05	1163					.0	.00		249185	7.8	B9
130	785	692	5:05.2	-68:09	13X15	*667	118	22315	30C	744*	.05	1179					.0	.00		249185	7.8	B9
124	842	702	5:05.2	-66:59	3X 4	71*	72	8	1L	8	.15	41				20	4.0	.14		MC21		
125	842	704	5:05.2	-66:59	3X 4	184*	184	14	3L	5	.15	26				20	4.0	.22		MC21		
129	842	703	5:05.2	-66:59	3X 4	55	52	12	10C	1	.15	3				20	4.0	1.88		MC21		
130	842	701	5:05.2	-66:59	3X 4	128*	122	25	30C	1	.15	3				20	4.0	1.88		MC21		
124	687	679	5:05.3	-70:12	3X 3	82	81	7	1L	7	.16	41				189	2.9	.10				
125	687	680	5:05.3	-70:12	3X 3	221	217	19	3L	6	.16	35				189	2.9	.12				
129	686	679	5:05.3	-70:12	3X 3	94	87	30	10C	3	.16	13				189	2.9	.32				
130	686	677	5:05.3	-70:12	3X 3	269	242	104	30C	3	.16	13				189	2.9	.32				
124	904	713	5:05.4	-65:42	3X 2	74	70	20	1L	20	.14	93				072	25.0	.37		--		
125	903	710	5:05.4	-65:42	3X 3	189	176	86	3L	29	.14	136				072	25.0	.25		--		

REVISED 5201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X *Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NOC NO.	SAO NO.	M	S
129	903	711	5:05.4	-65:42	4X 5	56	44	131	10C	13	.14	47				072	25.0	.73		--		
130	903	709	5:05.4	-65:42	6X 6	134	101	688	30C	23	.14	83				072	25.0	.42		--		
124	635	671	5:05.6	-71:19	3X 2	76	73	15	1L	15	.13	63					.0	.00		--		
125	636	674	5:05.6	-71:19	3X 3	193	181	78	3L	26	.13	109					.0	.00		--		
129	635	673	5:05.6	-71:19	3X 5	49	37	94	10C	9	.13	29					.0	.00		--		
130	635	671	5:05.6	-71:19	5X 6	123	90	574	30C	19	.13	62					.0	.00		--		
124	662	675	5:05.7	-70:43	10X15*	106	88	302	1L	302	.14	1419	LH24	10.0 16.0	51	075	106.0	.10	1833.37			
125	663	677	5:05.7	-70:43	10X15*	294*	224	2167	3L	722	.14	3392	LH24	10.0 16.0	51	075	106.0	.04	1833.37			
129	661	676	5:05.7	-70:43	10X15*	250	106	2246	10C	225	.14	816	LH24	10.0 16.0	51	075	106.0	.18	1833.37			
130	663	672	5:05.7	-70:43	10X15*	803	368	5535	30C	185*	.14	671	LH24	10.0 16.0	51	075	106.0	.22	1833.37			
124	783	690	5:05.8	-68:12	10X14	86*	76	820	1L	820	.11	2765	(LH25)			23.A	205.1	.10				
125	784	691	5:05.8	-68:12	10X14	228*	199	1978	3L	659	.11	2222	(LH25)			23.A	205.1	.12				
129	783	691	5:05.8	-68:12	10X14	118*	70	3581	10C	358	.11	986	(LH25)			23.A	205.1	.27				
130	783	689	5:05.8	-68:12	10X14	357*	181	12418	30C	414	.11	1140	(LH25)			23.A	205.1	.23				
124	666	673	5:06.2	-70:40	271*	100*	80	2499	1L	2499	.14	11742	LH24,26	330.0*	105	(190)	.0	.00	1833-45			
125	667	676	5:06.2	-70:40	274*	271	212	8071	3L	2690	.14	12640	LH24,26	330.0*	105	(190)	.0	.00	1833-45			
129	665	674	5:06.2	-70:40	280*	192*	79	17309	10C	1731	.14	6284	LH24,26	330.0*	105	(190)	.0	.00	1833-45			
130	667	671	5:06.2	-70:40	280*	743*	211	51099	30C	1703*	.14	6183	LH24,26	330.0*	105	(190)	.0	.00	1833-45			
124	786	688	5:06.3	-68:06	4X 4	83*	83	14	1L	14	.11*	47	LH25	3.0 3.0	6	(23)	.0	.00	(SA0249185)			
125	787	690	5:06.3	-68:06	4X 4	220*	221	48	3L	16	.11*	53	LH25	3.0 3.0	6	(23)	.0	.00	(SA0249185)			
129	784	688	5:06.3	-68:06	4X 4	117	105	99	10C	10	.11*	27	LH25	3.0 3.0	6	(23)	.0	.00	(SA0249185)			
130	786	686	5:06.3	-68:06	4X 4	279*	270	570	30C	19	.11*	52	LH25	3.0 3.0	6	(23)	.0	.00	(SA0249185)			
124	839	695	5:06.6	-67:01	2X 2	76	74	7	1L	7	.13	29				077	2.7	.13		--		
125	842	692	5:06.6	-67:01	2X 2	190	180	31	3L	10	.13	42				077	2.7	.09		--		
124	670	672	5:06.7	-70:32	10X16	110	89	471	1L	471	.14*	2213	LH26	10.0 17.0	54	080	112.0	.07	1845			

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X *Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
125	670	674	5:06.7	-70:32	10X16	324	233	1834	3L	611	.14*	2871	LH26	10.0 17.0	54	D80	112.0	05	1845			
129	670	672	5:06.7	-70:32	10X16	288	110	3471	10C	347	.14*	1259	LH26	10.0 17.0	54	D80	112.0	.12	1845			
130	670	670	5:06.7	-70:32	10X16	854	327	11067	30C	369*	.14*	1339	LH26	10.0 17.0	54	D80	112.0	.12	1845			
124	769	682	5:06.9	-68:28	9X 6	89	77	312	1L	312	.16	1828	--				.0	.00	1838?			
125	770	684	5:06.9	-68:28	9X 7	236	195	1208	3L	403	.16	2362	--				.0	.00	1838?			
129	769	684	5:06.9	-68:28	12X 8	130	67	2152	10C	215	.16	938	--				.0	.00	1838?			
130	770	682	5:06.9	-68:28	18X10	419	167	13800	30C	460	.16	2007	--				.0	.00	1838?			
124	808	689	5:07.0	-67:39	2X 2	77	72	18	1L	18	.09	48	--			(21)	.0	.00	1846?			
125	810	689	5:07.0	-67:39	3X 2	193	181	50*	3L	17	.09	45	--			(21)	.0	.00	1846?			
129	809	688	5:07.0	-67:39	2X 2	57	45	45	10C	5	.09	11	--			(21)	.0	.00	1846?			
130	809	687	5:07.0	-67:39	3X 4	136	108	214	30C	7	.09	16	--			(21)	.0	.00	1846?			
124	723	676	5:07.1	-69:26	2X 2	76	73	10	1L	10	.16	58					.0	.00		--		
125	724	670	5:07.1	-69:26	2X 2	195	187	25	3L	8	.16	46					.0	.00		--		
124	551	658	5:07.2	-73:06	4X 5	100	70	272	1L	272	.05	472					.0	.00		256160	6.3	A0
125	553	660	5:07.2	-73:06	6X 6	264	180	1140	3L	380	.05	660					.0	.00		256160	6.3	A0
129	552	658	5:07.2	-73:06	7X 8	177	30	2210	10C	221	.05	350					.0	.00		256160	6.3	A0
130	552	655	5:07.2	-73:06	8X 9	505	75	9100	30C	303	.05	480					.0	.00		256160	6.3	A0
124	735	676	5:07.2	-69:08	5X 5	77*	76	29	1L	29	.16	169	LH27	4.0 3.0	6	(101)	.0	.00				
125	738	679	5:07.2	-69:08	5X 5	198*	193	29	3L	10	.16	58	LH27	4.0 3.0	6	(101)	.0	.00				
129	737	678	5:07.2	-69:08	5X 5	67	65	74	10C	7	.16	30	LH27	4.0 3.0	6	(101)	.0	.00				
130	737	676	5:07.2	-69:08	5X 5	176*	169	143	30C	5	.16	21	LH27	4.0 3.0	6	(101)	.0	.00				
124	744	677	5:07.4	-69:00	2X 2	79	75	16	1L	16	.17	104	(LH27)			(101)	.0	.00	1847?			
125	746	678	5:07.4	-69:00	2X 3	202	192	38	3L	13	.17	85	(LH27)			(101)	.0	.00	1847?			
129	744	678	5:07.4	-69:00	3X 2	75	62	55	10C	6	.17	28	(LH27)			(101)	.0	.00	1847?			
130	744	676	5:07.4	-69:00	4X 4	195	155	335	30C	11	.17	52	(LH27)			(101)	.0	.00	1847?			

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X *Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
124	761	677	5:07.5	-68:37	4X 5	82*	79	22	1L	22	.15	115				100	5.5	.07				
125	762	678	5:07.5	-68:37	4X 5	198*	197	49	3L	13	.15	68				100	5.5	.11				
129	760	678	5:07.5	-68:37	4X 5	70*	73	23	10C	2	.15	7				100	5.5	1.11				
130	761	675	5:07.5	-68:37	4X 5	174*	184	66	30C	2	.15	7				100	5.5	1.11				
124	732	673	5:07.8	-69:13	2X 2	78*	77	3	1L	3	.16	17	(LH27)			101	.0	.00				
125	735	678	5:07.8	-69:13	2X 2	192*	192	3	3L	1	.16	5	(LH27)			101	.0	.00				
129	735	676	5:07.8	-69:13	2X 2	73	70	4	10C	0	.16	0	(LH27)			101	.0	.00				
130	735	674	5:07.8	-69:13	2X 2	196	190	15	30C	1	.16	4	(LH27)			101	.0	.00				
129	841	689	5:07.9	-66:59	2X 2	50	44	21	10C	2	.13	6					.0	.00		--		
130	842	687	5:07.9	-66:59	2X 2	120	110	37	30C	1	.13	3					.0	.00		--		
124	605	659	5:08.0	-71:57	5X 5	139	70	582	1L	582	.12	2192					.0	.00		--		
125	607	661	5:08.0	-71:57	6X 5	404	178	1930	3L	643	.12	2422					.0	.00		--		
129	606	660	5:08.0	-71:57	5X 5	246	33	1763	10C	176	.12	531					.0	.00		--		
130	607	658	5:08.0	-71:57	6X 7	425	80	4310	30C	144	.12	434					.0	.00		--		
124	639	662	5:08.1	-71:11	6X 5	89	78	120	1L	120	.12*	452	LH28	5.0 4.0	13	D81	10.0	.03	1848			
125	640	664	5:08.1	-71:11	6X 5	241	204	303	3L	101	.12*	380	LH28	5.0 4.0	13	D81	10.0	.03	1848			
129	639	662	5:08.1	-71:11	6X 5	125	72	462	10C	46	.12*	138	LH28	5.0 4.0	13	D81	10.0	.10	1848			
130	640	660	5:08.1	-71:11	6X 5	385*	191	1602	30C	53	.12*	160	LH28	5.0 4.0	13	D81	10.0	.08	1848			
124	648	662	5:08.2	-71:05	3X 2	76	73	13	1L	13	.12	48	--			D83	4.0	.11	1848?			
125	646	665	5:08.2	-71:05	2X 3	196	185	60	3L	20	.12	75	--			D83	4.0	.07	1848?			
129	646	663	5:08.2	-71:05	2X 2	58	41	64	10C	6	.12	18	--			D83	4.0	.29	1848?			
130	647	660	5:08.2	-71:05	3X 3	149	101	207	30C	7	.12	21	--			D83	4.0	.25	1848?			
124	695	667	5:08.3	-70:01	6X 4*	80	76	32	1L	32	.15	167	LH29	5.0 2.0	5		.0	.00				
125	695	668	5:08.3	-70:01	6X 4*	204	196	59	3L	20	.15	104	LH29	5.0 2.0	5		.0	.00				
129	694	666	5:08.3	-70:01	6X 4*	88	59	85	10C	9	.15	35	LH29	5.0 2.0	5		.0	.00				

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X	*Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE		BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
130	695	665	5:08.3	70:01	6X	4	*164	145	163	30C	5	15	19	LH29	5.0	2.0	5		.0	.00				
124	735	671	5:08.4	-69:13	4X	4	78	76	11	1L	11	.16	64	LH30	2.0	2.0	--		.0	.00				
125	733	670	5:08.4	-69:13	4X	4	205	*201	45	3L	15	16	87	LH30	2.0	2.0	--		.0	.00				
129	733	670	5:08.4	-69:13	4X	4	74	67	37	10C	4	16	17	LH30	2.0	2.0	--		.0	.00				
130	734	670	5:08.4	-69:13	4X	4	185	*173	46	30C	2	.16	8	LH30	2.0	2.0	--		.0	.00				
124	755	671	5:09.2	-68:50	7X	5	101	86	122	1L	122	.16	715					103AB	104.3	.21		MC22SNR		
125	756	672	5:09.2	-68:50	7X	5	279	226	500	3L	167	.16	978					103AB	104.3	.15		MC22SNR		
129	755	672	5:09.2	-68:50	7X	5	245	112	976	10C	98	.16	427					103AB	104.3	.35		MC22SNR		
130	755	670	5:09.2	-68:50	7X	5	682	321	3275	30C	109*	.16	475					103AB	104.3	.32		MC22SNR		
129	723	667	5:09.4	-69:31	3X	2	55	45	52	10C	5	.16	21						.0	.00		--		
130	723	665	5:09.4	-69:31	4X	3	136	109	210	30C	7	.16	30						.0	.00		--		
124	769	668	5:09.7	-68:33	4X	5	80	78	18	1L	18	.15	94					104AB	11.4	.17				
125	768	670	5:09.7	-68:33	4X	5	205	200	50	3L	17	.15	89					104AB	11.4	.18				
129	769	670	5:09.7	-68:33	4X	5	81	71	84	10C	8	.15	31					104AB	11.4	.52				
130	769	668	5:09.7	-68:33	4X	5	231	189	22[illegible]	30C	8	.15	31					104AB	11.4	.52				
124	748	665	5:10.1	-68:58	7X	7	101	84	[illegible]	1L	237	.16	1389	(LH31)				105.A	122.7	.13	1858	MC23		
125	748	666	5:10.1	-68:58	7X	7	255	*217	726	3L	242	.16	1418	(LH31)				105.A	122.7	.13	1858	MC23		
129	749	665	5:10.1	-68:58	7X	7	228	96	1384	10C	138	.16	602	(LH31)				105.A	122.7	.29	1858	MC23		
130	749	663	5:10.1	-68:58	7X	7	682	270	4662	30C	155*	.16	676	(LH31)				105.A	122.7	.26	1858	MC23		
124	748	665	5:10.1	-68:54	5X	4	101	91	68	1L	68	.16	398	LH31	4.0	2.0	2	(105)	.0	.00	1858			
125	750	666	5:10.1	-68:54	5X	4	284	243	255	3L	85	.16	498	LH31	4.0	2.0	2	(105)	.0	.00	1858			
129	749	665	5:10.1	-68:54	5X	4	228	134	544	10C	54	.16	235	LH31	4.0	2.0	2	(105)	.0	.00	1858			
130	750	663	5:10.1	-68:54	5X	4	619	*411	1420	30C	47*	.16	205	LH31	4.0	2.0	2	(105)	.0	.00	1858			
124	628	653	5:10.2	-71:29	2X	2	79	72	25	1L	25	.12	94					D91	3.0	.04		--		
125	630	655	5:10.2	-71:29	5X	2	199	185	89	3L	30	.12	113					D91	3.0	.03		--		

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X	*Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND	NGC NO.	SAO NO.	M	S
129	629	655	5:10.2	-71:29	3X	4	52	38	133	10C	13	.12	39				091	3.0	.10		--		
130	630	652	5:10.2	-71:29	7X	6	133	89	923	30C	31	.12	93				091	3.0	.04		--		
124	923	685	5:10.4	-65:25	2X	2	74	71	10	1L	10	.13	42					.0	.00		--		
125	923	687	5:10.4	-65:25	2X	2	189	181	26	3L	9	.13	37					.0	.00		--		
129	923	687	5:10.4	-65:25	6X	5	59	45	260	10C	26	.13	86					.0	.00		--		
130	922	685	5:10.4	-65:25	9X	8	143	105	1470	30C	49	.13	162					.0	.00		--		
124	690	659	5:10.6	-70:14	2X	6	78	75	24	1L	24	.15	125					.0	.00		--		
125	689	657	5:10.6	-70:14	6X	5	204	187	291	3L	97	.15	509					.0	.00		--		
129	687	658	5:10.6	-70:14	4X	2	57	42	84	10C	8	.15	31					.0	.00		--		
130	688	655	5:10.6	-70:14	7X	5	144	102	520	30C	17	.15	67					.0	.00		--		
124	832	673	5:10.7	-67:10	5X	8	86	79	82	1L	82	.11	276	LH32	4.0 7.0	10	090	4.0	.02				
125	834	674	5:10.7	-67:10	5X	8	221	208	126	3L	42	.11	141	LH32	4.0 7.0	10	090	4.0	.04				
129	833	673	5:10.7	-67:10	5X	8	103	79	211	10C	21	.11	57	LH32	4.0 7.0	10	090	4.0	.09				
130	834	672	5:10.7	-67:10	5X	8	314	211	1145	30C	38	.11	104	LH32	4.0 7.0	10	090	4.0	.05				
124	720	657	5:10.8	-69:31	3X	3	75*	75	2	1L	2	.16	11				108	1 6	.21				
125	721	659	5:10.8	-69:31	3X	3	186*	187	1	3L	0	.16	0				108	1.6	.00				
129	724	657	5:10.8	-69:31	3X	3	59*	59	1	10C	0	.16	0				108	1.6	.00				
130	724	655	5:10.8	-69:31	3X	3	147*	145	3	30C	0	.16	0				108	1.6	.00				
124	832	673	5:10.8	-67:10	5X	5	86	80	54	1L	54	.11	182	(LH32)			26,27	5.0	.04				
125	834	674	5:10.8	-67:10	5X	5	221	210	71	3L	24	.11	80	(LH32)			26,27	5.0	.08				
129	833	673	5:10.8	-67:10	5X	5	103	83	157	10C	16	.11	44	(LH32)			26,27	5.0	.15				
130	834	672	5:10.8	-67:10	5X	5	314	236	620	30C	21	.11	57	(LH32)			26,27	5.0	.11				
124	702	656	5:10.9	-69:56	2X	2	76	73	9	1L	9	.15	47					.0	.00		--		
125	701	658	5:10.9	-69:56	4X	1	193	185	28	3L	9	.15	47					.0	.00		--		
129	702	658	5:10.9	-69:56	2X	2	58	40	67	10C	7	.15	27					.0	.00		--		

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X *Y	P	BG	V	E,F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
130	703	656	5:10.9	-69:56	3X 4	145	95	282	30C	9	.15	35					.0	.00				
124	736	658	5:11.4	-69:10	4X 7	83	81	23	1L	23	.16	134	LH33	2.0 6.0	11	095.96	.5	.01				
125	737	658	5:11.4	-69:10	4X 7	215	209	31	3L	10	.16	58	LH33	2.0 6.0	11	095.96	.5	.01				
129	737	657	5:11.4	-69:10	4X 7	92	79	110	10C	11	.16	48	LH33	2.0 6.0	11	095.96	.5	.02				
130	738	656	5:11.4	-69:10	4X 7	241*	214	352	30C	12	.16	52	LH33	2.0 6.0	11	095.96	.5	.01				
124	827	661	5:12.7	-67:18	12X 6*	83*	83	153	1L	153	.11*	516	LH34	16.0 3.0	22	098	20.0	.05				
125	828	663	5:12.7	-67:18	12X 6*	224*	219	138	3L	46	.11*	155	LH34	16.0 3.0	22	098	20.0	.17				
129	826	659	5:12.7	-67:18	12X 6*	159*	104	1177	10C	118	.11*	324	LH34	16.0 3.0	22	098	20.0	.08				
130	827	657	5:12.7	-67:18	12X 6*	505*	337	1712	30C	57*	.11*	156	LH34	16.0 3.0	22	098	20.0	.17				
124	678	644	5:13.0	-70:28	3X 3	80	78	8	1L	8	.14	37				193A-E	4.8	.18				
125	679	646	5:13.0	-70:28	3X 3	198	194	9	3L	3	.14	14				193A-E	4.8	.47				
129	679	646	5:13.0	-70:28	3X 3	54	48	21	10C	2	.14	7				193A-E	4.8	.95				
130	679	643	5:13.0	-70:28	3X 3	130	118	42	30C	1	.14	3				193A-E	4.8	2.21				
125	752	650	5:13.1	-68:55	2X 2	204	193	42	3L	14	.17	91					.0	.00		--		
124	919	671	5:13.1	-65:28	2X 2	73	71	5	1L	5	.15	26	-				.0	.00	1866			
125	922	673	5:13.1	-65:28	2X 2	189	181	26	3L	9	.15	47	--				.0	.00	1866			
129	921	673	5:13.1	-65:28	4X 3	58	4C	92	10C	9	.15	35	--				.0	.00	1866			
130	921	671	5:13.1	-65:28	4X 5	145	107	408	30C	14	.15	55	--				.0	.00	1866			
124	932	674	5:13.2	-65:17	6X 5	80	71	150	1L	150	.05	260					.0	.00		249221	8.5	BB
125	932	675	5:13.2	-65:17	9X 7	208	180	792	3L	264	.05	458					.0	.00		249221	8.5	BB
129	932	675	5:13.2	-65:17	8X 9	10)	45	1971	10C	197	.05	312					.0	.00		249221	8.5	BB
130	932	673	5:13.2	-65:17	10X10	342	108	7200	30C	240	.05	380					.0	.00		249221	8.5	BB
124	705	646	5:13.3	-69:53	2X 2	77	74	10	1L	10	.15	52					.0	.00		--		
125	705	646	5:13.3	-69:53	2X 2	192	186	22	3L	7	.15	36					.0	.00		--		
129	704	647	5:13.3	-69:53	2X 2	45	38	23	10C	2	.15	7					.0	.00		--		

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X *Y	P BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
130	704	644	5:13.3	-69:53	2X 2	110 91	69	30C	2	.15	7					.0	.00		--		
124	731	647	5:13.5	-69:21	5X 7	99* 92	79	1L	79	.16	463	LH35	3.0 6.0	10	D108	30.0	.09			1874-81	
125	732	649	5:13.5	-69:21	5X 7	255*254	169	3L	56	.16	328	LH35	3.0 6.0	10	D108	30.0	.13			1874-81	
129	731	647	5:13.5	-69:21	5X 7	233*157	604	10C	60	.16	261	LH35	3.0 6.0	10	D108	30.0	.17			1874-81	
130	730	645	5:13.5	-69:21	5X 7	730*445	2547	30C	85*	.16	371	LH35	3.0 6.0	10	D108	30.0	.12			1874-81	
124	825	657	5:13.6	-67:22	106*	98* 81	509	1L	509	.11	1716	LH34--38	64.0*	45	(30)	.0	.00	1869.71			
125	826	659	5:13.6	-67:22	102*	259*218	871	3L	290	.11	978	LH34--38	64.0*	45	(30)	.0	.00	1869.71			
129	826	653	5:13.6	-67:22	124*	79* 88	451	10C	45	.11	123	LH34--38	64.0*	45	(30)	.0	.00	1869.71			
130	624	653	5:13.6	-67:22	122*	342*193	7563	30C	252*	.11	694	LH34--38	64.0*	45	(30)	.0	.00	1869.71			
124	734	646	5:13.7	-69:15	3X 3	84* 84	1	1L	1	.16	5				112	3.3	.95				
125	735	647	5:13.7	-69:15	3X 3	224*230	-18	3L	-6	.16	-35				112	3.3	-.14				
129	735	646	5:13.7	-69:15	3X 3	77* 87	-29	10C	-3	.16	-13				112	3.3	-.37				
130	735	644	5:13.7	-69:15	3X 3	274*261	-155	30C	-5	.16	-21				112	3.3	-.23				
124	729	646	5:13.8	-69:24	10X 7	111 86	446	1L	446	.16	2614	(LH35)			113,A-F	307.5	.17	1874-81	MC24		
125	729	647	5:13.8	-69:24	10X 7	308*238	1120	3L	373	.16	2186	(LH35)			113,A-F	307.5	.20	1874-81	MC24		
129	729	646	5:13.8	-69:24	10X 7	294* 95	3554	10C	355	.16	1549	(LH35)			113,A-F	307.5	.29	1874-81	MC24		
130	728	644	5:13.8	-69:24	10X 7	660*289	8649	30C	288*	.16	1257	(LH35)			113,A-F	307.5	.35	1874-81	MC24		
124	821	656	5:13.8	-67:28	10X 8	85* 81	169	1L	169	.11	570	(LH34,36,37,38)			30,A-D	90.7	.20	1869.71			
125	822	658	5:13.8	-67:28	10X 8	228*216	385	3L	128	.11	431	(LH34,36,37,38)			30,A-D	90.7	.27	1869.71			
129	821	655	5:13.8	-67:28	10X 8	93 80	937	10C	94	.11	258	(LH34,36,37,38)			30,A-D	90.7	.45	1869.71			
130	819	652	5:13.8	-67:28	10X 8	159*163	1919	30C	64*	.11	176	(LH34,36,37,38)			30,A-D	90.7	.66	1869.71			
124	821	656	5:13.8	-67:27	4X 5	85* 84	21	1L	21	.14*	98	LH38	2.0 3.0	8	(30)	.0	.00	1871			
125	822	658	5:13.8	-67:27	4X 5	228*222	71	3L	27	.14*	126	LH38	2.0 3.0	8	(30)	.0	.00	1871			
129	823	650	5:13.8	-67:27	4X 5	52* 54	-26	10C	-3	.14*	-10	LH38	2.0 3.0	8	(30)	.0	.00	1871			
130	820	652	5:13.8	-67:27	4X 5	177*175	-84	30C	-3	.14*	-10	LH38	2.0 3.0	8	(30)	.0	.00	1871			

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X *Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE		BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
124	824	656	5:13.8	-67:23	4X 4	96*	91	12	1L	12	.11	40	LH37	2.0	2.0	6	(30)	.0	.00	1869			
125	826	658	5:13.8	-67:23	4X 4	269	249	31	3L	10	.11	33	LH37	2.0	2.0	6	(30)	.0	.00	1869			
129	827	652	5:13.8	-67:23	4X 4	58*	58	-22	10C	-2	.11	-5	LH37	2.0	2.0	6	(30)	.0	.00	1869			
130	823	652	5:13.8	-67:23	4X 4	233*	249	187	30C	6	.11	16	LH37	2.0	2.0	6	(30)	.0	.00	1869			
124	827	656	5:13.8	-67:20	4X 5	93*	88	9	1L	9	.08*	21	LH36	2.0	3.0	9	(30)	.0	.00				
125	828	658	5:13.8	-67:20	4X 5	260*	243	32	3L	11	.08*	26	LH36	2.0	3.0	9	(30)	.0	.00				
129	829	652	5:13.8	-67:20	4X 5	54*	59	-50	10C	-5	.08*	-10	LH36	2.0	3.0	9	(30)	.0	.00				
130	826	652	5:13.8	-67:20	4X 5	277*	312	-153	30C	-5	.08*	-10	LH36	2.0	3.0	9	(30)	.0	.00				
129	749	648	5:13.9	-68:59	2X 2	54	50	16	10C	2	.17	9						.0	.00		--		
130	749	646	5:13.9	-68:59	2X 2	137	127	38	30C	1	.17	4						.0	.00		--		
124	834	655	5:14.1	-67:11	3X 4	81	74	65	1L	65	.10	196					D107	33.0	.21				
125	835	658	5:14.1	-67:11	4X 6	215	198	232	3L	77	.10	232					D107	33.0	.18				
129	834	658	5:14.1	-67:11	6X 6	90	61	649	10C	65	.10	163					D107	33.0	.25				
130	835	656	5:14.1	-67:11	7X 8	252	163	1890	30C	63	.10	158					D107	33.0	.26				
124	721	641	5:14.3	-69:31	4X 7	86*	84	40	1L	40	.15	209	LH39	2.0	6.0	10	D110	8.0	.05				
125	723	644	5:14.3	-69:31	4X 7	245*	224	148	3L	49	.15	257	LH39	2.0	6.0	10	D110	8.0	.04				
129	721	644	5:14.3	-69:31	4X 7	136	92	310	10C	31	.15	123	LH39	2.0	6.0	10	D110	8.0	.09				
130	722	641	5:14.3	-69:31	4X 7	394*	265	892	30C	30	.15	119	LH39	2.0	6.0	10	D110	8.0	.09				
124	870	657	5:14.8	-66:29	3X 3	76	75	5	1L	5	.09	13					31	1.0	.09				
125	871	659	5:14.8	-66:29	3X 3	193	188	13	3L	4	.09	10					31	1.0	.12				
129	870	659	5:14.8	-66:29	3X 3	61	56	24	10C	2	.09	4					31	1.0	.31				
130	870	656	5:14.8	-66:29	3X 3	159	144	56	30C	2	.09	4					31	1.0	.31				
124	719	638	5:14.9	-69:34	9X 7	83*	81	45	1L	45	.15	236	(LH39)				114.A	159.1	.95				
125	722	642	5:14.9	-69:34	9X 7	224*	219	92	3L	31	.15	162	(LH39)				114.A	159.1	1.39				
129	720	642	5:14.9	-69:34	9X 7	98*	81	378	10C	38	.15	151	(LH39)				114.A	159.1	1.49				

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X *Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
130	721	639	5:14.9	69:34	9X 7	283*	234	404	30C	13	.15	51	(LH39)			114,A	159.1	4.41				
124	793	641	5:15.9	-68:02	2X 2	74*	74	-1	1L	-1	.20	-9				32	.3	-.05				
125	794	643	5:15.9	-68:02	2X 2	189*	189	2	3L	1	.20	9				32	.3	.05				
129	794	642	5:15.9	-68:02	2X 2	44*	44	4	10C	0	20	0				32	.3	.00				
130	794	640	5:15.9	-68:02	2X 2	102*	102	4	30C	0	.20	0				32	.3	.00				
124	624	630	5:16.0	-71:38	2X 2	74	71	11	1L	11	.15	57				0119	6.0	.15		--		
125	626	628	5:16.0	-71:38	3X 3	183	179	18	3L	6	.15	31				0119	6.0	.27		--		
129	623	631	5:16.0	-71:38	2X 2	37	31	26	10C	3	.15	11				0119	6.0	.77		--		
130	623	628	5:16.0	-71:38	2X 2	87	75	40	30C	1	.15	3				0119	6.0	2.83		--		
124	613	629	5:16.5	-71:50	2X 2	75*	75	0	1L	0	.15	0				194	.4	.00				
125	614	630	5:16.5	-71:50	2X 2	186*	186	1	3L	0	.15	0				194	.4	.00				
129	614	628	5:16.5	-71:50	2X 2	34*	33	1	10C	0	.15	0				194	.4	.00				
130	614	626	5:16.5	-71:50	2X 2	79*	78	7	30C	0	.15	0				194	.4	.00				
124	672	628	5:16.7	-70:37	2X 5	80	73	57	1L	57	.12	214					.0	.00		--		
125	673	630	5:16.7	-70:37	5X 5	202	187	183	3L	61	.12	229					.0	.00		--		
129	673	630	5:16.7	-70:37	4X 4	64	38	194	10C	19	.12	57					.0	.00		--		
130	673	627	5:16.7	-70:37	7X 5	163	92	1020	30C	34	.12	102					.0	.00		--		
125	821	643	5:16.8	-67:31	3X 2	201	189	56	3L	19	.14	89					.0	.00		--		
129	819	643	5:16.8	-67:31	3X 2	60	48	66	10C	7	.14	25					.0	.00		--		
130	820	640	5:16.8	-67:31	4X 3	141	107	232	30C	8	.14	29					.0	.00		--		
124	825	640	5:16.9	-67:23	3X 3	77*	75	9	1L	9	.13	37				33	10.5	.38				
125	826	642	5:16.9	-67:23	3X 3	186*	187	-2	3L	-1	.13	-4				33	10.5	-3.54				
129	825	642	5:16.9	-67:23	3X 3	46*	47	1	10C	0	.13	0				33	10.5	.00				
130	826	640	5:16.9	-67:23	3X 3	113*	114	0	30C	0	.13	0				33	10.5	.00				
124	702	627	5:17.3	-69:57	3X 3	78*	77	3	1L	3	.14	14				116	1.9	.19				

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X *Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
125	703	629	5:17.3	-69:57	3X 3	205•	203	9	3L	3	.14	14				116	1.9	.19				
129	703	628	5:17.3	-69:57	3X 3	44•	45	2	10C	0	.14	0				116	1.9	.00				
130	703	626	5:17.3	-69:57	3X 3	105•	106	2	30C	0	.14	0				116	1.9	.00				
124	718	630	5:17.4	-69:38	2X 2	92•	90	0	1L	0	.15	0				117	1.5	.00				
125	719	629	5:17.4	-69:38	2X 2	245•	248	18	3L	6	.15	31				117	1.5	.07				
129	721	631	5:17.4	-69:38	2X 2	189•	180	40	10C	4	.15	15				117	1.5	.14				
130	721	629	5:17.4	-69:38	2X 2	630•	618	195	30C	7•	.15	27				117	1.5	.08				
124	684	627	5:17.7	-70:21	2X 2	80	74	20	1L	20	.11	67					.0	.00		--		
125	687	627	5:17.7	-70:21	2X 2	198	188	34	3L	11	.11	37					.0	.00		--		
129	685	627	5:17.7	-70:21	2X 2	50	36	48	10C	5	.11	13					.0	.00		--		
130	685	624	5:17.7	-70:21	3X 2	120	89	144	30C	5	.11	13					.0	.00		--		
124	894	645	5:17 8	-66:04	4X 4	77	75	10	1L	10	.11	33				35	2.9	.11				
125	894	646	5:17.8	-66:04	4X 4	196•	194	28	3L	9	.11	30				35	2.9	.12				
129	893	646	5:17.8	-66:04	4X 4	66	59	40	10C	4	.11	11				35	2.9	.34				
130	894	644	5:17 8	-66:04	4X 4	163	144	95	30C	3	.11	8				35	2.9	.47				
124	799	634	5:18.0	-67:57	3X 3	79•	78	1	1L	1	.20	9				36	1.0	.18				
125	800	636	5:18.0	-67:57	3X 3	196•	194	7	3L	2	.20	18				36	1.0	.09				
129	799	633	5:18.0	-67:57	3X 3	51•	52	-1	10C	0	.20	0				36	1.0	.00				
130	800	633	5:18.0	-67:57	3X 3	112•	113	-6	30C	0	.20	0				36	1.0	.00				
125	830	638	5:18.1	-67:18	5X 3	202	191	97	3L	32	.13	134	--			D127	16.0	.16	1905			
129	829	639	5:18.1	-67:18	3X 4	63	50	89	10C	9	.13	29	--			D127	16.0	.74	1905			
130	829	635	5:18.1	-67:18	5X 4	153	118	393	30C	13	.13	43	--			D127	16.0	.50	1905			
124	709	626	5:18.2	-69:53	5X 4	87	78	97	1L	97	.13	408				D133	24.0	.08				
125	709	627	5:18.2	-69:53	9X 7•	228	214•	250	3L	83	.13	349				D133	24.0	.09				
129	708	626	5:18.2	-69:53	5X 4	98	53	445	10C	45	.13	149				D133	24.0	.22				

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X *Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
130	708	623	5:18.2	-69:53	6X 6	271	135	1660	30C	55	.13	182				D133	24.0	.18				
124	638	620	5:18.4	-71:18	5X 4	74*	74	19	1L	19	.15	99	(LH40)			195.AB	15.7	.22	1914			
125	641	622	5:18.4	-71:18	5X 4	189*	187	34	3L	11	.15	57	(LH40)			195.AB	15.7	.39	1914			
129	641	621	5:18.4	-71:18	5X 4	54	40	48	10C	7	.15	27	(LH40)			195.AB	15.7	.82	1914			
130	641	619	5:18.4	-71:18	5X 4	122	93	160	30C	5	.15	19	(LH40)			195.AB	15.7	1.17	1914			
124	642	620	5:18.4	-71:14	3X 3	74*	74	3	1L	3	.15	15	LH40	1.0 1.0	-	(195)	.0	.00	1914			
125	644	622	5:18.4	-71:14	3X 3	192	187	21	3L	7	.15	36	LH40	1.0 1.0	--	(195)	.0	.00	1914			
129	641	621	5:18.4	-71:14	3X 3	54	44	35	10C	4	.15	15	LH40	1.0 1.0	--	(195)	0	.00	1914			
130	641	619	5:18.4	-71:14	3X 3	122	104	57	30C	2	.15	7	LH40	1.0 1.0	--	(195)	.0	.00	1914			
124	737	625	5:18.5	-69:13	5X 8	199	123	723	1L	723	.15*	3794	LH41	4.0 7.0	52	D132B	40.0	.01	1910			
125	740	629	5:18.5	-69:13	5X 8	346*	325	2129	3L	710	.15*	3726	LH41	4.0 7.0	52	D132B	40.0	.02	1910			
129	738	627	5:18.5	-69:13	5X 8	616*	296	4593	10C	459*	.15*	1827	LH41	4.0 7.0	52	D132B	40.0	.03	1910			
130	738	623	5:18.5	-69:13	5X 8	953	693	3640	30C	121*	.15*	481	LH41	4.0 7.0	52	D132B	40.0	.12	1910			
124	819	631	5:18.6	-67:30	2X 2	80	74	20	1L	20	.14	93					.0	.00				
125	821	632	5:18.6	-67:30	3X 3	201	191	65	3L	22	.14	103					.0	.00		--		
129	823	631	5:18.6	-67:30	2X 2	50	44	20	10C	2	.14	7					.0	.00		--		
130	823	628	5:18.6	-67:30	2X 2	121	105	63	30C	2	.14	7					.0	.00		--		
124	737	625	5:18.7	-69:15	15X13	199	85	3199	1L	3199	.15	16788	(LH41)			119.A	1028.0	.09	1910	MC30		
125	738	626	5:18.7	-69:15	15X13	702	221	13325	3L	4442*	.15	23311	(LH41)			119.A	1028.0	.06	1910	MC30		
129	737	626	5:18.7	-69:15	15X13	830	90	17565	10C	1757*	.15	6994	(LH41)			119.A	1028.0	.21	1910	MC30		
130	737	622	5:18.7	-69:15	15X13	922*	240	37050	30C	1235*	.15	4916	(LH41)			119.A	1028.0	.30	1910	MC30		
124	903	637	5:19.0	-65:51	2X 2	78	75	11	1L	11	.18	80				D135	15.0	.28		--		
125	904	640	5:19.0	-65:51	2X 2	198	189	33	3L	11	.18	80				D135	15.0	.28		-		
129	904	640	5:19.0	-65:51	4X 5	61	47	182	10C	18	.18	94				D135	15.0	.24		-		
130	904	638	5:19.0	-65:51	5X 6	151	115	597	30C	30	.18	157				D135	15.0	.14		-		

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR	X	Y	R.A.	DEC	*X *Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
124	783	626	5:19.1	-68:16	2x 2	82	76	24	1L	24	.19	195					.0	.00		--		
125	786	628	5:19.1	-68:16	3x 3	205	196	57	3L	19	.19	155					.0	.00		--		
129	785	626	5:19.1	-68:16	3x 3	55	44	73	10C	7	.19	40					.0	.00		--		
130	785	624	5:19.1	-68:16	4x 3	133	108	204	30C	7	.19	40					.0	.00		--		
124	714	622	5:19.3	-69:43	7x 9	92*	90	182	1L	182	.12	685	(LH42)			120,A-D	293.0	.56	1918	MC31SNR		
125	716	621	5:19.3	-69:43	7x 9	380	258	893	3L	298	.12	1122	(LH42)			120,A-D	293.0	.34	1918	MC31SNR		
129	717	620	5:19.3	-69:43	7x 9	324	130	2255	10C	226	.12	682	(LH42)			120,A-D	293.0	.57	1918	MC31SNR		
130	715	619	5:19.3	-69:43	7x 9	565*	393	7509	30C	250*	.12	754	(LH42)			120,A-D	293.0	.51	1918	MC31SNR		
124	777	625	5:19.3	-68:24	2x 2	74*	75	-1	1L	-1	.18	-7				118	1.5	-.32				
125	778	625	5:19.3	-68:24	2x 2	193*	194	-1	3L	0	.18	0				118	1.5	.00				
129	777	625	5:19.3	-68:24	2x 2	46*	45	1	10C	0	.18	0				118	1.5	.00				
130	778	624	5:19.3	-68:24	2x 2	115*	114	15	30C	1	.18	5				118	1.5	.45				
124	717	620	5:19.7	-69:38	4x 4	116	104	61	1L	61	.12	229	LH42	2.0 1.5	--	(120)	.0	.00	1918			
125	720	619	5:19.7	-69:38	4x 4	266*	273	328	3L	109	.12	410	LH42	2.0 1.5	--	(120)	.0	.00	1918			
129	717	620	5:19.7	-69:38	4x 4	324	209	487	10C	49	.12	147	LH42	2.0 1.5	--	(120)	.0	.00	1918			
130	718	617	5:19.7	-69:38	4x 4	734*	607	1163	30C	39*	.12	117	LH42	2.0 1.5	--	(120)	.0	.00	1918			
125	727	618	5:20.1	-69:29	6x 4	257	232	450	3L	150	.13	631	(LH46)			(119,122)	.0	.00	1922,26?			
129	727	617	5:20.1	-69:29	6x 9	139	112	732	10C	73	.13	241	(LH46)			(119,122)	.0	.00	1922,26?			
130	727	615	5:20.1	-69:29	9x10	502	299*	5720	30C	191	.13	632	(LH46)			(119,122)	.0	.00	1922,26?			
124	723	617	5:20.3	-69:34	2x 2	92*	91	2	1L	2	.12	7	(LH46)			122	.1	.02				
125	724	618	5:20.3	-69:34	2x 2	250*	251	3	3L	1	.12	3	(LH46)			122	.1	.04				
129	724	614	5:20.3	-69:34	2x 2	153	146	23	10C	2	.12	6	(LH46)			122	.1	.02				
130	724	612	5:20.3	-69:34	2x 2	533	495	71	30C	2	.12	6	(LH46)			122	.1	.02				
124	853	626	5:20.3	-66:56	4x 5	81	78	13	1L	13	.12	48				37	12.2	.34				
125	852	629	5:20.3	-66:56	4x 5	204	199	10	3L	3	.12	11				37	12.2	1.46				

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X	*Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE		BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
129	852	628	5:20.3	-66:56	4X	5	57	54	22	10C	2	.12	6					37	12.2	2.68				
130	852	626	5:20.3	-66:56	4X	5	141	129	54	30C	2	.12	6					37	12.2	2.68				
124	830	625	5:20.4	-67:21	5X	2	83	76	41	1L	41	.13	172						.0	.00		-		
125	831	626	5:20.4	-67:21	5X	6	210	193	290	3L	97	.13	408						.0	.00		--		
129	830	626	5:20.4	-67:21	5X	6	71	47	349	10C	35	.13	115						.0	.00		--		
130	830	624	5:20.4	-67:21	6X	8	178	115	1300	30C	43	.13	142						.0	.00		--		
124	854	628	5:20.6	-66:50	3X	3	78*	78	2	1L	2	.11	6					38	7.6	1.63				
125	855	628	5:20.6	-66:50	3X	3	201	197	9	3L	3	.11	10					38	7.6	.98				
129	857	627	5:20.6	-66:50	3X	3	57	55	11	10C	1	.11	2					38	7.6	4.90				
130	857	626	5:20.6	-66:50	3X	3	130*	128	12	30C	0	.11	0					38	7.6	.00				
124	793	619	5:20.7	-68:04	3X	3	83*	82	5	1L	5	.26	88					41	1.0	.02				
125	794	620	5:20.7	-68:04	3X	3	201*	203	-3	3L	-1	.26	-17					41	1.0	-.11				
129	793	619	5:20.7	-68:04	3X	3	53*	53	-2	10C	0	.26	0					41	1.0	.00				
130	794	617	5:20.7	-68:04	3X	3	130*	132	1	30C	0	.26	0					41	1.0	.00				
124	923	629	5:20.9	-65:28	7X	5	83	78	29	1L	23	.19*	236	LH43	6.0	3.0	9	(40)	.0	.00	1923			
129	924	632	5:20.9	-65:28	7X	5	78	60	205	10C	21	.19*	120	LH43	6.0	3.0	9	(40)	.0	.00	1923			
130	925	631	5:20.9	-65:28	7X	5	198*	151	569	30C	19	.19*	109	LH43	6.0	3.0	9	(40)	.0	.00	1923			
129	726	514	5:21.0	-69:32	14X	19	153	70	8550	10C	855	.13	2831	(LH46)				(119,122)	.0	.00				
124	745	613	5:21.4	-69:04	6X	6	81*	80	19	1L	19	.15*	99	LH44	5.0	5.0	8	(126)	.0	.00				
125	746	614	5:21.4	-69:04	6X	6	210*	206	50	3L	17	.15*	89	LH44	5.0	5.0	8	(126)	.0	.00				
129	745	613	5:21.4	-69:04	6X	6	80	58	217	10C	22	.15*	87	LH44	5.0	5.0	8	(126)	.0	.00				
130	746	611	5:21.4	-69:04	6X	6	212	144	573	30C	19	.15*	75	LH44	5.0	5.0	8	(126)	.0	.00				
124	922	627	5:21.5	-65:30	3X	3	73*	76	-5	1L	-5	.18	-36	(LH43)				40	5.5	-.23	1923			
125	924	627	5:21.5	-65:30	3X	3	201*	196	35	3L	12	.18	87	(LH43)				40	5.5	.10	1923			
129	919	626	5:21.5	-65:30	3X	3	47*	46	9	10C	1	.18	5	(LH43)				40	5.5	1.66	1923			

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X *Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NOC NO.	SAO NO.	M	S
130	924	629	5:21.5	-65:30	3X 3	186*	174	43	30C	1	.18	5	(LH43)			40	5.5	1.66	1923			
124	619	606	5:21.6	-71:45	2X 2	72*	73	4	1L	4	16	23				197	.6	.04				
125	620	607	5:21.6	-71:45	2X 2	190*	191	4	3L	1	.16	5				197	.6	.17				
129	620	606	5:21.6	71:45	2X 2	42	41	3	10C	0	.16	0				197	.6	.00				
130	620	604	5:21.6	-71:45	2X 2	99	97	4	30C	0	.16	0				197	.6	.00				
124	908	626	5:21.6	-65:48	10X 9	89*	80	400	1L	400	.17*	2618	LH45	10.0 9.0	25	D142	10.0	.01				
125	908	627	5:21.6	-65:48	10X 9	233*	209	874	3L	291	.17*	1904	LH45	10.0 9.0	25	D142	10.0	.01				
129	909	627	5:21.6	-65:48	10X 9	144	74	1739	10C	174	.17*	832	LH45	10.0 9.0	25	D142	10.0	.02				
130	908	625	5:21.6	-65:48	10X 9	448*	193	6346	30C	211	.17*	1009	LH45	10.0 9.0	25	D142	10.0	.01				
124	799	614	5:21.8	-67:58	6X 7	115*	95	338	1L	338	.28	7463	(LH47)			44BCF	84.2	.02	1929-36	MC32SNR		
125	801	616	5:21.8	-67:58	6X 7	331*	269	956	3L	319	.28	7043	(LH47)			44BCF	84.2	.02	1929-36	MC32SNR		
129	800	616	5:21.8	-67:58	6X 7	228*	156	1717	10C	172	.28	2267	(LH47)			44BCF	84.2	.07	1929-36	MC32SNR		
130	800	614	5:21.8	-67:58	6X 7	619*	430	3157	30C	105*	.28	1384	(LH47)			44BCF	84.2	.12	1929-36	MC32SNR		
124	745	611	5:21.9	-69:05	2X 3	82	80	5	1L	5	.15	26	(LH44)			126	.3	.02				
125	745	612	5:21.9	-69:05	2X 3	207*	207	1	3L	0	.15	0	(LH44)			126	.3	.00				
129	745	613	5:21.9	-69:05	2X 3	80	73	23	10C	2	.15	7	(LH44)			126	.3	.06				
130	746	611	5:21.9	-69:05	2X 3	212	187	64	30C	2	.15	7	(LH44)			126	.3	.06				
124	715	607	5:22.0	-69:43	3X 3	83*	83	2	1L	2	.13	8				127AB,9	18.7	3.15				
125	716	609	5:22.0	-69:43	3X 3	220*	220	0	3L	0	.13	0				127AB,9	18.7	.00				
129	715	608	5:22.0	-69:43	3X 3	73*	74	-1	10C	0	.13	0				127AB,9	18.7	.00				
130	716	606	5:22.0	-69:43	3X 3	210*	215	-10	30C	0	.13	0				127AB,9	18.7	.00				
124	728	609	5:22.1	-69:27	5X 5	91*	88	28	1L	28	.12	105	LH46	4.0 3.0	--	(122)	.0	.00				
125	728	611	5:22.1	-69:27	5X 5	252	245	56	3L	19	.12	71	LH46	4.0 3.0	--	(122)	.0	.00				
129	728	611	5:22.1	-69:27	5X 5	143	113	226	10C	23	.12	69	LH46	4.0 3.0	--	(122)	.0	.00				
130	728	609	5:22.1	-69:27	5X 5	493	364	975	30C	33	.12	99	LH46	4.0 3.0	--	(122)	.0	.00				

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X *Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
124	802	612	5:22.2	-67:57	5X 7	112*	100	193	1L	193	.28	4261	LH47	4.0 6.0	40	(44)	.0	.00	1929-36			
125	802	614	5:22.2	-67:57	5X 7	399	285	1041	3L	347	.28	7661	LH47	4.0 6.0	40	(44)	.0	.00	1929-36			
129	801	614	5:22.2	-67:57	5X 7	443	178	2143	10C	214	.28	2821	LH47	4.0 6.0	40	(44)	.0	.00	1929-36			
130	801	612	5:22.2	-67:57	5X 7	868	537	3611	30C	120*	.28	1581	LH47	4.0 6.0	40	(44)	.0	.00	1929-36			
124	908	623	5:22.2	-65:46	6X11	87*	82	80	1L	80	.17	523	(LH45)			43	64.4	.18				
125	909	624	5:22.2	-65:46	6X11	220*	214	240	3L	80	.17	523	(LH45)			43	64.4	.18				
129	909	624	5:22.2	-65:46	6X11	99*	82	608	10C	61	.17	291	(LH45)			43	64.4	.33				
130	910	622	5:22.2	-65:46	6X11	250*	209	1637	30C	55	.17	263	(LH45)			43	64.4	.36				
124	803	611	5:22.4	-67:55	43*	95*	95	312	1L	312	.28	6888	LH47,48	30.0*	48	(44)	.0	.00	1929-37			
125	803	613	5:22.4	-67:55	43*	333	262	1636	3L	545	.28	12033	LH47,48	30.0*	48	(44)	.0	.00	1929-37			
129	802	613	5:22.4	-67:55	43*	320*	142	3337	10C	334	.28	4402	LH47,48	30.0*	48	(44)	.0	.00	1929-37			
130	802	611	5:22.4	-67:55	43*	830*	430	7652	30C	255*	.28	3361	LH47,48	30.0*	48	(44)	.0	.00	1929-37			
124	763	608	5:22.5	-68:41	3X 3	79*	78	1	1L	1	.15	5				128	.7	.20				
125	765	610	5:22.5	-68:41	3X 3	202*	201	8	3L	3	.15	15				128	.7	.07				
129	763	608	5:22.5	-68:41	3X 3	48*	48	1	10C	0	.15	0				128	.7	.00				
130	764	606	5:22.5	-68:41	3X 3	116*	117	3	30C	0	.15	0				128	.7	.00				
124	798	610	5:22.6	-67:59	18X15	93*	80	1584	1L	1584	.28	34974	(LH47-49)			44.A-N2040	.0	.11	1929-37	MC33		
125	800	612	5:22.6	-67:59	18X15	296*	208	6300	3L	2100	.28	46368	(LH47-49)			44.A-N2040	.0	.08	1929-37	MC33		
129	799	612	5:22.6	-67:59	18X15	180*	65	9098	10C	910	.28	11996	(LH47-49)			44.A N2040	0	.32	1929-37	MC33		
130	799	610	5:22.6	-67:59	18X15	545*	157	30319	30C	1011*	.28	13327	(LH47-49)			44.A-N2040	0	.29	1929-37	MC33		
124	804	611	5:22.6	-67:53	4X 4	90*	98	49	1L	49	.28	1081	LH48	2.0 2.0	8	(44)	.0	.00	1937			
125	805	612	5:22.6	-67:53	4X 4	234*	255	159	3L	53	.28	1170	LH48	2.0 2.0	8	(44)	.0	.00	1937			
129	804	612	5:22.6	-67:53	4X 4	143*	154	508	10C	51	.28	672	LH48	2.0 2.0	8	(44)	0	.00	1937			
130	804	610	5:22.6	-67:53	4X 4	488*	496	1329	30C	44*	.28	580	LH48	2.0 2.0	8	(44)	0	.00	1937			
124	859	613	5:22.8	-66:44	3X 3	76*	77	1	1L	1	.11	3				45.A	5.0	2.15				

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X *Y	P BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
125	860	615	5:22.8	-66:44	3X 3	196•195	7	3L	2	.11	6				45.A	5.0	1.07				
129	860	615	5:22.8	-66:44	3X 3	51• 51	3	10C	0	.11	0				45.A	5.0	.00				
130	861	613	5:22.8	-66:44	3X 3	140•139	5	30C	0	.11	0				45.A	5.0	.00				
124	837	615	5:22.9	-67:12	3X 2	81 79	7	1L	7	.11	23	--				.0	.00	1940			
125	837	613	5:22.9	-67:12	5X 4	216 199	149	3L	50	.11	168	--				.0	.00	1940			
129	838	613	5:22.9	-67:12	5X 4	75 51	318	10C	32	.11	88	--				.0	.00	1940			
130	838	611	5:22.9	-67:12	12X 7	208 124	2730	30C	91	.11	250	--				.0	.00	1940			
124	895	618	5:22.9	-66:04	3X 3	84 77	46	1L	46	.14	216	--			D154	49.0	.31	1932?			
125	895	620	5:22.9	-66:04	5X 4	213 198	183	3L	61	.14	286	--			D154	49.0	.24	1932?			
129	895	619	5:22.9	-66:04	4X 3	68 51	158	10C	16	.14	58	--			D154	49.0	1.17	1932?			
130	895	617	5:22.9	-66:04	11X12	183 120	3809	30C	127	.14	461	--			D154	49.0	.15	1932?			
124	692	601	5:23.0	-70:13	3X 3	77• 77	0	1L	0	.15	0				130	3.6	.00				
125	693	603	5:23.0	-70:13	3X 3	196•198	-11	3L	-4	.15	-20				130	3.6	-.25				
129	692	602	5:23.0	-70:13	3X 3	41• 42	-2	10C	0	.15	0				130	3.6	.00				
130	693	600	5:23.0	-70:13	3X 3	104 104	1	30C	0	.15	0				130	3.6	.00				
124	795	609	5:23.1	-68:04	5X 5	89 85	13	1L	13	.28	287	LH49	4.0 3.0	8	D159?	5.5	.04	IC2128			
125	798	608	5:23.1	-68:04	5X 5	228•224	69	3L	23	.28	507	LH49	4.0 3.0	8	D159?	5.5	.02	IC2128			
129	797	608	5:23.1	-68:04	5X 5	90• 88	83	10C	8	.28	105	LH49	4.0 3.0	8	D159?	5.5	.10	IC2128			
130	797	606	5:23.1	-68:04	5X 5	245•244	203	30C	7	.28	92	LH49	4.0 3.0	8	D159?	5.5	.11	IC2128			
124	876	612	5:23.1	-66:25	3X 3	79• 79	0	1L	0	.10	0				46	5.0	.00		MC36		
125	877	613	5:23.1	-66:25	3X 3	202 201	6	3L	2	.10	6				46	5.0	1.05		MC36		
129	876	616	5:23.1	-66:25	3X 3	62• 60	6	10C	1	.10	2				46	5.0	3.15		MC36		
130	877	613	5:23.1	-66:25	3X 3	167•161	24	30C	1	.10	2				46	5.0	3.15		MC36		
124	825	600	5:23.2	-71:38	8X 7	82 77	19	1L	19	.16	111	(SAO256180?)			198	58.3	.76				
125	827	603	5:23.2	-71:38	8X 7	212 190	284	3L	95	.16	556	(SAO256180?)			198	58.3	.15				

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X *Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	∵
129	624	601	5:23.2	-71:38	8X 7	51*	44	214	10C	21	.16	91	(SAO256180?)			198	58.3	.93				
130	626	599	5:23.2	-71:38	8X 7	196	104	760	30C	25	.16	109	(SAO256180?)			198	58.3	.77				
124	625	600	5:23.2	-71:37	5X 3	82	74	68	1L	68	.05	118					.0	.00		25618077.4		A3
125	627	603	5:23.2	-71:37	5X 4	212	187	236	3L	79	.05	137					.0	.00		25618077.4		A3
129	626	601	5:23.2	-71:37	5X 5	"5	36	348	10C	35	.05	55					.0	.00		25618077.4		A3
130	626	599	5:23.2	-71:37	9X 6	196	85	1890	30C	63	.05	99					.0	.00		25618077.4		A3
124	707	601	5:23.3	-69:54	2X 3	82*	82	7	1L	7	.14	32				131	2.0	.09				
125	707	602	5:23.3	-69:54	2X 3	212*	211	14	3L	5	.14	23				131	2.0	.12				
129	.07	602	5:23.3	-69:54	2X 3	63*	67	10	10C	1	.14	3				131	2.0	.92				
130	708	600	5:23.3	-69:54	2X 3	176*	186	49	30C	2	.14	7				131	2.0	.39				
124	788	602	5:23.5	-68:13	2X 2	84	78	19	1L	19	.20	173				D170	10.0	.09		--		
125	788	607	5:23.5	-68:13	2X 2	205	194	36	3L	12	.20	109				D170	10.0	.15		--		
129	788	607	5:23.5	-68:13	2X 2	61	46	59	10C	6	.20	37				D170	10.0	.43		--		
130	789	604	5:23.5	-68:13	5X 4	162	111	477	30C	16	.20	100				D170	10.0	.16		--		
124	862	610	5:23.6	-66:41	3X 4	80	77	28	1L	28	.09	67				D182	13.3	.24				
125	863	611	5:23.6	-66:41	5X 5	210	197	145	3L	48	.08	116				D182	13 3	.14				
129	863	612	5:23.6	-66:41	2X 2	71	50	246	10C	25	.08	52				D182	13.3	.31				
130	864	611	5:23.6	-66:41	7X 7	187	121	1414	30C	47	.08	98				D182	13.3	16				
124	637	600	5:24.0	-71:23	13X 8	80*	78	59	1L	59	.17	386	(LH50)			199,200	121 0	.46				
125	639	600	5:24.0	-71:23	13X 8	212	192	270	3L	90	.17	589	(LH50)			199,200	121.0	.30				
129	637	600	5:24.0	-71:23	13X 8	75	49	169	10C	17	.17	81	(LH50)			199,200	121.0	2.21				
130	638	595	5:24.0	-71:23	13X 8	151*	112	1175	30C	39	.17	186	(LH50)			199,200	121 0	.96				
124	718	601	5:24.1	-69:40	5X 7	93*	88	41	1L	41	13	172				132A-J	11.4	.09		MC39SNR		
125	713	601	5:24.1	-69:40	5X 7	248*	234	177	3L	59	.13	248				132A-J	11.4	.06		MC39SNR		
129	720	600	5:24.1	-69:40	5X 7	139	95	356	10C	36	.13	119				132A-J	11.4	.13		MC39SNR		

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X	*Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE		BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
130	721	598	5:24.1	-69:40	5X	7	465	267	1595	30C	53	.13	175					132A-J	11.4	.09		MC39SNR		
124	752	598	5:24.4	-68:58	2X	3	84	82	4	1L	4	.10	12					137AB	.5	.05				
125	753	600	5:24.4	-68:58	2X	3	210	207	6	3L	2	.10	6					137AB	.5	.10				
129	752	599	5:24.4	-68:58	2X	3	59*	58	1	10C	0	.10	0					137AB	.5	.00				
130	753	597	5:24.4	-68:58	2X	3	149*	144	-3	30C	0	.10	0					137AB	.5	.00				
124	637	598	5:24.5	-71:23	8X	9	83	77	37	1L	37	.17	242	LH50	7.0	8.0	14	(200)	.0	.00				
125	639	597	5:24.5	-71:23	8X	9	196*	190	47	3L	16	.17	104	LH50	7.0	8.0	14	(200)	.0	.00				
129	638	599	5:24.5	-71:23	8X	9	76	50	147	10C	15	.17	71	LH50	7.0	8.0	14	(200)	.0	.00				
130	638	597	5:24.5	-71:23	8X	9	212	123	706	30C	24	.17	114	LH50	7.0	8.0	14	(200)	.0	.00				
124	773	598	5:24.8	-68:33	7X	8	89	84	69	1L	69	.13	290					138.A-D	64.4	.30				
125	777	595	5:24.8	-68:33	7X	8	228*	211	302	3L	101	.13	424					138.A-D	64.4	.20				
129	774	598	5:24.8	-68:33	7X	8	106	66	530	10C	53	.13	175					138.A-D	64.4	.50				
130	775	596	5:24.8	-68:33	7X	8	320	167	1653	30C	55	.13	182					138.A-D	64.4	.48				
125	711	599	5:24.9	-69:53	3X	3	226	212	102	3L	34	.14	159					(131)	.0	.00				
129	709	598	5:24.9	-69:53	4X	7	89	69	358	10C	36	.14	130					(131)	.0	.00				
130	710	594	5:24.9	-69:53	6X	9	248	180	1831	30C	61	.14	221					(131)	.0	.00				
124	879	604	5:25.4	-66:23	15X	12	80*	79	329	1L	329	.07	713	(LH53)				48.A-E	270.3	.45				
125	881	604	5:25.4	-66:23	15X	12	205*	204	609	3L	203	.07	440	(LH53)				48.A-E	270.3	.72				
129	882	604	5:25.4	-66:23	15X	12	79*	64	1014	10C	101	.07	192	(LH53)				48.A-E	270.3	1.65				
130	883	602	5:25.4	-66:23	15X	12	236*	159	3354	30C	112	.07	213	(LH53)				48.A-E	270.3	1.49				
124	822	595	5:25.5	-67:30	4X	5	116	108	107	1L	107	.11	360	LH51	1.5	3.0	5	(52)	.0	.00				
125	823	597	5:25.5	-67:30	4X	5	333*	304	484	3L	161	.11	543	LH51	1.5	3.0	5	(52)	.0	.00				
129	824	596	5:25.5	-67:30	4X	5	422	249	694	10C	69	.11	190	LH51	1.5	3.0	5	(52)	.0	.00				
130	824	594	5:25.5	-67:30	4X	5	826	667	1354	30C	45*	.11	123	LH51	1.5	3.0	5	(52)	.0	.00				
124	630	591	5:25.7	-71:32	3X	3	76	75	5	1L	5	.17	32					201,202	.6	.03				

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X	*Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
125	631	592	5:25.7	-71:32	3X	3	193*	193	4	3L	1	.17	6				201.202	.6	.15				
129	631	591	5:25.7	-71:32	3X	3	41*	40	4	10C	0	.17	0				201.202	.6	.00				
130	631	588	5:25.7	-71:32	3X	3	94*	93	5	30C	0	.17	0				201.202	.6	.00				
124	885	601	5:25.7	-66:19	6X	3	90	86	19	1L	19	.07	41	(LH52)			48A-C	20.3	.58	1948	MC40.41SNR		
125	886	603	5:25.7	-66:19	6X	3	228	217	46	3L	15	.07	32	(LH52)			48A-C	20.3	.75	1948	MC40.41SNR		
129	884	603	5:25.7	-66:19	6X	3	101*	86	125	10C	13	.07	24	(LH52)			48A-C	20.3	.99	1948	MC40.41SNR		
130	885	601	5:25.7	-66:19	6X	3	310	242	344	30C	11	.07	20	(LH52)			48A-C	20.3	1.19	1948	MC40.41SNR		
124	886	601	5:25.7	-66:17	6X	6	90	83	72	1L	72	.07	156	LH52	4.5 4.5	15	(48)	.0	.00	1948			
125	885	603	5:25.7	-66:17	6X	6	224*	211	233	3L	78	.07	169	LH52	4.5 4.5	15	(48)	.0	.00	1948			
129	885	603	5:25.7	-66:17	6X	6	104	79	286	10C	29	.07	55	LH52	4.5 4.5	15	(48)	.0	.00	1948			
130	886	601	5:25.7	-66:17	6X	6	300*	214	857	30C	29	.07	55	LH52	4.5 4.5	15	(48)	.0	.00	1948			
124	623	587	5:25.8	-71:40	2X	2	77	74	11	1L	11	.17	72				D194	7.0	.14		--		
125	624	591	5:25.8	-71:40	3X	3	196	186	46	3L	15	.17	98				D194	7.0	.11		--		
129	624	593	5:25.8	-71:40	2X	2	43	37	24	10C	2	.17	9				D194	7.0	1.15		--		
130	625	591	5:25.8	-71:40	2X	2	112	89	75	30C	3	.17	14				D194	7.0	.74		--		
125	729	578	5:25.9	-69:29	5X	5	238	219	278	3L	93	.15	488					.0	.00		--		
124	729	592	5:25.9	-69:28	5X	4	88	86	23	1L	23	.12	86	(LH46)			142	10.4	.16				
125	729	592	5:25.9	-69:28	5X	4	234*	233	63	3L	21	.12	79	(LH46)			142	10.4	.17				
129	729	593	5:25.9	-69:28	5X	4	103	92	50	10C	5	.12	15	(LH46)			142	10.4	.91				
130	730	591	5:25.9	-69:28	5X	4	290	240	205	30C	7	.12	21	(LH46)			142	10.4	.65				
124	738	591	5:25.9	-69:15	8X	8	91*	87	160	1L	16[illegible]	.11	539	(LH57)			140.143	47.7	.11				
125	739	592	5:25.9	-69:15	8X	8	243*	232	527	3L	176	.11	593	(LH57)			140.143	47.7	.10				
129	738	592	5:25.9	-69:15	8X	8	100*	87	657	10C	66	.11	181	(LH57)			140.143	47.7	.34				
130	739	589	5:25.9	-69:15	8X	8	308*	263	2800	30C	93	.11	256	(LH57)			140.143	47.7	.24				
124	822	593	5:25.9	-67:30	37*		114*	103	215	1L	215	.11	725	LH51.54	392.2*	17	(52)	.0	.00	1955			

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR	X	Y	R.A.	DEC.	*X *Y	P BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
125	823	596	5:25.9	-67:30	29*	348*302	470	3L	157	.11	529	LH51,54	392.2*	17	(52)	.0	.00	1955			
129	824	596	5:25.9	-67:30	37*	422 187	2018	10C	202	.11	556	LH51,54	392.2*	17	(52)	.0	.00	1955			
130	824	592	5:25.9	-67:30	37*	790*582	3989	30C	133*.11		366	LH51,54	392.2*	17	(52)	.0	.00	1955			
124	888	602	5:25.9	-66:14	18X 7	86* 82	34	1L	34	.07*	73	LH52,53	19.0 6.0	34	D191	5.0	.08	1948			
125	888	602	5:25.9	-66:14	18X 7	215*205	450	3L	150	.07*	325	LH52,53	19.0 6.0	34	D191	5.0	.02	1948			
129	887	602	5:25.9	-66:14	18X 7	90* 66	721	10C	72	.07*	137	LH52,53	19.0 6.0	34	D191	5.0	.04	1948			
130	887	600	5:25.9	-66:14	18X 7	253*164	3048	30C	102	.07*	194	LH52,53	19.0 6.0	34	D191	5.0	.03	1948			
124	838	597	5:26.0	-67:12	5X 4	87 83	21	1L	21	.14	98				50	11.4	.16				
125	840	598	5:26.0	-67:12	5X 4	231 217	66	3L	22	.14	103				50	11.4	.15				
129	839	598	5:26.0	-67:12	5X 4	98 78	96	10C	10	.14	36				50	11.4	.44				
130	839	595	5:26.0	-67:12	5X 4	239 200	30	30C	1	.14	3				50	11.4	5.25				
124	891	599	5:26.0	-66:08	3X 3	79* 79	4	1L	4	.07	8	(LH53)			49	13.2	1.94		MC43SNR		
125	892	602	5:26.0	-66:08	3X 3	210*206	6	3L	2	.07	4	(LH53)			49	13.2	3.88		MC43SNR		
129	892	601	5:26.0	-66:08	3X 3	68 65	13	10C	1	.07	1	(LH53)			49	13.2	15.51		MC43SNR		
130	892	599	5:26.0	-66:08	3X 3	160*160	7	30C	0	.07	0	(LH53)			49	13.2	.00		MC43SNR		
124	866	601	5:26.1	-66:37	6X 6	89 79	130	1L	130	.07	281	--			(48)	.0	.00	1951			
125	869	599	5:26.1	-66:37	7X 5	226 197	549	3L	183	.07	396	--			(48)	.0	.00	1951			
129	868	600	5:26.1	-66:37	6X 6	94 58	611	10C	61	.07	116	--			(48)	.0	.00	1951			
130	869	598	5:26.1	-66:37	8X 9	260 143	2960	30C	99	.07	188	--			(48)	.0	.00	1951			
124	706	588	5:26.2	-69:55	2X 2	82* 82	0	1L	0	.15	0	(LH59)			134	.2	.00	1969.71			
125	707	590	5:26.2	-69:55	2X 2	213*213	2	3L	1	.15	5	(LH59)			134	.2	.06	1969.71			
129	707	589	5:26.2	-69:55	2X 2	78 77	2	10C	0	.15	0	(LH59)			134	.2	.00	1969.71			
130	707	588	5:26.2	-69:55	2X 2	195*198	15	30C	1	.15	3	(LH59)			134	.2	.09	1969.71			
124	822	592	5:26.2	-67:30	5X 5	110*105	68	1L	68	.11	229	LH54	3.5 3.5	12	(52)	.0	.00	1955			
129	824	593	5:26.2	-67:30	5X 5	288*243	407	10C	41	.11	112	LH54	3.5 3.5	12	(52)	.0	.00	1955			

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X *Y	P BG	V	E.F	V/E	RE	UF	LH NO	SIZE		BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
130	824	591	5:26.2	-67:30	5X 5	755*628	1248	30C	42*	.11	115	LH54	3.5	3.5	12	(52)	.0	.00	1955			
124	817	593	5:26.5	-67:38	6X 3	90* 89	-12	1L	12	.11	40	LH55	5.0	1.0	3	(51)	.0	.00				
125	818	595	5:26.5	-67:38	6X 3	245*239	25	3L	8	.11	26	LH55	5.0	1.0	3	(51)	.0	.00				
129	818	594	5:26.5	-67:38	6X 3	114 101	31	10C	3	.11	8	LH55	5.0	1.0	3	(51)	.0	.00				
130	817	591	5:26.5	-67:38	6X 3	*335*291	130	30C	4	.11	11	LH55	5.0	1.0	3	(51)	.0	.00				
124	728	589	5:26.6	-69:30	5X 5	94 84	137	1L	137	.25	2171					(142)	.0	.00				
125	728	590	5:26.6	-69:30	6X 5	250 220	482	3L	161	.25	2551					(142)	.0	.00				
129	727	589	5:26.6	-69:30	6X 6	120 77	739	10C	74	.25	740					(142)	.0	.00				
130	.28	587	5:26.6	-69:30	7X 9	368 206	3330	30C	111	.25	1110					(142)	.0	.00				
124	814	592	5:26.7	-67:41	9X10	86* 82	101	1L	101	.11	340	(LH55)				518E	315.9	1.20				
125	815	593	5:26.7	-67:41	9X10	223*216	278	3L	93	.11	313	(LH55)				518E	315.9	1.30				
129	814	592	5:26.7	-67:41	9X10	81* 62	72C	10C	73	.11	201	(LH55)				518E	315.9	2.02				
130	815	590	5:26.7	-67:41	9X10	252*161	2130	30C	71	.11	195	(LH55)				518E	315.9	2.09				
124	736	588	5:26.8	-69:21	4X 4	102 93	42	1L	42	.12	158	(LH57)				143	18.6	.16				
125	735	589	5:26.8	-69:21	4X 4	243*241	101	3L	34	.12	128	(LH57)				143	18.6	.19				
129	734	588	5:26.8	-69:21	4X 4	94* 95	179	10C	18	.12	54	(LH57)				143	18.6	.45				
130	735	586	5:26.8	-69:21	4X 4	350*305	894	30C	30	.12	90	(LH57)				143	18.6	.27				
124	627	583	5:26.9	-71:38	5X 5	79 76	34	1L	34	.17	222	(LH56)				2058	9.0	06				
125	627	587	5:26.9	-71:38	5X 5	212 196	141	3L	47	.17	307	(LH56)				2058	9.0	04				
129	627	586	5:26.9	-71:38	5X 5	62 47	109	10C	11	.17	52	(LH56)				2058	9.0	26				
130	628	584	5:26.9	-71:38	5X 5	159 114	301	30C	1C	.17	47	(LH56)				2058	9.0	28				
124	629	583	5:26.9	-71:34	6X 6	77* 76	36	1L	36	.17	235	LH56	5.0	5.0		2(202.205)	0	00				
125	629	587	5:26.9	-71:34	6X 6	201*197	100	3L	33	.17	216	LH56	5.0	5.0		2(202.205)	0	00				
129	627	586	5:26.9	-71:34	6X 6	62 44	189	10C	19	.17	90	LH56	5.0	5.0		2(202.205)	0	00				
130	629	584	5:26.9	-71:34	6X 6	143*106	477	30C	16	.17	76	LH56	5.0	5.0		2(202.205)	0	00				

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X *Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE		BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
124	738	588	5:26.9	-69:18	4X 4	94*	95	13	1L	13	.12	48	LH57	1.5	1.5		--(140,143)	.0	.00				
125	737	589	5:26.9	-69:18	4X 4	268*	252	132	3L	44	.12	165	LH57	1.5	1.5		--(140,143)	.0	.00				
129	736	589	5:26.9	-69:18	4X 4	155	118	192	10C	19	.12	57	LH57	1.5	1.5		--(140,143)	.0	.00				
130	737	586	5:26.9	-69:18	4X 4	488*	372	839	30C	28	.12	84	LH57	1.5	1.5		--(140,143)	.0	.00				
124	759	588	5:26.9	-68:52	9X 9	145	92	840	1L	840	.09	2271	(LH58)				144,AB	475.4	.26	1962-66	MC47SNR		
125	760	590	5:26.9	-68:52	9X 9	505	249	3543	3L	1181	.09	3193	(LH58)				144,AB	475.4	.18	1962-66	MC47SNR		
129	759	589	5:26.9	-68:52	9X 9	536	121	4828	10C	483	.09	1106	(LH58)				144,AB	475.4	.53	1962-66	MC47SNR		
130	758	586	5:26.9	-68:52	9X 9	803*	437	10388	30C	346*	.09	792	(LH58)				144,AB	475.4	.74	1962-66	MC47SNR		
124	620	592	5:26.9	-67:35	19X18	95*	84	2732	1L	2732	.11	9214	(LH51--63)				51,A-E	1707.0	.24	1947.55	MC46		
125	821	593	5:26.9	-67:35	19X18	255*	218	11351	3L	3784	.11	12762	(LH51--63)				51,A-E	1707.0	.17	1947.55	MC46		
129	822	593	5:26.9	-67:35	19X18	156*	77	15575	10C	1558	.11	4291	(LH51--63)				51,A-E	1707.0	.51	1947.55	MC46		
130	822	591	5:26.9	-67:35	19X18	448*	198	50396	30C	1680	.11	4627	(LH51--63)				51,A-E	1707.0	.48	1947.55	MC46		
124	709	586	5:27.0	-69:51	4X 8	87	81	107	1L	107	.16	627	(LH59)				(134)	.0	.00	1969.71			
125	712	589	5:27.0	-69:51	7X11	234	208	824	3L	275	.16	1611	(LH59)				(134)	.0	.00	1969.71			
129	710	587	5:27.0	-69:51	8X12	105	60	2130	10C	213	.16	929	(LH59)				(134)	.0	.00	1969.71			
130	711	585	5:27.0	-69:51	11X14	312	159	7750	30C	258	.16	1126	(LH59)				(134)	.0	.00	1969.71			
124	759	588	5:27.0	-68:49	5X 5	145	109	278	1L	278	.09	751	LH58	4.0	4.0	22	(144)	.0	.00	1962-66			
125	761	590	5:27.0	-68:49	5X 5	417*	321	828	3L	276	.09	746	LH58	4.0	4.0	22	(144)	.0	.00	1962-66			
129	760	588	5:27.0	-68:49	5X 5	348*	219	1263	10C	126	.09	288	LH58	4.0	4.0	22	(144)	.0	.00	1962-66			
130	760	586	5:27.0	-68:49	5X 5	812*	615	1807	30C	60*	.09	137	LH58	4.0	4.0	22	(144)	.0	.00	1962-66			
124	879	594	5:27.1	-66:24	2X 2	84	79	18	1L	18	.07	39					D195	11.7	.35				
125	880	597	5:27.1	-66:24	2X 4	216	205	65	3L	22	.07	47					D195	11.7	.29				
129	880	595	5:27.1	-66:24	5X13	81	57	531	10C	53	.07	100					D195	11.7	.14				
130	880	592	5:27.1	-66:24	8X10	212	159	1950	30C	65	.07	123					D195	11.7	.11				
124	826	588	5:27.2	-67:28	7X 5	126	109	180	1L	180	.14	845	LH60	6.0	3.0	16	D200	12.0	.02	1968			

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	•X •Y	P BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAO NO	M	S
125	826	591	5:27.2	-67:28	7X 5	366•319	438	3L	146	.14	686	LH60	6.0 3.0	16	0200	12.0	.02	1968			
129	825	591	5:27.2	-67:28	7X 5	308•211	924	10C	92	.14	334	LH60	6.0 3.0	16	0200	12.0	.05	1968			
130	826	589	5:27.2	-67:28	7X 5	835•629	2076	30C	69•	.14	250	LH60	6.0 3.0	16	0200	12.0	.07	1968			
124	709	586	5:27.3	-69:51	5X 8	87 83	52	1L	52	.16	304	LH59	3.0 7.0	--	(134)	.0	.00	1969.71			
125	710	585	5:27.3	-69:51	5X 8	224•218	172	3L	57	.16	334	LH59	3.0 7.0	--	(134)	.0	.00	1969.71			
129	710	587	5:27.3	-69:51	5X 8	105 85	253	10C	25	.16	109	LH59	3.0 7.0	--	(134)	.0	.00	1969.71			
130	711	583	5:27.3	69:51	5X 8	286•228	1058	30C	35	.16	152	LH59	3.0 7.0	--	(134)	0	.00	1969.71			
124	827	587	5:27.6	-67:27	45•	126 101	527	1L	527	.14	2476	LH60,63	30.0•	30	(51)	.0	.00	1947.68			
125	826	589	5:27.6	-67:27	47•	362•302	1466	3L	489	.14	2297	LH60,63	30.0•	30	(51)	.0	.00	1947.68			
129	825	590	5:27.6	-67:27	43•	306•197	2061	10C	206	.14	747	LH60,63	30.0•	30	(51)	.0	.00	1947.68			
130	927	588	5:27.6	-67:27	43•	878•574	5684	30C	190•	.14	689	LH60,63	30.0•	30	(51)	.0	.00	1947.68			
124	824	586	5:27.8	-67:30	6X 5	104•102	78	1L	78	.14	366	(LH60,63)			51AC	69.7	.26	1947.68	MC50		
125	825	589	5:27.8	-67:30	6X 5	316•310	458	3L	153	.14	718	(LH60,63)			51AC	69.7	.13	1947.68	MC50		
129	824	589	5:27.8	-67:30	6X 5	181•205	440	10C	44	.14	159	(LH60,63)			51AC	69.7	.61	1947.68	MC50		
130	826	587	5:27.8	-67:30	6X 5	830•633	958	30C	32•	.14	116	(LH60,63)			51AC	69.7	.83	1947.68	MC50		
124	742	583	5:27.9	-69:11	2X 2	122•119	-5	1L	-5	.10	-15	(STAR?)			145	.1	-.01				
125	743	584	5:27.9	-69:11	2X 2	375•360	-42	3L	-14	.10	-42	(STAR?)			145	.1	-.00				
129	742	584	5:27.9	-69:11	2X 2	264•281	22	10C	2	.10	5	(STAR?)			145	.1	.03				
130	745	580	5:27.9	-69:11	2X 2	10171001	48	30C	2•	.10	5	(STAR?)			145	.1	.03				
124	752	584	5:27.9	-68:59	5X 6	124•110	140	1L	140	.09	378	LH61	3.0 5.0	27	(146)	.0	.00	1983			
125	752	585	5:27.9	-68:59	5X 6	417 338	761	3L	254	.09	686	LH61	3.0 5.0	27	(146)	0	.00	1983			
129	752	584	5:27.9	-68:59	5X 6	432 244	1176	10C	118	.09	270	LH61	3.0 5.0	27	(146)	.0	.00	1983			
130	750	581	5:27.9	-68:59	5X 6	1051 917	833	30C	28•	.09	64	LH61	3.0 5.0	27	(146)	.0	.00	1983			
124	674	582	5:28.0	-70:36	5X 5	88 81	51	1L	51	.17	333	(LH62)			204	64.0	.28				
125	674	583	5:28.0	-70:36	5X 5	231•209	185	3L	62	.17	405	(LH62)			204	64.0	.23				

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X	*Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE		BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
129	674	582	5:28.0	-70:36	5X	5	104	63	270	10C	27	.17	129	(LH62)				204	64.0	.73				
130	675	580	5:28.0	-70:36	5X	5	273•	158	779	30C	26	.17	124	(LH62)				204	64.0	.76				
124	828	585	5:28.0	-67:26	4X	4	107•	104	44	1L	44	.14	206	LH63	4.0	3.0	14	D205	20.0	.13	1947			
125	827	587	5:28.0	-67:26	4X	4	339•	324	388	3L	129	.14	606	LH63	4.0	3.0	14	D205	20.0	.05	1947			
129	826	588	5:28.0	-67:26	4X	4	312•	260	194	10C	19	.14	68	LH63	4.0	3.0	14	D205	20.0	.41	1947			
130	828	586	5:28.0	-67:26	4X	4	868•	757	1073	30C	36•	.14	130	LH63	4.0	3.0	14	D205	20.0	.21	1947			
124	744	582	5:28.1	-69:09	17X	17	141	90	4305	1L	4305	.10	13000	--				(145)	.0	.00	1984794			
125	745	583	5:28.1	-69:09	13X	16	468	243	11570	3L	3857	.10	11647	--				(145)	.0	.00	1984794			
129	744	583	5:28.1	-69:09	10X	14	454	130	11164	10C	1116	.10	2803					(145)	.0	.00	1984794			
130	745	580	5:28.1	-69:09	20X	18	1017	2581	27989	30C	4266•	.10	10715					(145)	.0	.00	1984794			
124	647	579	5:28.2	-71:11	2X	2	77	75	7	1L	7	.17	45					(206)	.0	.00				
125	649	582	5:28.2	-71:11	2X	2	196	189	26	3L	9	.17	58					(206)	.0	.00				
129	648	581	5:28.2	-71:11	2X	2	41	36	18	10C	2	.17	9					(206)	.0	.00				
130	648	579	5:28.2	-71:11	3X	5	108	84	155	30C	5	.17	23					(206)	.0	.00				
124	633	580	5:28.3	-71:26	5X	3	81•	78	19	1L	19	.17	124					205A	7.0	.08				
125	635	582	5:28.3	-71:26	5X	3	210	200	40	3L	13	.17	85					205A	7.0	.12				
129	635	581	5:28.3	-71:26	5X	3	62	49	69	10C	7	.17	33					205A	7.0	.31				
130	635	579	5:28.3	-71:26	5X	3	133	111	109	30C	4	.17	19					205A	7.0	.54				
124	674	582	5:28.3	-70:37	4X	4	88	83	27	1L	27	.17	176	LH62	1.5	1.5	3	(204)	.0	.00				
125	674	582	5:28.3	-70:37	4X	4	226•	215	114	3L	38	.17	248	LH62	1.5	1.5	3	(204)	.0	.00				
129	674	582	5:28.3	-70:37	4X	4	104	73	141	10C	14	17	67	LH62	1.5	1.5	3	(204)	.0	.00				
130	674	579	5:28.3	-70:37	4X	4	260	181	533	30C	:8	.17	86	LH62	1.5	1.5	3	(204)	.0	.00				
124	916	590	5:28.4	-65:40	2X	2	79	75	13	1L	13	.08	31						.0	.00				
125	917	590	5:28.4	-65:40	2X	2	202	192	31	3L	10	.08	24						.0	.00				
129	916	592	5:28.4	-65:40	3X	6	54	40	147	10C	15	.08	31						.0	.00				

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X *Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
130	917	590	5:28.4	-65:40	5X 7	127	99	623	30C	21	.08	43					.0	.00		--		
129	969	590	5:28.6	-64:40	2X 2	44	40	13	10C	1	.09	2					.0	.00		--		
130	968	591	5:28.6	-64:40	2X 3	101	94	42	30C	1	.09	2					.0	.00		--		
124	728	579	5:29.0	-69:29	4X 4	90	83	65	1L	65	.15	341				0209	13.0	.05		--		
129	729	579	5:29.0	-69:29	3X 3	95	76	115	10C	12	.15	47				0209	13.0	.39		--		
130	729	577	5:29.0	-69:29	5X 9	273	205	1221	30C	41	.15	163				0209	13.0	.11		--		
124	750	579	5:29.1	-69:03	3X 3	111*	109	9	1L	9	.10	27	(LH61)			146	1.6	.07	1983			
125	749	578	5:29.1	-69:03	3X 3	322	313	21	3L	7	.10	21	(LH61)			146	1.6	.10	1983			
129	750	578	5:29.1	-69:03	3X 3	223*	214	40	10C	4	.10	10	(LH61)			146	1.6	.20	1983			
130	749	576	5:29.1	-69:03	3X 3	812	787	72	30C	2*	.10	5	(LH61)			146	1.6	.40	1983			
124	774	579	5:29.2	-68:30	3X 5	86	79	72	1L	72	.10	217				0203	28.0	.16		--		
125	776	580	5:29.2	-68:30	4X 6	226	204	264	3L	88	.10	265				0203	28.0	.13		--		
129	775	579	5:29.2	-68:30	5X 5	90	53	533	10C	53	.10	133				0203	28.0	.27		--		
130	776	577	5:29.2	-68:30	7X 8	246	129	2300	30C	77	.10	193				0203	28.0	.18		--		
124	762	577	5:29.4	-68:47	9X 6	118	95	350	1L	350	.09*	946	LH64	8.0 5.0	37		.0	.00	2001			
125	764	578	5:29.4	-68:47	9X 6	364*	255	1509	3L	503	.09*	1360	LH64	8.0 5.0	37		.0	.00	2001			
129	763	578	5.29.4	-68:47	9X 6	327	120	2517	10C	252	.09*	577	LH64	8.0 5.0	37		.0	.00	2001			
130	762	575	5:29.4	-68:47	9X 6	616*	384	6310	30C	210*	.09*	481	LH64	8.0 5.0	37		.0	.00	2001			
124	664	575	5:29.9	-70:50	4X 3	92	76	113	1L	113	.17	739	--			(206)	.0	.00	2010			
125	665	576	5:29.9	-70:50	5X 7	239	200	540	3L	180	.17	1178	--			(206)	.0	.00	2010			
129	664	575	5:29.9	-70:50	8X12	115	39	2080	10C	208	.17	995	--			(206)	.0	.00	2010			
130	664	573	5:29.9	-70:50	6X 9	346	93	4170	30C	139	.17	665	--			(206)	.0	.00	2010			
124	852	577	5:30.1	-66:57	4X 4	101*	101	26	1L	26	.08*	62	LH65	2.0 2.0	5		.0	.00	(LH77)			
125	851	579	5:30.1	-66:57	4X 4	264*	266	44	3L	15	.08*	36	LH65	2.0 2.0	5		.0	.00	(LH77)			
129	850	578	5:30.1	-66:57	4X 4	157*	153	2	10C	0	.08*	0	LH65	2.0 2.0	5		.0	.00	(LH77)			

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X *Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
130	852	576	5:30.1	-66:57	4X 4	682*	619	-28	30C	-1*	.08*	-2	LH65	2.0 2.0	5		.0	.00	(LH77)			
124	835	574	5:30.3	-67:17	10X 7	116	89	863	1L	863	.06	1674	(LH70)			D212	43 0	.03	2004			
125	836	575	5:30.3	-67:17	11X11	368	240	4120	3L	1373	.06	2664	(LH70)			D212	43.0	.02	2004			
130	836	573	5:30.3	-67:17	19X15	887	318	47000	30C	1567*	.06	2723	(LH70)			D212	43.0	.02	2004			
124	731	569	5:30.8	-69:27	4X 4	89	84	55	1L	55	.16	322					.0	.00		--		
125	730	572	5:30.8	-69:27	3X 6	241	223	179	3L	60	.16	351					.0	.00		--		
129	731	570	5:30.8	-69:27	4X 4	106	75	297	10C	30	.16	130					.0	.00		--		
130	731	568	5:30.8	-69:27	5X 7	306	235	1020	30C	34	.16	148					.0	.00		--		
124	652	569	5:30.9	-71:05	4X 5	99*	94	21	1L	21	.17	137	LH66	1.0 4.0	4	(206)	.0	.00				
125	652	571	5:30.9	-71:05	4X 5	246*	250	121	3L	40	.17	261	LH66	1.0 4.0	4	(206)	.0	.00				
129	653	570	5:30.9	-71:05	4X 5	141*	125	121	10C	12	.17	57	LH66	1.0 4.0	4	(206)	.0	.00				
130	653	568	5:30.9	-71:05	4X 5	407*	354	254	30C	8	.17	38	LH66	1.0 4.0	4	(206)	.0	.00				
124	763	569	5:31.1	-68:45	5X 5	122	90	341	1L	341	.20	3109	(LH64,68)				.0	.00	2001?			
125	764	571	5:31.1	-68:45	8X 8	373	235	2020	3L	673	.20	6137	(LH64,68)				.0	.00	2001?			
124	651	567	5:31.3	-71:07	15X17	102*	77	1195	1L	1195	.17	7822	(LH66,69)			206,A-D1395.3		.26		MC54		
125	650	569	5:31.3	-71:07	15X17	228*	199	3246	3L	1082	.17	7083	(LH66,69)			206,A-D1395.3		.29		MC54		
129	653	568	5:31.3	-71:07	15X17	207	48	4308	10C	431	.17	2062	(LH66,69)			206,A-D1395.3		1.00		MC54		
130	651	565	5:31.3	-71:07	15X17	312*	108	14665	30C	489*	.17	2340	(LH66,69)			206,A-D1395.3		.88		MC54		
129	850	572	5:31.3	-67:01	11X15	262	112	8200	10C	820	.10	2059	(LH77)			D214	80.0	.05	2006			
130	850	570	5:31.3	-67:01	11X17	849	371	26100	30C	870*	.10	2185	(LH77)			D214	80.0	.05	2006			
124	652	567	5:31.5	-71:04	42*	107	87	190	1L	190	.17	1243	LH66,69	19.0*	25	(206)	.0	.00				
125	653	569	5:31.5	-71:04	42*	300	233	572	3L	191	.17	1250	LH66,69	19.0*	25	(206)	.0	.00				
129	653	568	5:31.5	-71:04	46*	207	87	1118	10C	112	.17	536	LH66,69	19.0*	25	(206)	.0	.00				
130	653	564	5:31.5	-71:04	50*	485*	216	4152	30C	138	.17	660	LH66,69	19.0*	25	(206)	.0	.00				
124	738	568	5:31.5	-69:18	4X 6	102	98	38	1L	38	.14	178	LH67	2.0 5.0	15	D224	6.6	.05				

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X *Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE		BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
125	738	568	5:31.5	-69:18	4X 6	294	269	279	3L	93	.14	437	LH67	2.0	5.0	15	0224	6.6	.02				
129	737	568	5:31.5	-69:18	4X 6	171*	146	278	10C	28	.14	101	LH67	2.0	5.0	15	0224	6.6	.09				
130	738	565	5:31.5	-69:18	4X 6	634*	486	888	30C	30*	.14	108	LH67	2.0	5.0	15	0224	6.6	.08				
124	738	568	5:31.6	69:17	9X10	102	85	703	1L	703	.14	3303	(LH67,74)					.0	.00	2015			
125	738	568	5:31.6	-69:17	15X16	294	228	4577	3L	1526	.14	7170	(LH67,74)					.0	.00	2015			
129	739	567	5:31.6	-69:17	12X17	186	82	7700	10C	770	.14	2795	(LH67,74)					.0	.00	2015			
130	739	565	5:31.6	-69:17	12X18	663	250*	24506	30C	817*	.14	2966	(LH67,74)					.0	.00	2015			
124	761	568	5:31.7	-68:50	5X 3	99*	99	16	1L	16	.20	145	LH68	3.0	1.0	--		.0	.00				
125	759	567	5:31.7	-68:50	5X 3	233*	227	40	3L	13	.20	118	LH68	3.0	1.0	--		.0	.00				
129	759	567	5:31.7	-68:50	5X 3	84	84	18	10C	2	.20	12	LH68	3.0	1.0	--		.0	.00				
130	759	564	5:31.7	-68:50	5X 3	224*	219	58	30C	2	.20	12	LH68	3.0	1.0	--		.0	.00				
124	892	570	5:31.8	-66:07	3X 3	84	79	25	1L	25	.07	54					D220	20 0	.44		--		
125	896	572	5:31.8	-66:07	4X 5	215	201	162	3L	54	.07	117					D220	20.0	.20		--		
129	893	572	5:31.8	-66:07	5X 5	69	53	245	10C	25	.07	47					D220	20.0	.50		-		
130	894	570	5:31.8	-66:07	6X 7	181	133	970	30C	32	.07	60					D220	20.0	.39		--		
124	739	566	5:31.9	-69:16	48*	100*	94	165	1L	165	.14	775	LH67,74	25.0*		28		.0	.00	2015			
125	739	566	5:31.9	-69:16	48*	284	257	916	3L	305	.14	1433	LH67,74	25.0*		28		.0	.00	2015			
129	739	566	5:31.9	-69:16	48*	186*	129	1311	10C	131	.14	475	LH67,74	25.0*		28		.0	.00	2015			
130	739	563	5:31.9	-69:16	48*	602*	405	4350	30C	145*	.14	526	LH67,74	25.0*		28		.0	.00	2015			
124	652	565	5:32.0	-71:04	5X 6	95*	88	111	1L	111	.17*	726	LH69	3.0	5.0	21	(206)	.0	.00				
125	653	567	5:32.0	-71:04	5X 6	266*	233	494	3L	165	.17*	1080	LH69	3.0	5.0	21	(206)	.0	.00				
129	653	565	5:32.0	-71:04	5X 6	102*	98	245	10C	25	.17*	119	LH69	3.0	5.0	21	(206)	.0	.00				
130	653	563	5:32.0	-71:04	5X 6	342*	284	1393	30C	46	.17*	220	LH69	3.0	5.0	21	(206)	.0	.00				
124	772	566	5:32.0	-68:34	5X 4	90	88	12	1L	12	.20	109	(LH71)				1488-E	21.4	.31		MC56		
125	773	566	5:32.0	-68:34	5X 4	241*	235	62	3L	21	.20	191	(LH71)				1488-E	21.4	.18		MC56		

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X	*Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
129	773	567	5:32.0	-68:34	5X	4	120	93	145	10C	15	.20	94	(LH71)			1488-E	21.4	.36		MC56		
130	774	565	5:32.0	-68:34	5X	4	353	254	412	30C	14	.20	88	(LH71)			1488-E	21.4	.39		MC56		
125	823	567	5:32.0	-67:33	8X	8	310	251	2869	3L	956	.10	2887	--			D225	.8	.00	2011			
129	823	567	5:32.0	-67:33	7X	6	226	112	1690	10C	169	.10	424	--			D225	.8	.00	2011			
130	823	565	5:32.0	-67:33	6X	9	817	483	5400	30C	180*	.10	452	--			D225	.8	.00	2011			
124	829	569	5:32.0	-67:23	5X	8	96*	93	39	1L	39	.06*	75	LH70	4.0 7.0	10	D222.3	8.2	.13				
125	831	568	5:32.0	-67:23	5X	8	264*	256	111	3L	37	.06*	71	LH70	4.0 7.0	10	D222.3	8.2	.13				
129	830	569	5:32.0	-67:23	5X	8	147	119	383	10C	38	.06*	66	LH70	4.0 7.0	10	D222.3	8.2	.14				
130	831	567	5:32.0	-67:23	5X	8	511	381	1358	30C	45	.06*	78	LH70	4.0 7.0	10	D222.3	8.2	.12				
124	764	564	5:32.1	-68:42	5X	5	87*	88	-21	1L	-21	.20	-191	(LH73)			1481	19.2	-.16		MC55SNR		
125	765	565	5:32.1	-68:42	5X	5	229*	232	-94	3L	-31	.20	-282	(LH73)			1481	19.2	-.11		MC55SNR		
129	766	564	5:32.1	-68:42	5X	5	77*	80	-2	10C	0	.20	0	(LH73)			1481	19.2	.00		MC55SNR		
130	765	563	5:32.1	-68:42	5X	5	207*	253	-876	30C	-29	.20	-182	(LH73)			1481	19.2	-.17		MC55SNR		
124	815	567	5:32.1	-67:44	7X	7	120*	103	243	1L	243	.09	657	(LH76)			57AE	336.3	.63	2014			
125	814	566	5:32.1	-67:44	7X	7	314*	275*	1107	3L	369	.09	997	(LH76)			57AE	336.3	.41	2014			
129	815	567	5:32.1	-67:44	7X	7	346*	170	2416	10C	242	.09	554	(LH76)			57AE	336.3	.75	2014			
130	816	565	5:32.1	-67:44	7X	7	897*	531	4652	30C	155*	.09	355	(LH76)			57AE	336.3	1.17	2014			
124	877	568	5:32.1	-66:27	7X	5	104	95	72	1L	72	.05*	125	LH72	6.0 3.0	16	(55)	.0	.00				
125	879	570	5:32.1	-66:27	7X	5	294*	252	434	3L	145	.05*	251	LH72	6.0 3.0	16	(55)	.0	.00				
129	877	569	5:32.1	-66:27	7X	5	220	129	879	10C	88	.05*	139	LH72	6.0 3.0	16	(55)	.0	.00				
130	878	567	5:32.1	-66:27	7X	5	710	396	3377	30C	113*	.05*	179	LH72	6.0 3.0	16	(55)	.0	.00				
124	709	565	5:32.2	-69:55	5X	5	125	80	502	1L	502	.05	872					.0	.00		269696H	10.7	B
125	710	566	5:32.2	-69:55	8X	10	378	206	2247	3L	749	.05	1301					.0	.00		269696H	10.7	B
129	709	566	5:32.2	-69:55	7X	6	228	51	3240	10C	324	.05	513					.0	.00		269696H	10.7	B
130	709	563	5:32.2	-69:55	9X	9	545	127	9950	30C	332	.05	526					.0	.00		269696H	10.7	B

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X	*Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE		BS	N NO.	MA	MIND.	NGC NO.	SAO NO.	M	S
124	773	565	5:32.2	-68:33	4X	5	90	87	26	1L	26	.20	237	LH71	2.0	3.0	--	(148)	.0	.00				
125	774	565	5:32.2	-68:33	4X	5	236*	229	90	3L	30	.20	273	LH71	2.0	3.0	--	(148)	.0	.00				
129	773	566	5:32.2	-68:33	4X	5	120	91	156	10C	16	.20	100	LH71	2.0	3.0	--	(148)	0	00				
130	773	565	5:32.2	-68:33	4X	5	329*	251	559	30C	19	.20	119	LH71	2.0	3.0	--	(148)	.0	.00				
124	877	568	5:32.3	-66:28	8X	6	104	93	125	1L	125	.05	217	(LH72)				55.A	173 3	90		MC58		
125	878	570	5:32.3	-66:28	8X	6	296	247	606	3L	202	.05	351	(LH72)				55.A	173 3	55		MC58		
129	876	568	5:32.3	-66:28	8X	6	177*	113	809	10C	81	.05	128	(LH72)				55.A	173 3	1 52		MC58		
130	877	566	5:32.3	-66:28	8X	6	609*	327	4755	30C	158*	.05	250	(LH72)				55.A	173 3	78		MC58		
124	740	564	5:32.4	-69:14	5X	6	100*	94	55	1L	55	.14*	258	LH74	3.0	5.0	13	D232	25 0	13	2015			
125	740	564	5:32.4	-69:14	5X	6	288*	260	358	3L	119	.14*	559	LH74	3.0	5.0	13	D232	25 0	06	2015			
129	740	565	5:32.4	-69:14	5X	6	195	145	471	10C	47	.14*	170	LH74	3.0	5.0	13	D232	25 0	20	2015			
130	740	561	5:32.4	-69:14	5X	6	536	424	1643	30C	55	.14*	199	LH74	3 0	5.0	13	D232	25 0	17	2015			
124	764	565	5:32.4	-68:41	5X	5	87*	90	-37	1L	-37	.20	-337	LH73	3 0	3.0	--	(148)	0	00				
125	766	564	5:32.4	-68:41	5X	5	228*	228	2	3L	1	.20	9	LH73	3 0	3.0		(148)	0	00				
129	766	564	5:32.4	-68:41	5X	5	77*	80	-2	10C	0	.20	0	LH73	3.0	3.0	-	(148)	0	00				
130	766	562	5:32.4	-68:41	5X	5	201*	220	-61	30C	-2	.20	-12	LH73	3 0	3 0	--	(148)	.0	00				
124	816	565	5:32.5	-67:43	11X	11	134	94	908	1L	908	.09	2455	(LH76)				57.A-E	711 6	36	2014	MC57SNR		
125	814	565	5:32.5	-67:43	11X	11	298*	250	2788	3L	929	.09	2511	(LH76)				57.A-E	711.6	.35	2014	MC57SNR		
129	813	565	5:32.5	-67:43	11X	11	125*	108	3533	10C	353	.09	808	(LH76)				57.A-E	711.6	1 08	2014	MC57SNR		
130	815	563	5:32.5	-67:43	11X	11	722*	326	12501	30C	417*	.09	955	(LH76)				57.A-E	711 6	.92	2014	MC57SNR		
124	816	565	5:32.6	-67:42	5X	7	134	109	217	1L	217	.09	586	LH76	3.5	6.0	34	(57)	.0	.00	2014			
125	815	564	5:32.6	-67:42	5X	7	310*	289	567	3L	189	.09	511	LH76	3 5	6.0	34	(57)	.0	.00	2014			
129	814	565	5:32.6	-67:42	5X	7	207*	178	1924	10C	192	.09	439	LH76	3.5	6.0	34	(57)	.0	.00	2014			
130	816	564	5:32.6	-67:42	5X	7	917*	576	3875	30C	129*	.09	295	LH76	3.5	6.0	34	(57)	.0	00	2014			
124	823	562	5:32.6	-67:32	5X	5	104*	102	24	1L	24	.11*	80	LH75	3.0	3.0	--	(58)	.0	.00	(LH78,79)			

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X *Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO	HA	HIND	NGC NO	SAO NO	M	S
125	824	563	5:32.6	-67:32	5X 5	300*	287	102	3L	34	.11*	114	LH75	3.0 3.0	--	(58)	.0	.00	(LH78,79)			
129	824	563	5:32.6	-67:32	5X 5	196*	178	73	10C	7	.11*	19	LH75	3.0 3.0	--	(58)	.0	00	(LH78,79)			
130	824	561	5:32.6	-67:32	5X 5	637*	563	754	30C	25*	.11*	68	LH75	3.0 3.0	--	(58)	.0	.00	(LH78,79)			
124	682	564	5:32.7	-70:28	2X 2	81	76	19	1L	19	.18	138					0	.00				
125	682	564	5:32.7	-70:28	2X 3	205	200	19	3L	6	.18	43					0	.00				
129	682	564	5:32.7	-70:28	2X 2	49	37	45	10C	5	.18	26					.0	.00				
130	682	562	5:32.7	-70:28	2X 3	121	93	142	30C	5	.18	26					.0	.00				
124	824	562	5:32.8	-67:31	3X 3	104*	103	10	1L	10	.11	33	(LH75,78,79)			58	1.8	.07	2021			
125	825	562	5:32.8	-67:31	3X 3	306	293	54	3L	18	.11	60	(LH75,78,79)			58	1.8	.04	2021			
129	825	561	5:32.8	-67:31	3X 3	212	182	115	10C	12	.11	33	(LH75,78,79)			58	1.8	.07	2021			
130	825	560	5:32.8	-67:31	3X 3	686	613	276	30C	9*	.11	24	(LH75,78,79)			58	1.8	.10	2021			
124	778	561	5:33.0	-68:25	2X 2	82*	82	0	1L	0	.20	0				148A	1.1	.00		MC56		
125	779	561	5:33.0	-68:25	2X 2	208*	210	9	3L	3	.20	27				148A	1.1	.06		MC56		
129	779	562	5:33.0	-68:25	2X 2	56*	55	4	10C	0	.20	0				148A	1.1	.00		MC56		
130	779	560	5:33.0	-68:25	2X 2	133*	133	21	30C	1	.20	6				148A	1.1	.29		MC56		
124	851	562	5:33.0	-66:56	294*	103*	94	2658	1L	2658	.11	8965	LH65,77,84	349.0*	181		.0	.00	2002-34			
125	851	560	5:33.0	-66:56	220*	316*	255	11154	3L	3718	.11	12540	LH65,77,84	349.0*	181		.0	.00	2002-34			
129	851	563	5:33.0	-66:56	283*	183*	134	17434	10C	1743	.11	4800	LH65,77,84	349.0*	181		.0	.00	2002-34			
130	852	560	5:33.0	-66:56	290*	656*	424	66870	30C	2229*	.11	6139	LH65,77,84	349.0*	181		.0	.00	2002-34			
124	620	562	5:33.1	-71:46	5X 4	78	73	63	1L	63	.19	514	--				.0	.00	2025			
125	620	562	5:33.1	-71:46	3X 4	241	184	344	3L	115	.19	939	--				.0	.00	2025			
129	622	563	5:33.1	-71:46	3X 3	44	30	89	10C	9	.19	51	--				.0	.00	2025			
130	622	560	5:33.1	-71:46	3X 5	106	76	275	30C	9	.19	51	--				.0	.00	2025			
124	713	561	5:33.3	-69:48	2X 2	79*	79	2	1L	2	.20	18				149AB	1.9	.17				
125	713	561	5:33.3	-69:48	2X 2	212*	212	4	3L	1	.20	9				149AB	1.9	.33				

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X *Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
129	713	560	5:33.3	-69:48	2X 2	55*	56	3	10C	0	.20	0				149AB	1.9	.00				
130	714	558	5:33.3	-69:48	2X 2	139*	137	-2	30C	0	.20	0				149AB	1.9	.00				
124	825	559	5:33.3	-67:30	79*	103*	93	241	1L	241	.11	812	LH75.78.79	46.0*	28	(58)	.0	.00	2021			
125	825	561	5:33.3	-67:30	63*	300*	262	619	3L	206	.11	694	LH75.78.79	46.0*	28	(58)	.0	.00	2021			
129	825	560	5:33.3	-67:30	68*	184*	119	1386	10C	139	.11	382	LH75.78.79	46.0*	28	(58)	.0	.00	2021			
130	825	558	5:33.3	-67:30	70*	526*	393	3630	30C	121*	.11	333	LH75.78.79	46.0*	28	(58)	.0	.00	2021			
124	849	560	5:33.3	-66:59	7X37*	108*	96	2183	1L	2183	.11	7362	LH77	5.0 60.0	138		.0	.00	2002-34			
125	849	562	5:33.3	-66:59	7X37*	310*	262	9731	3L	3244	.11	10941	LH77	5.0 60.0	138		.0	.00	2002-34			
129	850	560	5:33.3	-66:59	7X37*	216*	136	16309	10C	1631	.11	4492	LH77	5.0 60.0	138		.0	.00	2002-34			
130	850	558	5:33.3	-66:59	7X37*	777*	429	66852	30C	2228*	.11	6136	LH77	5.0 60.0	138		.0	.00	2002-34			
124	823	558	5:33.6	-67:31	5X 5	98*	96	22	1L	22	.11*	74	LH78	4.0 4.0	13	(58)	.0	.00	(LH75.79)			
125	824	561	5:33.6	-67:31	5X 5	290*	278	38	3L	13	.11*	43	LH78	4.0 4.0	13	(58)	.0	.00	(LH75.79)			
129	823	560	5:33.6	-67:31	5X 5	155*	145	384	10C	38	.11*	104	LH78	4.0 4.0	13	(58)	.0	.00	(LH75.79)			
130	823	558	5:33.6	-67:31	5X 5	430*	437	142	30C	5*	.11*	13	LH78	4.0 4.0	13	(58)	.0	.00	(LH75.79)			
124	828	558	5:33.7	-67:27	8X 5	92*	91	87	1L	87	.12*	327	LH79	7.0 3.0	15	(58)	.0	.00	2021			
125	827	560	5:33.7	-67:27	8X 5	279	258	293	3L	98	.12*	369	LH79	7.0 3.0	15	(58)	.0	.00	2021			
129	827	559	5:33.7	-67:27	8X 5	137*	120	259	10C	26	.12*	78	LH79	7.0 3.0	15	(58)	.0	.00	2021			
130	827	557	5:33.7	-67:27	8X 5	448*	379	1438	30C	48*	.12*	144	LH79	7.0 3.0	15	(58)	.0	.00	2021			
124	762	557	5:34.0	-68:47	2X 3	83*	83	4	1L	4	.30	110				150	2.7	.05				
125	762	558	5:34.0	-68:47	2X 3	218*	218	2	3L	1	.30	27				150	2.7	.20				
129	762	558	5:34.0	-68:47	2X 3	75*	76	12	10C	1	.30	15				150	2.7	.36				
130	770	555	5:34.0	-68:47	2X 3	153*	157	12	30C	0	.30	0				150	2.7	.00				
124	704	556	5:34.1	-69:57	5X 5	83*	80	30	1L	30	.30	826	LH80	4.0 3.0	--		.0	.00	2028			
125	706	557	5:34.1	-69:57	5X 5	213	208	23	3L	8	.30	220	LH80	4.0 3.0	--		.0	.00	2028			
129	707	557	5:34.1	-69:57	5X 5	61*	53	55	10C	6	.30	95	LH80	4.0 3.0	--		.0	.00	2028			

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	•X •Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NOC NO.	SAO NO.	M	S
130	707	555	5:34.1	-69:57	5X 5	201•	212	332	30C	11	.30	174	LH80	4.0 3.0	--		.0	.00	2028			
124	886	558	5:34.5	-66:16	5X 4	91	88	15	1L	15	.08	36				62AB	41.9	1.40		MC62		
125	887	558	5:34.5	-66:16	5X 4	239	227	103	3L	34	.08	82				62AB	41.9	.61		MC62		
129	887	559	5:34.5	-66:16	5X 4	101•	90	110	10C	11	.08	22				62AB	41.9	2.29		MC62		
130	888	558	5:34.5	-66:16	5X 4	331	255	424	30C	14	.08	29				62AB	41.9	1.74		MC62		
124	944	559	5:35.0	-65:06	2X 2	81	75	20	1L	20	.05	34					.0	.00		--		
125	946	560	5:35.0	-65:06	2X 2	205	193	41	3L	14	.05	24					.0	.00		--		
129	946	559	5:35.0	-65:06	2X 2	49	38	40	10C	4	.05	6					.0	.00		--		
130	946	557	5:35.0	-65:06	2X 2	117	92	85	30C	3	.05	4					.0	.00		--		
124	715	552	5:35.2	-69:45	7X 6	112•	94	279	1L	279	.30	7684	LH81	5.5 4.5	49	(154)	.0	.00	2033			
125	715	553	5:35.2	-69:45	7X 6	298•	257	623	3L	208	.30	5728	LH81	5.5 4.5	49	(154)	.0	.00	2033			
129	715	552	5:35.2	-69:45	7X 6	223•	126	1399	10C	140	.30	2218	LH81	5.5 4.5	49	(154)	.0	.00	2033			
130	716	549	5:35.2	-69:45	7X 6	821	503	4483	30C	149•	.30	2361	LH81	5.5 4.5	49	(154)	.0	.00	2033			
124	780	550	5:35.4	-68:28	3X 3	84	79	33	1L	33	.25	523	(LH85)				.0	.00	2042?			
125	778	550	5:35.4	-68:28	6X 5	221	206	201	3L	67	.25	1061	(LH85)				.0	.00	2042?			
129	779	551	5:35.4	-68:28	3X 4	64	46	126	10C	13	.25	130	(LH85)				.0	.00	2042?			
130	780	549	5:35.4	-68:28	5X 6	156	113	650	30C	22	.25	220	(LH85)				.0	.00	2042?			
124	717	550	5:35.5	-69:44	14X17	112	84	1378	1L	1378	.30	37953	(LH81,87)			154,AB	1288.4	.07	2033,48	MC61,65,67,71		
125	719	551	5:35.5	-69:44	14X17	344	219	7386	3L	2462	.30	67809	(LH81,87)			154,AB	1288.4	.04	2033,48	MC61,65,67,71		
129	716	550	5:35.5	-69:44	14X17	173	66	8894	10C	889	.30	14089	(LH81,87)			154,AB	1288.4	.18	2033,48	MC61,65,67,71		
130	718	549	5:35.5	-69:44	14X17	821	179	30467	30C	1016•	.30	16102	(LH81,87)			154,AB	1288.4	.16	2033,48	MC61,65,67,71		
124	821	551	5:35.6	-67:35	8X10	95	87	152	1L	152	.11	512	(LH82,88)			56,59A-C	543.2	1.37	2029-40	MC64		
125	822	552	5:35.6	-67:35	8X10	262	236	375	3L	125	.11	421	(LH82,88)			56,59A-C	543.2	1.66	2029-40	MC64		
129	821	551	5:35.6	-67:35	8X10	137•	88	796	10C	80	.11	220	(LH82,88)			56,59A-C	543.2	3.18	2029-40	MC64		
130	822	550	5:35.6	-67:35	8X10	473•	253	2168	30C	72	.11	198	(LH82,88)			56,59A-C	543.2	3.53	2029-40	MC64		

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X	*Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
124	822	550	5:35.6	-67:34	7X	5	94*	89	57	1L	57	.11	192	LH82	6.0 3.3	--	(56,59)	.0	.00	2029-35			
125	821	551	5:35.6	-67:34	7X	5	250*	239	89	3L	30	.11	101	LH82	6.0 3.0	--	(56,59)	.0	.00	2029-35			
129	822	551	5:35.6	-67:34	7X	5	137*	102	265	10C	27	.11	74	LH82	6.0 3.0	--	(56,59)	.0	.00	2029-35			
130	823	549	5:35.6	-67:34	7X	5	454*	305	1232	30C	41	.11	112	LH82	6.0 3.0	--	(56,59)	.0	.00	2029-35			
124	897	553	5:35.6	-66:02	5X	5	94	87	56	1L	56	.09*	151	LH83	4.0 4.0	10	(63)	.0	.00	2030			
125	899	553	5:35.6	-66:02	5X	5	250	237	77	3L	26	.09*	70	LH83	4.0 4.0	10	(63)	.0	.00	2030			
129	899	553	5:35.6	-66:02	5X	5	133	95	291	10C	29	.09*	66	LH83	4.0 4.0	10	(63)	.0	.00	2030			
130	899	551	5:35.6	-66:02	5X	5	422*	270	1143	30C	38	.09*	87	LH83	4.0 4.0	10	(63)	.0	.00	2030			
124	697	553	5:35.6	-66:01	7X	6	94	85	103	1L	103	.09	278	(LH83)			63.A	101.8	.45	2030	MC63SNR		
125	899	553	5:35.6	-66:01	7X	6	250	229	316	3L	105	.09	283	(LH83)			63.A	101.8	.44	2030	MC63SNR		
129	899	553	5:35.6	-66:01	7X	6	133	82	614	10C	61	.09	139	(LH83)			63.A	101.8	.90	2030	MC63SNR		
130	899	551	5:35.6	-66:01	7X	6	422*	225	1661	30C	55	.09	125	(LH83)			63.A	101.8	1.00	2030	MC63SNR		
124	853	549	5:35.7	-66.56	6X	9	108*	104	58	1L	58	.15*	304	LH84	5.0 9.0	38		.0	.00	2027(LH77)			
125	853	550	5:35.7	-66:56	6X	9	304*	297	-54	3L	-18	.15*	-94	LH84	5.0 9.0	38		.0	.00	2027(LH77)			
129	854	550	5:35.7	-66:56	6X	9	226*	198	-281	10C	-28	.15*	-111	LH84	5.0 9.0	38		.0	.00	2027(LH77)			
130	853	547	5:35.7	-66:56	6X	9	549*	552	283	30C	9*	.15*	35	LH84	5.0 9.0	38		.0	.00	2027(LH77)			
124	886	549	5:35.7	-66:14	2X	2	82	81	3	1L	3	.07	6	--			(62)	.0	.00	2030?			
125	890	553	5:35.7	-66:14	2X	2	218	210	28	3L	9	.07	19	--			(62)	.0	.00	2030?			
129	889	550	5:35.7	-66:14	2X	2	61	55	22	10C	2	.07	3	--			(62)	.0	.00	2030?			
130	889	549	5:35.7	-66:14	2X	2	149	130	73	30C	2	.07	3	--			(62)	.0	.00	2030?			
124	717	549	5:35.8	-69:42	88*		111*	86	998	1L	998	.30	27487	LH81,87	59.8*	99	(154)	.0	.00	2033,48			
125	718	550	5:35.8	-69:42	86*		314*	234	3100	3L	1033	.30	28451	LH81,87	59.8*	99	(154)	.0	.00	2033,48			
129	718	549	5:35.8	-69:42	88*		243*	82	6018	10C	602	.30	9541	LH81,87	59.8*	99	(154)	.0	.00	2033,48			
130	719	547	5:35.8	-69:42	78*		772*	289	16461	30C	549*	.30	8701	LH81,87	59.8*	99	(154)	.0	.00	2033,48			
124	757	548	5:35.9	-68:52	5X	5	90*	90	18	1L	18	.42	1867	LH85	4.0 3.0	24		.0	.00	(LH89)2042?			

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X *Y	P BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
125	758	548	5:35.9	-68:52	5X 5	260*250	118	3L	29	.42	3008	LH85	4.0 3.0	24		.0	.00	(LH89)20427			
129	760	549	5:35.9	-68:52	5X 5	104* 85	159	10C	16	.42	765	LH85	4.0 3.0	24		.0	.00	(LH89)20427			
130	759	547	5:35.9	-68:52	5X 5	318*266	583	30C	19	.42	909	LH85	4.0 3.0	24		.0	.00	(LH89)20427			
124	822	548	5:36.0	-67:34	51*	88* 88	60	1L	60	.11	202	LH82,88	22.0*	9	(56,59)	.0	.00	2029-40			
125	821	549	5:36.0	-67:34	51*	233*232	225	3L	75	.11	252	LH82,88	22.0*	9	(56,59)	.0	.00	2029-40			
129	822	550	5:36.0	-67:34	47*	124* 91	569	10C	57	.11	156	LH82,88	22.0*	9	(56,59)	.0	.00	2029-40			
130	823	548	5:36.0	-67:34	47*	375*260	1829	30C	61	.11	168	LH82,88	22.0*	9	(56,59)	.0	.00	2029-40			
124	826	548	5:36.0	-67:28	6X 5	93 88	23	1L	23	.11*	77	LH86	5.0 3.0	13	(56,59)	.0	.00	(LH82,88,92)			
125	828	549	5:36.0	-67:28	6X 5	245 238	47	3L	16	.11*	53	LH86	5.0 3.0	13	(56,59)	.0	.00	(LH82,88,92)			
129	827	548	5:36.0	-67:28	6X 5	108 92	95	10C	10	.11*	27	LH86	5.0 3.0	13	(56,59)	.0	.00	(LH82,88,92)			
130	828	546	5:36.0	-67:28	6X 5	320 245	521	30C	17	.11*	46	LH86	5.0 3.0	13	(56,59)	.0	.00	(LH82,88,92)			
124	755	546	5:36.2	-68:55	62*	98 87	187	1L	187	.42	19401	LH85,89	48.0*	108		.0	.00	2042			
125	756	546	5:36.2	-68:55	64*	264*233	589	3L	196	.42	20335	LH85,89	48.0*	108		.0	.00	2042			
129	758	548	5:36.2	-68:55	61*	130* 81	1501	10C	150	.42	7179	LH85,89	48.0*	108		.0	.00	2042			
130	757	546	5:36.2	-68:55	64*	470*235	5275	30C	176	.42	8423	LH85,89	48.0*	108		.0	.00	2042			
124	824	548	5:36.2	-67:31	89*	89* 87	138	1L	138	.11	465	LH82--92	43.2*	25	(56,59)	.0	.00	2029-40			
125	825	548	5:36.2	-67:31	89*	238*232	244	3L	81	.11	273	LH82--92	43.2*	25	(56,59)	.0	.00	2029-40			
129	824	550	5:36.2	-67:31	78*	103* 87	895	10C	90	.11	247	LH82--92	43.2*	25	(56,59)	.0	.00	2029-40			
130	825	547	5:36.2	-67:31	77*	255*230	4025	30C	134	.11	369	LH82--92	43.2*	25	(56,59)	.0	.00	2029 40			
124	822	546	5:36.3	-67:34	4X 4	85* 86	0	1L	0	.11	0	LH88	2.0 2.0	9	(56,59)	.0	.00	2040			
125	821	547	5:36.3	-67:34	4X 4	229*225	3	3L	1	.11	3	LH88	2.0 2.0	9	(56,59)	0	.00	2040			
129	822	548	5:36.3	-67:34	4X 4	101* 92	-28	10C	-3	.11	-8	LH88	2.0 2.0	9	(56,59)	.0	.00	2040			
130	823	547	5:36.3	-67:34	4X 4	320 290	4	30C	0	.11	0	LH88	2.0 2.0	9	(56,59)	.0	.00	2040			
124	963	550	5:36.3	-64:45	5X 4	81 77	49	1L	49	.05	85					.0	.00		--		
125	963	552	5:36.3	-64:45	6X 6	210 197	197	3L	66	.05	114					.0	.00		--		

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X *Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE		BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
129	964	552	5:36.3	-64:45	2X 2	48	40	29	10C	3	.05	4						.0	.00		--		
130	964	550	5:36.3	-64:45	2X 2	114	94	36	30C	1	.05	1						.0	.00		--		
124	719	546	5:36.4	-69:39	6X 8	99*	92	149	1L	149	.30	4103	LH87	5.0	7.0	50	D248	117.0	.06	2048	MC70.72		
125	720	547	5:36.4	-69:39	6X 8	273*	260	550	3L	183	.30	5040	LH87	5.0	7.0	50	D248	117.0	.05	2048	MC70.72		
129	720	546	5:36.4	-69:39	6X 8	151*	123	1131	10C	113	.30	1790	LH87	5.0	7.0	50	D248	117.0	.13	2048	MC70.72		
130	721	544	5:36.4	-69:39	6X 8	493*	366	4156	30C	139*	.30	2203	LH87	5.0	7.0	50	D248	117.0	.11	2048	MC70.72		
124	742	545	5:36.5	-69:11	5X 5	100	94	38	1L	38	.31	1168	LH90	4.0	3.5	21	(157)	.0	.00	2044			
125	742	546	5:36.5	-69:11	5X 5	275*	266	118	3L	39	.31	1199	LH90	4.0	3.5	21	(157)	.0	.00	2044			
129	743	546	5:36.5	-69.11	5X 5	180	137	264	10C	26	.31	451	LH90	4.0	3.5	21	(157)	.0	.00	2044			
130	743	544	5:36.5	-69:11	5X 5	623	458	995	30C	33*	.31	573	LH90	4.0	3.5	21	(157)	.0	.00	2044			
124	754	545	5:36.5	-68:57	9X 5	94*	88	76	1L	76	.42*	7885	LH89	9.0	4.0	84		.0	.00	2042(LH85)			
125	755	546	5:36.5	-68:57	9X 5	253*	239	256	3L	85	.42*	8818	LH89	9.0	4.0	84		.0	.00	2042(LH85)			
129	756	547	5:36.5	-68:57	9X 5	163	96	863	10C	86	.42*	4116	LH89	9.0	4.0	84		.0	.00	2042(LH85)			
130	755	545	5:36.5	-68:57	9X 5	488*	283	2838	30C	95	.42*	4546	LH89	9.0	4.0	84		.0	.00	2042(LH85)			
124	875	545	5:36.6	[illegible]:27	4X 4	100	98	-24	1L	-24	.06	-46	LH91	2.0	2.0	4		.0	.00	(SAO249322)			
125	876	547	5:36.6	-36.27	4X 4	283*	283	-71	3L	-24	.06	-46	LH91	2.0	2.0	4		.0	.00	(SAO249322)			
129	876	547	5:36.6	- [illegible]	4X 4	133*	137	-145	10C	-15	.06	-26	LH91	2.0	2.0	4		.0	.00	(SAO249322)			
130	878	545	5.36.6	[illegible]6:27	4X 4	333*	358	8	30C	0	.06	0	LH91	2.0	2.0	4		.0	.00	(SAO249322			
124	827	544	5:36.7	-37:27	4X 4	90*	87	3	1L	3	.11	10	LH92	2.5	2.5	3	D250	6.3	.81	(LH86)			
125	829	546	5:36.7	-67:27	4X 4	231*	230	37	3L	12	.11	40	LH92	2.5	2.5	3	D250	6.3	.20	(LH86)			
129	827	545	5:36.7	-67:27	4X 4	89*	81	92	10C	9	.11	24	LH92	2.5	2.5	3	D250	6.3	.34	(LH86)			
130	828	543	5:36.7	-67:27	4X 4	246*	220	279	30C	9	.11	24	LH92	2.5	2.5	3	D250	6.3	.34	(LH86)			
124	871	545	5:36.9	-66:35	11X 8	129	83	1525	1L	1525	.05	2650						.0	.00		249322	6.4	A0
125	872	546	5:36.9	-66:35	13X10	425	223	7500	3L	2500	.05	4344						.0	.00		249322	6.4	A0
129	872	546	5:36.9	-66:35	14X10	595	71	19000	10C	1900	.05	3011						.0	.00		249322	6.4	A0

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X *Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
130	872	544	5:36.9	-66:35	17X13	883	188	38900	30C	1297*	.05	2055					.0	.00		249322	6.4	A0
124	880	544	5:36.9	-66:22	4X 4	91*	89	13	1L	13	.06	25	LH95	1.5 1.5	2	D253	7.5	.34				
125	881	547	5:36.9	-66:22	4X 4	241*	237	5	3L	2	.06	3	LH95	1.5 1.5	2	D253	7.5	2.87				
129	883	545	5:36.9	-66:22	4X 4	95	84	82	10C	8	.06	13	LH95	1.5 1.5	2	D253	7.5	.66				
130	883	543	5:36.9	-66:22	4X 4	277	231	316	30C	11	.06	19	LH95	1.5 1.5	2	D253	7.5	.45				
124	911	545	5:37.0	-65:47	2X 2	82	77	17	1L	17	.06	32					.0	.00		--		
125	911	549	5:37.0	-65:47	2X 2	207	199	32	3L	11	.06	21					.0	.00		-		
129	912	547	5:37.0	-65:47	2X 2	43	39	14	10C	1	.06	1					.0	.00		--		
130	912	545	5:37.0	-65:47	2X 2	107	93	52	30C	2	.06	3					.0	.00		--		
124	727	544	5:37.1	69:30	4X 4	130*	120	124	1L	124	.23	1575	LH94	2.5 1.5	8	(158)	.0	.00	2055			
125	728	544	5:37.1	-69:30	4X 4	402*	360	526	3L	175	.23	2223	LH94	2.5 1.5	8	(158)	.0	.00	2055			
129	726	544	5:37.1	-69:30	4X 4	180*	221	231	10C	23	.23	191	LH94	2.5 1.5	8	(158)	.0	.00	2055			
130	728	542	5:37.1	-69:30	4X 4	922*	815	940	30C	31*	.23	257	LH94	2.5 1.5	8	(158)	.0	.00	2055			
124	732	544	5:37.1	-69:24	4X 5	127*	120	47	1L	47	.23*	597	LH93	2.0 4.0	35	(158)	.0	.00	2050			
125	733	544	5:37.1	-69:24	4X 5	394*	382	120	3L	40	.23*	508	LH93	2.0 4.0	35	(158)	.0	.00	2050			
129	731	544	5:37.1	-69:24	4X 5	409*	346	284	10C	28	.23*	232	LH93	2.0 4.0	35	(158)	.0	.00	2050			
130	733	542	5:37.1	-69:24	4X 5	969*	864	801	30C	27*	.23*	224	LH93	2.0 4.0	35	(158)	.0	.00	2050			
124	881	543	5:37.1	-66:21	6X 7	91*	86	85	1L	85	.06	164	(LH95)			64A-C	91.3	.64				
125	882	546	5:37.1	-66:21	6X 7	239	234*	134	3L	45	.06	87	(LH95)			64A-C	91.3	1.20				
129	883	545	5:37.1	-66:21	6X 7	95	75	240	10C	24	.06	41	(LH95)			64A-C	91.3	2.56				
130	883	543	5:37.1	-66:21	6X 7	277	197	929	30C	31	.06	53	(LH95)			64A-C	91.3	1.98				
124	788	542	5:37.2	-68:15	2X 2	87	86	3	1L	3	.15	15				68	.6	.06				
125	789	543	5:37.2	-68:15	2X 2	212	212	8	3L	3	.15	15				68	.6	.06				
129	787	544	5:37.2	-68:15	2X 2	52*	52	3	10C	0	.15	0				68	.6	.00				
130	787	542	5:37.2	-68:15	2X 2	123*	125	15	30C	1	.15	3				68	.6	.28				

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X *Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
130	731	542	5:37.3	-69:27	13X13	1006	391	30000	30C	1000*	.23	8317	(LH93--98)			(152,158)	.0	.00	2050.55			
124	867	542	5:37.3	-66:38	6X13	95*	89	37	1L	37	.10	111	(SA0249322)			65(3/4)	43.2	.49				
125	868	542	5:37.3	-66:38	6X13	250*	232	168	3L	56	.10	169	(SA0249322)			65(3/4)	43.2	.32				
129	868	543	5:37.3	-66:38	6X13	126*	90	115	10C	12	.10	30	(SA0249322)			65(3/4)	43.2	1.81				
130	868	541	5:37.3	-66:38	6X13	368*	234	719	30C	24	.10	60	(SA0249322)			65(3/4)	43.2	.91				
124	732	542	5:37.4	-69:25	10X16	123*	99	1175	1L	1175	.23	14929	LH96	10.0 17.0	226	(158)	.0	.00	2050.55			
125	732	542	5:37.4	-69:25	10X16	364*	272	6172	3L	2057	.23	26135	LH96	10.0 17.0	226	(158)	.0	.00	2050.55			
129	730	543	5:37.4	-69:25	10X16	399*	173	6511	10C	651	.23	5414	LH96	10.0 17.0	226	(158)	.0	.00	2050.55			
130	732	541	5:37.4	-69:25	10X16	1006	508	24990	30C	833*	.23	6928	LH96	10 0 17.0	226	(158)	.0	.00	2050.55			
124	732	542	5:37.5	-69:26	168*	123*	95	1877	1L	1877	.23	23848	LH93--98	192.8*	305	D261	480.0	.03	2050.55			
125	732	542	5:37.5	-69:26	164*	364*	272	6389	3L	2130	.23	27063	LH93--98	192.8*	305	D261	480.0	.03	2050.55			
129	732	541	5:37.5	-69:26	168*	399*	173	6520	10C	652	.23	5423	LH93 98	192.8*	305	D261	480.0	.15	2050.55			
130	732	541	5:37.5	-69:26	168*	1006	508	25213	30C	830*	.23	6903	LH93--98	192.8*	305	D261	480.0	.12	2050.55			
124	695	545	5:37.6	-70:10	2X 2	83	80	11	1L	11	.31	338	--				.0	.00	2066.72?			
125	698	543	5:37.6	-70:10	3X 3	216	203	55	3L	18	.31	553	--				.0	.00	2066.72?			
129	696	543	5:37.6	-70:10	2X 2	52	39	91	10C	9	.31	156	--				.0	.00	2066.72?			
130	697	541	5:37.6	-70:10	3X 3	130	98	170	30C	6	.31	104	--				.0	.00	2062.72?			
124	814	536	5:37.6	-67:44	2X 2	86	81	18	1L	18	.12	67					.0	.00		--		
125	815	541	5:37.6	-67:44	2X 2	229	217	46	3L	15	.12	56					.0	.00		--		
129	814	540	5:37.6	-67:44	4X 6	67	47	238	10C	24	.12	72					.0	.00		--		
130	815	538	5:37.6	-67:44	7X 7	176	118	1260	30C	42	.12	126					.0	.00		--		
124	713	539	5:37.7	-69:47	3X 3	83*	83	2	1L	2	.30	55				155	2.2	.08				
125	712	540	5:37.7	-69:47	3X 3	216*	214	12	3L	4	.30	110				155	2.2	.04				
129	714	541	5:37.7	-69:47	3X 3	56*	55	7	10C	1	.30	15				155	2.2	.29				
130	714	538	5:37.7	-69:47	3X 3	127*	127	5	30C	0	.30	0				155	2.2	.00				

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X *Y	P BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
124	729	540	5:38.0	-69:28	4X 4	109*107	-8	1L	-8	.23	-101	LH98	2.0 1.5	7	(158)	.0	.00				
125	730	539	5:38.0	-69:28	4X 4	286*293	71	3L	24	.23	304	LH98	2.0 1.5	7	(158)	.0	.00				
129	728	540	5:38.0	-69:28	4X 4	166*209	91	10C	9	.23	74	LH98	2.0 1.5	7	(158)	.0	.00				
130	730	538	5:38.0	-69:28	4X 4	812*779	984	30C	33*	.23	274	LH98	2.0 1.5	7	(158)	.0	.00				
124	735	540	5:38.0	-69:21	5X 4	105*101	26	1L	26	.23	330	LH97	4.0 2.0	29	(158)	.0	.00				
125	735	539	5:38.0	-69:21	5X 4	296*288	189	3L	63	.23	800	LH97	4.0 2.0	29	(158)	.0	.00				
129	734	540	5:38.0	-69:21	5X 4	253*234	214	10C	21	.23	174	LH97	4.0 2.0	29	(158)	.0	.00				
130	736	538	5:38.0	-69:21	5X 4	794*679	1079	30C	36*	.23	299	LH97	4.0 2.0	29	(158)	.0	.00				
124	722	538	5:38.1	-69:36	3X 2	85* 85	-1	1L	-1	.28	-22				156	1.4	-.12				
125	723	540	5:38.1	-69:36	3X 2	241*239	-5	3L	-2	.28	-44				156	1.4	-.06				
129	723	540	5:38.1	-69:36	3X 2	88* 90	-1	10C	0	.28	0				156	1.4	.00				
130	723	537	5:38.1	-69:36	3X 2	229*241	-4	30C	0	.28	0				156	1.4	.00				
124	743	539	5:38.2	-69:11	5X 5	93* 92	43	1L	43	.32	1477	LH99	3.0 3.0	--	(157)	.0	.00	2060			
125	743	539	5:38.2	-69:11	5X 5	243*246	60	3L	20	.32	687	LH99	3.0 3.0	--	(157)	.0	.00	2060			
129	743	539	5:38.2	-69:11	5X 5	116*119	10	10C	1	.32	19	LH99	3.0 3.0	--	(157)	.0	.00	2060			
130	744	537	5:38.2	-69:11	5X 5	407*394	171	30C	6	.32	114	LH99	3.0 3.0	--	(157)	.0	.00	2060			
124	906	541	5:38.3	-65:53	2X 2	82 77	17	1L	17	.06	32					.0	.00		--		
125	907	543	5:38.3	-65:53	7X 3	215 205	79	3L	26	.06	50					.0	.00		-		
129	906	538	5:38.3	-65:53	2X 2	43 39	14	10C	1	.06	1					.0	.00		--		
130	907	535	5:38.3	-65:53	2X 2	102 91	39	30C	1	.06	1					.0	.00		--		
124	745	536	5:38.7	-69:08	100*	112* 89	1268	1L	1268	.35	60690	LH99,100	90.0*	NEB?	(157)	.0	.00	2060,70			
125	745	537	5:38.7	-69:08	97*	283*245	3378	3L	1126	.35	53893	LH99,100	90.0*	NEB?	(157)	.0	.00	2060,70			
124	745	534	5:38.8	-69:08	17X15	115* 87	1226	1L	1226	.35	58680	(LH99,100)			157AB	3719.0	.14	2060,70	MC74,78		
125	746	536	5:38.8	-69:08	17X15	350*233	4909	3L	1636	.35	78303	(LH99,100)			157AB	3719.0	.11	2060,70	MC74,78		
129	746	539	5:38.8	-69:08	17X15	162*108	5643	10C	564	.35	14167	(LH99,100)			157AB	3719.0	.59	2060,70	MC74,78		

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X *Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE		BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
130	747	537	5:38.8	-69:08	17X15	533*	335	13531	30C	451*	.35	11328	(LH99.100)				157AB	3719.0	.73	2060.70	MC74.78		
124	670	537	5:38.9	-70:42	4X 5	80*	78	14	1L	14	.30	385					213.A	48.7	.25				
125	672	537	5:38.9	-70:42	4X 5	204*	198	67	3L	22	.30	605					213.A	48.7	.16				
129	671	538	5:38.9	-70:42	4X 5	56	42	62	10C	6	.30	95					213.A	48.7	1.02				
130	672	535	5:39.0	-70:42	4X 5	126	100	151	30C	5	.30	79					213.A	48.7	1.23				
124	747	534	5:39.2	-69:06	9X 9	149	93	896	1L	896	.35	42885	LH100	9.0	9.0	NEB?	(157)	.0	.00	2070			
125	747	535	5:39.2	-69:06	9X 9	402*	257	2424	3L	808	.35	38673	LH100	9.0	9.0	NEB?	(157)	.0	.00	2070			
129	748	535	5:39.2	-69:06	9X 9	542	123	4177	10C	418	.35	10499	LH100	9.0	9.0	NEB?	(157)	.0	.00	2070			
130	[illegible]49	532	5:39.2	-69:06	9X 9	878*	374	11603	30C	387*	.35	9721	LH100	9.0	9.0	NEB?	(157)	.0	.00	2070			
124	726	533	5:39.5	-69:32	5X 5	105*	98	70	1L	70	.29	1726	(LH101)				158C	257.5	.29	2074			
125	727	534	5:39.5	9:32	5X 5	300*	276*	226	3L	75	.29	1849	(LH101)				158C	257.5	.27	2074			
129	727	534	5:39.5	-69:32	5X 5	215*	152	602	10C	60	.29	867	(LH101)				158C	257.5	.58	2074			
130	728	531	5:39.5	-69:32	5X 5	686*	472	1694	30C	56*	.29	809	(LH101)				158C	257.5	.62	2074			
124	728	533	5:39.5	-69:30	5X 6	116	100	159	1L	159	.29	3921	LH101	3.0	5.0	10	(158)	.0	.00	2074			
125	728	534	5:39.5	-69:30	5X 6	350*	273	624	3L	208	.29	5129	LH101	3.0	5.0	10	(158)	.0	.00	2074			
129	728	534	5:39.5	-69:30	5X 6	312	143	1304	10C	130	.29	1879	LH101	3.0	5.0	10	(158)	.0	.00	2074			
130	729	531	5:39.5	-69:30	5X 6	772	479	3000	30C	100*	.29	1445	LH101	3.0	5.0	10	(158)	.0	.00	2074			
124	730	531	5:39.9	-69:28	13X12	105*	92	590	1L	590	.29	14549	(LH96.101)				158.A-D	864.0	.12	2050-74	MC75		
125	730	532	5:39.9	-69:28	13X12	286*	250	1945	3L	648	.29	15979	(LH96.101)				158.A-D	864.0	.11	2050-74	MC75		
129	728	531	5:39.9	-69:28	13X12	140*	115	2767	10C	277	.29	4003	(LH96.101)				158.A-D	864.0	.42	2050-74	MC75		
130	730	529	5:39.9	-69:28	13X12	598*	339	4590	30C	153*	.29	2211	(LH96.101)				158.A-D	864.0	.76	2050-74	MC75		
124	831	530	5:40.0	-67:24	9X 7	87*	85	45	1L	45	.12	169	LH102	9.0	6.0	24		.0	.00	(SA0249336)			
125	831	529	5:40.0	-67:24	9X 7	226*	224	108	3L	36	.12	135	LH102	9.0	6.0	24		.0	.00	(SA0249336)			
129	832	531	5:40.0	-67:24	9X 7	94	62	512	10C	51	.12	154	LH102	9.0	6.0	24		.0	.00	(SA0249336)			
130	832	529	5:40.0	-67:24	9X 7	255	161	1315	30C	44	.12	132	LH102	9.0	6.0	24		.0	.00	(SA0249336)			

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X *Y	P	BG	V	E,F	V/E	RE	UF	LH NO.	SIZE		BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
124	721	529	5:40.3	-69:38	5X 6	96*	91	64	1L	64	.30*	1762	LH103	4.0	5.0	41	(160)	.0	.00	2077-86			
125	721	532	5:40.3	-69:38	5X 6	259*	245	189	3L	63	.30*	1735	LH103	4.0	5.0	41	(160)	.0	.00	2077-86			
129	721	529	5:40.3	-69:38	5X 6	163	116	285	10C	29	.30*	459	LH103	4.0	5.0	41	(160)	.0	.00	2077-86			
130	721	528	5:40.3	-69:38	5X 6	459*	313	1585	30C	53	.30*	839	LH103	4.0	5.0	41	(160)	.0	.00	2077-86			
124	715	529	5:40.4	-69:46	5X 6	87*	86	20	1L	20	.31	615	(LH105)				159,A-L	102.6	.34	2078-84	MC77		
125	715	532	5:40.4	-69:46	6X 6	221*	220	64	3L	21	.31	645	(LH105)				159,A-L	102.6	.32	2078-84	MC77		
129	714	529	5:40.4	-69:46	6X 6	66*	67	-54	10C	-5	.31	-86	(LH105)				159,A-L	102.6	-2.44	2078-84	MC77		
130	716	527	5:40.4	-69:46	6X 6	243*	216	-4[illegible]1	30C	-14	.31	-243	(LH105)				159,A-L	102.6	-.86	2078-84	MC77		
124	732	529	5:40.5	-69:25	7X 5	104	94	161	1L	161	.28*	3554	LH104	6.0	3.5	48	(158)	.0	.00	2081			
125	732	530	5:40.5	-69:25	7X 5	298*	260	479	3L	160	.28*	3532	LH104	6.0	3.5	48	(158)	.0	.00	2081			
129	732	530	5:40.5	-69:25	7X 5	213	135	970	10C	97	.28*	1278	LH104	6.0	3.5	48	(158)	.0	.00	2081			
130	733	527	5:40.5	-69:25	7X 5	702	417	3171	30C	106*	.28*	1397	LH104	6.0	3.5	48	(158)	.0	.00	2081			
124	751	526	5:40.5	-69:00	3X 3	86*	85	1	1L	1	.30	27					161	5.7	.42				
125	750	527	5:40.5	-69:00	3X 3	220*	219	8	3L	3	.30	82					161	5.7	.14				
129	750	527	5:40.5	-69:00	3X 3	72*	71	9	10C	1	.30	15					161	5.7	.76				
130	752	525	5:40.5	-69:00	3X 3	184*	185	1	30C	0	.30	0					161	5.7	.00				
124	716	528	5:40.6	-69:45	5X 5	87*	88	8	1L	8	.31	246	LH105	4.0	4.0	--	(159)	.0	.00	2078-84			
125	716	531	5:40.6	-69:45	5X 5	233*	229	34	3L	11	.31	338	LH105	4.0	4.0	--	(159)	.0	.00	2078-84			
129	716	530	5:40.6	-69:45	5X 5	99	82	92	10C	9	.31	156	LH105	4.0	4.0	--	(159)	.0	.00	2078-84			
130	715	527	5:40.6	-69:45	5X 5	190*	193	-49	30C	-2	.31	-34	LH105	4.0	4.0	--	(159)	.0	.00	2078-84			
124	732	529	5:40.6	-69:24	3X 3	104	100	24	1L	24	.28	529	(LH104)				158A	68.9	.25	2081			
125	733	530	5:40.6	-69:24	3X 3	308	286	71	3L	24	.28	529	(LH104)				158A	68.9	.25	2081			
129	732	530	5:40.6	-69:24	3X 3	213	183	158	10C	16	.28	210	(LH104)				158A	68.9	.63	2081			
130	733	527	5:40.6	-69:24	3X 3	702	596	369	30C	12*	.28	158	(LH104)				158A	68.9	.83	2081			
124	707	526	5:40.7	-69:55	4X 4	81*	80	8	1L	8	.31	246					172,173	3.3	.03				

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X *Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
125	708	528	5:40.7	-69:55	4X 4	213*	212	17	3L	6	.31	184				172,173	3.3	.04				
129	708	527	5:40.7	-69:55	4X 4	47*	49	10	10C	1	.31	17				172,173	3.3	.40				
130	708	525	5:40.7	-69:55	4X 4	113*	115	5	30C	0	.31	0				172,173	3.3	.00				
124	720	527	5:40.8	-69:38	13X12	97*	87	526	1L	526	.30	14487	(LH103)			160,A-F	771.9	.11	2077-86	MC76SNR		
125	721	530	5:40.8	-69:38	13X12	284	232	1628	3L	543	.30	14955	(LH103)			160,A-F	771.9	.10	2077-86	MC76SNR		
129	721	527	5:40.8	-69:38	13X12	128*	81	3198	10C	320	.30	5071	(LH103)			160,A-F	771.9	.30	2077-86	MC76SNR		
130	721	527	5:40.8	-69:38	13X12	545	228	8810	30C	294	.30	4659	(LH103)			160,A-F	771.9	.33	2077-86	MC76SNR		
125	849	528	5:40.9	-67:04	2X 2	216	212	9	3L	3	.16	17	--			D286?	6.0	.51	2062?			
129	848	526	5:40.9	-67:04	2X 2	49	47	8	10C	1	.16	4	--			D286?	6.0	2.17	2062?			
130	848	524	5:40.9	-67:04	2X 2	121	113	28	30C	1	.16	4	--			D286?	6.0	2.17	2062?			
124	693	523	5:41.3	-70:11	3X 3	84	81	10	1L	10	.31	307				176	2.1	.01				
125	695	526	5:41.3	-70:11	3X 3	210	206	13	3L	4	.31	123				176	2.1	.03				
129	694	525	5:41.3	-70:11	3X 3	40*	40	4	10C	0	.31	0				176	2.1	.00				
130	694	523	5:41.3	-70:11	3X 3	96*	95	7	30C	0	.31	0				176	2.1	.00				
124	723	525	5:41.3	-69:35	17X12	90*	87	716	1L	716	.30	19720	LH106	18.0 12.0	--	(160)	.0	.00	(LH101--8)			
125	724	526	5:41.3	-69:35	17X12	239*	233	3222	3L	1074	.30	29580	LH106	18.0 12.0	--	(160)	.0	.00	(LH101--8)			
129	722	526	5:41.3	-69:35	17X12	119*	85	3380	10C	338	.30	5356	LH106	18.0 12.0	--	(160)	.0	.00	(LH101--8)			
130	724	522	5:41.3	-69:35	17X12	399*	238	12736	30C	425	.30	6735	LH106	18.0 12.0	--	(160)	.0	.00	(LH101--8)			
124	644	529	5:41.4	-71:15	12X 4*	78*	76	66	1L	66	.25	1046	LH107	12.0 4.0	-	(214)	.0	.00	2103			
125	644	530	5:41.4	-71:15	12X 4*	192*	197	176	3L	59	.25	935	LH107	12.0 4.0	-	(214)	.0	.00	2103			
129	645	530	5:41.4	-71:15	12X 4*	35*	37	282	10C	28	.25	280	LH107	12.0 4.0	--	(214)	.0	.00	2103			
130	644	526	5:41.4	-71:15	12X 4*	91*	96	645	30C	22	.25	220	LH107	12.0 4.0	--	(214)	.0	.00	2103			
124	675	526	5:41.5	-70:35	2X 2	77*	76	1	1L	1	.30	27				218	1.9	.14				
125	676	527	5:41.5	-70:35	2X 2	202	198	11	3L	4	.30	110				218	1.9	.03				
129	676	526	5:41.5	-70:35	2X 2	36*	36	0	10C	0	.30	0				218	1.9	.00				

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X *Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
130	676	524	5:41.5	70:35	2x 2	86*	85	3	30C	0	.30	0				218	1.9	.00				
124	642	527	5:41.6	-71:16	14x10	77*	75	142	1L	142	25	2250	(LH107)			214,A-H	179.1	.14	2103	MC80		
125	643	528	5:41.6	-71:16	14x10	201*	192	530	3L	177	25	2805	(LH107)			214,A-H	179.1	.11	2103	MC80		
129	643	528	5:41.6	-71:16	14x10	37*	34	531	10C	53	25	530	(LH107)			214,A-H	179.1	.60	2103	MC80		
130	643	525	5:41.6	-71:16	14x10	105*	82	1669	30C	55	25	550	(LH107)			214,A-H	179.1	.58	2103	MC80		
124	660	528	5:41.6	-70:55	3x 3	76*	76	2	1L	2	.28	44				216	.6	.03				
125	661	529	5:41.6	-70:55	3x 3	195	192	8	3L	3	28	66				216	.6	.02				
129	660	526	5:41.6	-70:55	3x 3	36*	35	2	10C	0	.28	0				216	.6	.00				
130	660	524	5:41.6	-70:55	3x 3	84*	84	3	30C	0	28	0				216	.6	.00				
124	707	524	5:41.6	-69:55	4x 3	82*	82	1	1L	-1	31	-30				177	23.4	-1.59				
125	708	524	5:41.6	-69:55	4x 3	210*	213	6	3L	-2	31	-61				177	23.4	-.78				
129	707	524	5:41.6	-69:55	4x 3	48*	48	4	10C	0	.31	0				177	23.4	.00				
130	708	522	5:41.6	-69:55	4x 3	125*	123	18	30C	1	31	17				177	23.4	2.81				
124	829	520	5:41.6	-67:25	5x 5	100	84	244	1L	244	.05	424					.0	.00		249336	7.2	A0
125	831	521	5:41.6	-67:25	12x 9	277	221	1640	3L	547	.05	950					.0	.00		249336	7.2	A0
129	830	521	5:41.6	-67:25	13x14	198	51	4390	10C	439	.05	695					.0	.00		249336	7.2	A0
130	831	519	5:41.6	-67:25	14x14	602	148*	29000	30C	967*	.05	1532					.0	.00		249336	7.2	A0
124	684	524	5:41.7	-70:24	3x 3	82	79	10	1L	10	31	307				219	2.9	.02				
125	685	527	5:41.7	-70:24	3x 3	210	205	22	3L	7	.31	215				219	2.9	.03				
129	684	525	5:41.7	-70:24	3x 3	40*	39	6	10C	1	.31	17				219	2.9	.35				
130	685	522	5:41.7	-70:24	3x 3	89*	88	6	30C	0	31	0				219	2.9	.00				
124	663	526	5:41.9	-70:52	2x 2	78	73	18	1L	18	27	355				(216)	.0	.00				
125	663	523	5:41.9	-70:52	2x 2	201	193	32	3L	11	.27	217				(216)	.0	.00				
129	663	526	5:41.9	-70:52	2x 2	41	31	33	10C	3	.27	36				(216)	.0	.00				
130	664	524	5:41.9	-70:52	2x 2	100	78	82	30C	3	.27	36				(216)	.0	.00				

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X	*Y	P	BG	V	E.F	V/E	RE	UF	LH NO	SIZE		BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
124	867	518	5:42.0	-66:40	2X	2	85	82	12	1L	12	.15	62					0296	8.0	.18		--		
125	869	520	5:42.0	-66:40	4X	2	221	210	82	3L	27	15	141					0296	8.0	.08		--		
129	868	519	5:42.0	-66:40	2X	2	59	43	59	10C	6	15	23					0296	8.0	.49		--		
130	868	517	5:42.0	-66:40	5X	5	144	102	465	30C	16	.5	63					0296	8.0	.18		--		
124	980	518	5:42.0	-64:22	2X	2	86	80	20	1L	20	05	34	-					.0	.00	2082			
125	981	519	5:42.0	-64:22	2X	2	216	207	31	3L	10	05	17	--					.0	.00	2082			
129	985	519	5:42.0	-64:22	2X	2	43	40	12	10C	1	.05	1	--					0	.00	2082			
130	984	517	5:42.0	-64:22	2X	2	100	95	15	30C	1	05	1	--					.0	.00	2082			
124	702	528	5:42.1	-70:01	4X	4	80*	79	7	1L	7	31	215					174,175	11.7	.11				
125	703	523	5:42.1	-70:01	4X	4	216*	212	28	3L	9	.31	276					174,175	11.7	.09				
129	702	523	5:42.1	-70:01	4X	4	49*	46	56	10C	6	.31	104					174,175	11.7	.23				
130	703	523	5:42.1	-70:01	4X	4	124*	120	138	30C	5	.31	86					174,175	11.7	.28				
124	719	522	5:42.1	-69:40	4X	4	94*	92	13	1L	13	.30	358	LH108	2.0	2.0	--	(160)	.0	.00	(LH106)			
125	721	524	5:42.1	-69:40	4X	4	273	258	68	3L	23	.30	633	LH108	2.0	2.0	--	(160)	.0	.00	(LH106)			
129	721	524	5:42.1	-69:40	4X	4	136	120	57	10C	6	30	95	LH108	2.0	2.0	--	(160)	.0	.00	(LH106)			
130	721	521	5:42.1	-69:40	4X	4	454	378	309	30C	10	.30	158	LH108	2.0	2.0	--	(160)	.0	.00	(LH106)			
124	755	520	5:42.2	-68:56	6X	4	84*	83	10	1L	10	.25	158	LH109	5.0	2.0	--	D297	6.7	.08	2093			
125	755	520	5:42.2	-68:56	6X	4	221*	216	52	3L	17	.25	269	LH109	5.0	2.0	--	D297	6.7	.04	2093			
129	755	520	5:42.2	-68:56	6X	4	62*	61	45	10C	5	25	50	LH109	5.0	2.0	--	D297	6.7	24	2093			
130	755	518	5:42.2	-68:56	6X	4	155*	159	40	30C	1	25	10	LH109	5.0	2.0	--	D297	6.7	1.19	2093			
124	640	525	5:42.3	-71:20	5X	5	84	77	38	1L	38	25	602	(LH107,110)				214CFGH	93.9	.28	2103	MC80		
125	641	527	5:42.3	-71:20	5X	5	218	200	114	3L	38	25	602	(LH107,110)				214CFGH	93.9	.28	2103	MC80		
129	640	525	5:42.3	-71:20	5X	5	72	44	195	10C	20	25	200	(LH107,110)				214CFGH	93.9	.83	2103	MC80		
130	641	523	5:42.3	-71:20	5X	5	195	109	501	30C	17	.25	170	(LH107,110)				214CFGH	93.9	.98	2103	MC80		
124	640	525	5:42.4	-71:21	4X	5	84	78	28	1L	28	.25	443	LH110	2.0	3.0	5	(214)	.0	.00	2103			

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X *Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE		BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
125	639	526	5:42.4	-71:21	4X 5	204*	201	55	3L	18	.25	285	LH110	2.0	3.0	5	(214)	.0	.00	2103			
129	640	525	5:42.4	-71:21	4X 5	72	47	136	10C	14	.25	140	LH110	2.0	3.0	5	(214)	.0	.00	2103			
130	639	521	5:42.4	-71:21	4X 5	104*	102	227	30C	8	.25	80	LH110	2.0	3.0	5	(214)	.0	.00	2103			
124	741	519	5:42.4	-69:13	6X 7	99	88	141	1L	141	.31*	4337	LH111	5.0	6.0	26		.0	.00	2100			
125	742	521	5:42.4	-69:13	6X 7	268	232	400	3L	133	.31*	4091	LH111	5.0	6.0	26		.0	.00	2100			
129	742	520	5:42.4	-69:13	6X 7	156	84	709	10C	71	.31*	1233	LH111	5.0	6.0	26		.0	.00	2100			
130	742	518	5:42.4	-69:13	6X 7	490	235	2417	30C	81	.31*	1407	LH111	5.0	6.0	26		.0	.00	2100			
124	834	517	5:42.6	-67:20	5X 6	88*	86	27	1L	27	.14*	126	LH112	3.0	5.0	12		.0	.00	2095(+STAR)			
125	833	517	5:42.6	-67:20	5X 6	243*	241	45	3L	15	.14*	70	LH112	3.0	5.0	12		.0	.00	2095(+STAR)			
129	835	517	5:42.6	-67:20	5X 6	93	79	147	10C	15	.14*	54	LH112	3.0	5.0	12		.0	.00	2095(+STAR)			
130	835	515	5:42.6	-67:20	5X 6	264*	215	655	30C	22	.14*	79	LH112	3.0	5.0	12		.0	.00	2095(+STAR)			
124	747	516	5:42.9	-69:05	6X 6	86*	85	52	1L	52	.25	824	(LH113)				164	123.0	.27		MC79,82		
125	748	518	5:42.9	-69:05	6X 6	236	225	58	3L	19	.25	301	(LH113)				164	123.0	.73		MC79,82		
129	749	517	5:42.9	-69:05	6X 6	84	67	159	10C	16	.25	160	(LH113)				164	123.0	1.37		MC79,82		
130	749	515	5:42.9	-69:05	6X 6	231	176	401	30C	13	.25	130	(LH113)				164	123.0	1.66		MC79,82		
124	748	515	5:43.1	-69:04	4X 4	87*	86	14	1L	14	.25	221	LH113	2.0	1.5	--	(164)	.0	.00				
125	747	519	5:43.1	-69:04	4X 4	229*	227	35	3L	12	.25	190	LH113	2.0	1.5	--	(164)	.0	.00				
129	749	517	5:43.1	-69:04	4X 4	83*	72	66	10C	7	.25	70	LH113	2.0	1.5	--	(164)	.0	.00				
130	749	514	5:43.1	-69:04	4X 4	198*	184	197	30C	7	.25	70	LH113	2.0	1.5	--	(164)	.0	.00				
124	753	516	5:43.2	-68:58	3X 3	87	85	5	1L	5	.25	79	(LH109)				165	12.7	.29	2093	MC85		
125	753	516	5:43.2	-68:58	3X 3	221*	218	15	3L	5	.25	79	(LH109)				165	12.7	.29	2093	MC85		
129	753	516	5:43.2	-68:58	3X 3	74	67	29	10C	3	.25	30	(LH109)				165	12.7	.75	2093	MC85		
130	753	514	5:43.2	-68:58	3X 3	208	183	71	30C	2	.25	20	(LH109)				165	12.7	1.13	2093	MC85		
124	807	513	5:43.4	-67:52	5X 4	95	88	39	1L	39	.12	146	LH114	3.0	2.0	8	(70)	.0	.00				
125	808	514	5:43.4	-67:52	5X 4	241*	233	127	3L	42	.12	158	LH114	3.0	2.0	8	(70)	.0	.00				

REVISED 5201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X	*Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
129	808	514	5:43.4	-67:52	5X	4	112	74	218	10C	22	12	66	LH114	3.0 2.0	8	(70)	.0	.00				
130	809	512	5:43.4	-67:52	5X	4	335	192	779	30C	26	.12	78	LH114	3.0 2.0	8	(70)	.0	.00				
124	807	513	5:43.5	-67:51	8X	8	95	84	96	1L	96	.12	361	(LH114)			70	240.0	.88				
125	808	514	5:43.5	-67:51	8X	8	252	220	451	3L	150	12	565	(LH114)			70	240.0	.56				
129	808	514	5:43.5	-67:51	8X	8	112	52	747	10C	75	.12	226	(LH114)			70	240.0	1.40				
130	809	512	5:43.5	-67:51	8X	8	335	125	2504	30C	83	.12	250	(LH114)			70	240.0	1.27				
124	714	515	5:43.6	-69:46	5X	5	82*	81	23	1L	23	.31	707				163	63.0	.18		MC84		
125	716	516	5:43.6	69:46	5X	5	218*	216	32	3L	11	.31	338				163	63.0	.38		MC84		
129	715	516	5:43.6	-69:46	5X	5	58*	54	27	10C	3	.31	52				163	63.0	2.47		MC84		
130	715	514	5:43.6	-69:46	5X	5	139*	128	92	30C	3	.31	52				163	63.0	2.47		MC84		
124	886	510	5:43.6	-66:17	2X	2	88*	87	8	1L	8	.14	37	(LH115)			72	1.9	.07		MC86		
125	887	511	5:43.6	-66:17	2X	2	228*	227	12	3L	4	.14	18	(LH115)			72	1.9	.15		MC86		
129	887	514	5:43.6	-66:17	2X	2	167*	159	91	10C	9	.14	32	(LH115)			72	1.9	.08		MC86		
130	887	511	5:43.6	-66:17	2X	2	176*	182	59	30C	2	.14	7	(LH115)			72	1.9	.37		MC86		
124	827	510	5:43.9	-67:27	3X	3	85*	85	3	1L	3	.10	9				71	3.4	.48				
125	828	511	5:43.9	-67:27	3X	3	226*	226	11	3L	4	.10	12				71	3.4	.36				
129	827	510	5:43.9	-67:27	3X	3	59*	57	10	10C	1	.10	2				71	3.4	2.14				
130	827	508	5:43.9	-67:27	3X	3	143*	138	22	30C	1	.1C	2				71	3.4	2.14				
124	885	510	5:44.0	-66:19	7X	10	90	84	117	1L	117	.14*	549	LH115	6.0 10.0	14	(72)	.0	.00				
125	885	509	5:44.0	-66:19	7X	10	238*	222	432	3L	144	.14*	676	LH115	6.0 10.0	14	(72)	.0	.00				
129	886	513	5:44.0	-66:19	7X	10	112*	77	1539	10C	154	.14*	559	LH115	6.0 10.0	14	(72)	.0	.00				
130	885	509	5:44.0	-66:19	7X	10	231*	161	1725	30C	57	.14*	206	LH115	6.0 10.0	14	(72)	.0	.00				
124	872	507	5:44.6	-66:38	3X	3	87*	83	33	1L	33	.12	124					.0	.00		--		
125	873	512	5:44.6	-66:38	3X	7	221	215	86	3L	29	.12	109					0	.00		--		
129	870	506	5:44.6	-66:38	2X	2	46	44	6	10C	1	.12	3					.0	.00		--		

REVISED S201 FAR-UV ATLAS OF THE LARCE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X *Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
130	871	505	5:44.6	-66:38	2x 2	110	102	29	30C	1	.12	3					.0	.00		--		
124	915	506	5:44.7	-65:45	3x 3	87	84	10	1L	10	.05	17					.0	.00		249345	4.5	A5
125	915	512	5:44.7	-65:45	3x 2	220	211	45	3L	15	.05	26					.0	.00		249346	4.5	A5
129	915	506	5:44.7	-65:45	2x 2	47	38	35	10C	4	.05	6					.0	.00		249346	4.5	A5
130	915	505	5:44.7	-65:45	3x 4	122	90	226	30C	8	.05	12					.0	.00		249346	4.5	A5
124	732	509	5:44.8	-69:23	3x 3	81*	82	-3	1L	-3	.25	-47				166.167	3.0	-.11				
125	733	511	5:44.8	-69:23	3x 3	221	216	11	3L	4	.25	63				166.167	3.0	.08				
129	734	510	5:44.8	-69:23	3x 3	51*	48	5	10C	1	.25	10				166.167	3.0	.53				
130	734	508	5:44.8	-69:23	3x 3	119*	116	12	30C	0	.25	0				166.167	3.0	.00				
124	839	505	5:45.0	-67:14	8x 7*	101	92	207	1L	207	.08*	501	LH116	5.0 9.0	34	D308	30.0	.07				
125	839	506	5:45.0	-67:14	8x 7*	271*	255	584	3L	195	.08*	472	LH116	5.0 9.0	34	D308	30.0	.08				
129	839	506	5:45.0	-67:14	8x 7*	140*	94	1213	10C	121	.08*	252	LH116	5.0 9.0	34	D308	30.0	.14				
130	840	505	5:45.0	-67:14	8x 7*	539	254	6109	30C	204	.08*	426	LH116	5.0 9.0	34	D308	30.0	.08				
124	848	504	5:45.2	-67:03	2x 2	92	83	23	1L	23	.10	69					.0	.00		--		
125	849	505	5:45.2	-67:03	3x 3	241	220	97	3L	32	.10	96					.0	.00		--		
129	849	505	5:45.2	-67:03	4x 3	73	48	152	10C	15	.10	37					.0	.00		--		
130	850	503	5:45.2	-67.03	4x 4	187	123	436	30C	15	.10	37					.0	.00		--		
124	714	507	5:45.8	-69:46	5x 4	83*	82	9	1L	9	.31	276				168.AB	22.8	.17				
125	715	508	5:45.8	-69:46	5x 4	221	215	48	3L	16	.31	492				168.AB	22.8	.09				
129	715	507	5:45.8	-69:46	5x 4	54	44	57	10C	6	.31	104				168.AB	22.8	.45				
130	715	504	5:45.8	-69:46	5x 4	128	106	154	30C	5	.31	86				168.AB	22.8	.54				
124	843	501	5:45.8	-67:09	6x13	91*	87	199	1L	199	.08	481	(LH116)			74.AB	93.3	.23				
125	844	502	5:45.8	-67:09	6x13	241*	235	510	3L	170	.08	411	(LH116)			74.AB	93.3	.27				
129	840	505	5:45.8	-67:08	6x13	134*	84	1297	10C	130	.08	271	(LH116)			74.AB	93.3	.41				
130	840	502	5:45.8	-67:09	6x13	327*	264	3167	30C	106	.08	221	(LH116)			74.AB	93.3	.51				

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X	*Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
129	810	501	5:46.1	-67:50	2X	2	54	45	33	10C	3	.05	4					.0	.00		24935378.1		A0
130	810	499	5:46.1	-67:50	3X	3	134	110	112	30C	4	.05	6					.0	.00		24935378.1		A0
125	810	503	5:46.1	-67:49	2X	2	226	218	27	3L	9	.05	15					.0	.00		24935378.1		A0
130	822	497	5:46.2	-67:44	2X	2	130	112	68	30C	2	.05	3					.0	.00		24935378.1		A0
129	822	499	5:46.2	-67:36	2X	2	54	46	29	10C	3	.05	4					.0	.00		24935378.1		A0
124	822	499	5:46.6	-67:39	2X	2	85	83	7	1L	7	.05	12					.0	.00		24935378.1		A0
125	819	499	5:46.6	-67:39	3X	2	226	214	42	3L	14	.05	24					.0	.00		24935378.1		A0
124	723	501	5:46.7	-69:34	3X	3	83*	83	1	1L	1	.27	19				169A-C	6.8	.67		MC89SNR		
125	723	499	5:46.7	-69:34	3X	3	212*	213	3	3L	1	.27	19				169A-C	6.8	.67		MC89SNR		
129	724	501	5:46.7	-69:34	3X	3	39	38	4	10C	0	.27	0				169A-C	6.8	.00		MC89SNR		
130	724	499	5:46.7	-69:34	3X	3	95	94	5	30C	0	.27	0				169A-C	6.8	.00		MC89SNR		
124	827	487	5:47.6	-67:28	2X	2	90	83	24	1L	24	.08	58	--				.0	.00	2117			
125	829	487	5:47.6	-67:28	6X	3	228	222	63	3L	21	.08	50	--				.0	.00	2117			
129	829	494	5:47.6	-67:28	2X	2	54	46	27	10C	3	.08	6	--				.0	.00	2117			
130	828	491	5:47.6	-67:28	2X	2	127	111	63	30C	2	.08	4	--				.0	.00	2117			
124	801	494	5:47.8	-68:00	3X	4	91	83	62	1L	62	.11	209					.0	.00		--		
125	802	495	5:47.8	-68:00	5X	4	239	218	243	3L	81	.11	273					.0	.00		--		
129	801	494	5:47.8	-68:00	5X	5	68	44	331	10C	33	.11	90					.0	.00		--		
130	801	491	5:47.8	-68:00	7X	7	177	110	1370	30C	46	.11	126					.0	.00		--		
124	983	486	5:47.9	-64:25	5X	6	92	82	149	1L	149	.05	258					.0	.00		--		
125	984	489	5:47.9	-64:25	9X	7	*246	223	750	3L	250	.05	434					.0	.00		--		
129	984	489	5:47.9	-64:25	9X	8	90	40	1542	10C	154	.05	244					.0	.00		--		
130	985	487	5:47.9	-64:25	11X	11	245	94	6050	30C	202	.05	320					.0	.00		--		
124	708	495	5:48.4	-69:53	3X	3	82	81	2	1L	2	.30	55				179A-D	4.6	.17				
125	709	496	5:48.4	-69:53	3X	3	216*	212	18	3L	6	.30	165				179A-D	4.6	.06				

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R A.	DEC	*X *Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
129	709	495	5:48.4	69:53	3X 3	52	48	16	10C	2	.30	31				179A-D	4.6	.30				
130	709	493	5:48.4	-69:53	3X 3	122	112	37	30C	1	.30	15				179A-D	4.6	.61				
124	878	484	5:49.0	-66:28	2X 2	86	82	13	1L	13	.07	28					.0	.00		--		
125	878	484	5:49.0	-66:28	2X 2	224	216	28	3L	9	.07	19					.0	.00		--		
129	879	485	5:49.0	-66:28	2X 2	44	39	18	10C	2	.07	3					.0	.00		--		
130	879	483	5:49.0	-66:28	2X 2	106	93	45	30C	2	.07	3					.0	.00		--		
124	698	492	5:49.4	-70:05	4X 6	96*	89	62	1L	62	.30*	1707	LH117	2.0 5.0	23	D325	2.7	.00	2122			
125	698	492	5:49.4	-70:05	4X 6	257*	247	174	3L	58	.30*	1597	LH117	2.0 5.0	23	D325	2.7	.00	2122			
129	700	493	5:49.4	-70:05	4X 6	148	85	462	10C	46	.30*	729	LH117	2.0 5.0	23	D325	2.7	.01	2122			
130	700	490	5:49.4	-70:05	4X 6	459	240	1361	30C	45	.30*	713	LH117	2.0 5.0	23	D325	2.7	.01	2122			
124	698	492	5:49.5	-70:05	14X11	96*	81	408	1L	408	.30	11237	(LH117,118)			180,A-C	337.8	.06	2122	MC90SNR,MC91		
125	698	492	5:49.5	-70:05	14X11	257*	210	2016	3L	672	.30	18508	(LH117,118)			180,A-C	337.8	.04	2122	MC90SNR,MC91		
129	700	493	5:49.5	-70:05	14X11	148	43	2569	10C	257	.30	4073	(LH117,118)			180,A-C	337.8	.17	2122	MC90SNR,MC91		
130	700	490	5:49.5	-70:05	14X11	459	106	7048	30C	235	.30	3724	(LH117,118)			180,A-C	337.8	.18	2122	MC90SNR,MC91		
124	698	490	5:49.8	-70:05	45*	93*	84	200	1L	200	.30	5508	LH117,118	26.0*	32	(180)	.0	.00	2122			
125	698	490	5:49.8	-70:05	40*	257*	224	666	3L	222	.30	6114	LH117,118	26.0*	32	(180)	.0	.00	2122			
129	700	491	5:49.8	-70:05	41*	115*	68	720	10C	72	.30	1141	LH117,118	26.0*	32	(180)	.0	.00	2122			
130	700	488	5:49.8	-70:05	45*	284*	189	1360	30C	45	.30	713	LH117,118	26.0*	32	(180)	.0	.00	2122			
124	743	488	5:49.9	-69:09	2X 2	83*	82	1	1L	1	.18	7				181	.1	.02				
125	744	489	5:49.9	-69:09	2X 2	216*	215	3	3L	1	.18	7				181	.1	.02				
129	744	486	5:49.9	-69:09	2X 2	34*	34	1	10C	0	.18	0				181	.1	.00				
130	744	484	5:49.9	-69:09	2X 2	86*	85	3	30C	0	.18	0				181	.1	.00				
124	854	480	5:49.9	-66:55	17X16	817	83	57000	1L	57000*	.05	99054					.0	.00		249368	5.2	B5
125	855	481	5:49.9	-66:55	21X21	1127	225	109200	3L	36400*	.05	63255					.0	.00		249368	5.2	B5
129	855	481	5:49.9	-66:55	23X21	1103	441	43000	10C	14300*	.05	22663					.0	.00		249368	5.2	B5

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X *Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	MIND.	NOC NO.	SAO NO.	M	S
130	856	479	5:49.9	-66:55	28X27	1023	1031	98000	30C	6600*	.05	10460					.0	.00		249368	5.2	B5
124	787	483	5:50.2	-68:15	5X 5	87*	85	28	1L	28	.12	105	LH119	3.0 3.0	6		.0	.00				
125	787	484	5:50.2	-68:15	5X 5	226*	222	17	3L	6	.12	22	LH119	3.0 3.0	6		.0	.00				
129	787	483	5:50.2	-68:15	5X 5	59*	52	56	10C	6	.12	18	LH119	3.0 3.0	6		.0	.00				
130	788	480	5:50.2	-68:15	5X 5	157*	136	121	30C	4	.12	12	LH119	3.0 3.0	6		.0	.00				
124	698	488	5:50.3	-70:05	5X 5	87*	86	21	1L	21	.30	578	LH118	4.0 4.0	9	(180)	.0	.00				
125	698	488	5:50.3	-70:05	5X 5	229*	223	74	3L	25	.30	688	LH118	4.0 4.0	9	(180)	.0	.00				
129	700	489	5:50.3	-70:05	5X 5	72*	78	156	10C	-16	.30	-253	LH118	4.0 4.0	9	(180)	.0	.00				
130	700	485	5:50.3	-70:05	5X 5	125*	149	-186	30C	-6	.30	-95	LH118	4.0 4.0	9	(180)	.0	.00				
124	935	479	5:50.5	-65:16	4X 4	86	81	41	1L	41	.05	71					.0	.00		249373	8.0	A0
125	936	475	5:50.5	-65:16	4X 4	231	216	149	3L	50	.05	86					.0	.00		249373	8.0	A0
129	938	475	5:50.5	-65:16	4X 4	58	38	221	10C	22	.05	34					.0	.00		249373	8.0	A0
130	939	473	5:50.5	-65:16	7X 6	143	91	870	30C	29	.05	45					.0	.00		249373	8.0	A0
129	790	481	5:50.7	-68:11	49*	72*	56	101	10C	10	.12	30	LH119.120	51.0*	14		.0	.00				
130	791	479	5:50.7	-68:11	48*	190*	140	336	30C	11	.12	33	LH119.120	51.0*	14		.0	.00				
124	790	480	5:50.7	-68:10	13X 3*	88*	87	31	1L	31	.12*	116	LH120	14.0 3.0	8		.0	.00				
125	791	483	5:50.7	-68:10	13X 3*	241	226	102	3L	34	.12*	128	LH120	14.0 3.0	8		.0	.00				
129	791	481	5:50.7	-68:10	13X 3*	75	57	117	10C	12	.12*	36	LH120	14.0 3.0	8		.0	.00				
130	792	479	5:50.7	-68:10	13X 3*	195	140	414	30C	14	.12*	42	LH120	14.0 3.0	8		.0	.00				
124	787	472	5:52.5	-68:14	13X 5	91	86	126	1L	126	.12	474	LH121	14.0 3.0	16	D328	14.0	.04		MC92SNR		
125	789	473	5:52.5	-68:14	13X 5	236*	232	208	3L	69	.12	259	LH121	14.0 3.0	16	D328	14.0	.07		MC92SNR		
129	790	472	5:52.5	-68:14	13X 5	71*	57	514	10C	51	.12	154	LH121	14.0 3.0	16	D328	14.0	.12		MC92SNR		
130	790	469	5:52.5	-68:14	13X 5	196	136	1466	30C	49	.12	147	LH121	14.0 3.0	16	D328	14.0	.13		MC92SNR		
124	905	452	5:55.1	-65:55	8X 8	93	87	94	1L	94	.05	163	--				.0	.00	2138?			
125	904	453	5:55.1	-65:55	8X 8	248	225	532	3L	177	.05	307	--				.0	.00	2138?			

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X	*Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE		BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
129	905	454	5:55.1	-65:55	6X	6	95	37	925	10C	93	.05	147	--					.0	.00	21387			
130	906	452	5:55.1	-65:55	9X	9	275	91	4750	30C	158	.05	250	--					.0	.00	21387			
124	786	455	5:56.2	-68:13	4X	3	96	91	15	1L	15	.10	45	LH122	2.0	1.5	4	(75)	.0	.00				
125	786	456	5:56.2	-68:13	4X	3	245*	239	54	3L	18	.10	54	LH122	2.0	1.5	4	(75)	.0	.00				
129	788	455	5:56.2	-68:13	4X	3	81	61	88	10C	9	.10	22	LH122	2.0	1.5	4	(75)	.0	.00				
130	788	453	5:56.2	-68:13	4X	3	220	157	238	30C	8	.10	20	LH122	2.0	1.5	4	(75)	.0	.00				
124	787	155	5:56.2	-68:12	6X	7	94*	88	66	1L	66	.10	199	(LH122)				75AB	38.3	.24				
125	787	456	5:56.2	-68:12	6X	7	248*	233	210	3L	70	.10	211	(LH122)				75AB	38.3	.23				
129	788	455	5:56.2	-68:12	6X	7	81	46	333	10C	33	.10	82	(LH122)				75AB	38.3	.59				
130	788	453	5:56.2	-68:12	6X	7	220	114	857	30C	29	.10	72	(LH122)				75AB	38.3	.67				
124	893	396	6:06.1	-66:02	10X	7	136	91	1190	1L	1190	.05	2067						.0	.00		249448	5.8	B9
125	894	397	6:06.1	-66:02	12X	10	432	242	5205	3L	1735	.05	3015						.0	.00		249448	5.8	B9
129	894	397	6:06.1	-66:02	14X	14	623	39	23800	10C	2380*	.05	3772						.0	.00		249448	5.8	B9
130	895	395	6:06.1	-66:02	16X	15	878	92	53900	30C	1797*	.05	2848						.0	.00		249448	5.8	B9
124	751	400	6:09.1	-68:50	12X	11	399	86	4918	1L	4918	.05	8546						.0	.00		249461	5.2	B9
125	752	402	6:09.1	-68:50	15X	15	902	230	16440	3L	5480*	.05	9523						.0	.00		249461	5.2	B9
129	752	401	6:09.1	-68:50	17X	17	883	36	19991	10C	1999*	.05	3168						.0	.00		249461	5.2	B9
130	753	399	6:09.1	-68:50	24X	23	892	92	40496	30C	1350*	.05	2139						.0	.00		249461	5.2	B9
124	520	418	6:15.9	-73:36	6X	6	153	77	905	1L	905	.05	1572						.0	.00		256286	6.8	B9
125	521	420	6:15.9	-73:36	9X	9	468	197	4990	3L	1663	.05	2889						.0	.00		256286	6.8	B9
129	522	418	6:15.9	-73:36	11X	12	324	27	7033	10C	703	.05	1114						.0	00		256286	6.8	B9
130	522	416	6:15.9	-73:36	14X	14	671	67	33900	30C	1130*	.05	1790						.0	.00		256286	6.8	B9
124	589	390	6:19.1	-72:07	3X	4	88	82	42	1L	42	.05	72						.0	.00		256290	8.0	A0
125	590	391	6:19.1	-72:07	4X	5	233	210	227	3L	76	.05	132						.0	.00		256290	8.0	A0
129	590	391	6:19.1	-72:07	5X	5	74	28	451	10C	45	.05	71						.0	.00		256290	8.0	A0

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X *Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	M NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
130	591	388	6:19.1	-72:07	6X 6	204	73	1610	30C	54	.05	85					.0	.00		256290	8.0	A0
124	612	383	6:19.5	-71:35	2X 2	86	85	4	1L	4	.10	12				221	.1	.01				
125	612	385	6:19.5	-71:35	2X 2	224*	232	22	3L	7	.10	21				221	.1	.01				
129	613	387	6:19.5	-71:35	2X 2	30*	30	0	10C	0	.10	0				221	.1	.00				
130	613	385	6:19.5	-71:35	2X 2	75*	76	-6	30C	0	.10	0				221	.1	.00				

@BRKPT PRINTS

END

DATE
FILMED

DTIC

AD-A107 921 NAVAL RESEARCH LAB WASHINGTON DC F/G 3/2
REVISED LISTING - S201 FAR-ULTRAVIOLET ATLAS OF THE LARGE MAGEL--ETC(U)
NOV 81 T T PAGE, G R CARRUTHERS
UNCLASSIFIED NRL-MR-4660 NL

2 of 2
AD
A107921

INFORMATION

END
DATE
FILMED
3 -82
DTIC

SUPPLEMENTARY

INFORMATION

ADA107921

AD-A107921

ERRATA - NRL MEMORANDUM REPORT 4660

REVISED LISTING - S201 FAR-ULTRAVIOLET ATLAS OF THE

LARGE MAGELLANIC CLOUD

Please replace pages 5 through 8 in your copy of this document with the attached corrected versions (equations 2 through 6 of the original are incorrect). Also, in the paper "Distributions of Hot Stars and Hydrogen in the Large Magellanic Cloud" by T. Page and G. R. Carruthers (Astrophysical Journal, 248, 906, 1981) equations (2) through (6) should be corrected as indicated herein. The next to last paragraph on page 7, as corrected in the attached, also applies to the discussions of UF and H Ind in that Reference and its contained Table 1.

at over 100 places in the LMC. This index was first presented as a rough measure of the hydrogen near hot stars or star groups detected on our far-UV images. That is, if the ionizing extreme-UV ($\lambda < 912$ Å) flux is assumed roughly proportional to the far-UV flux, then the intensity of Hα emission is related to the local hydrogen density. Here, we present a revised determination of H Ind and its variation over the LMC, using a more recent determination of the LMC extinction law, allowing for extinction at Hα as well as in the UV, and utilizing additional data on the Hα brightness distribution in the LMC.

The far-UV flux values are proportional to the measured density volume, V (corrected for nonlinearities and background) divided by the exposure time, E, in minutes. As shown in the Revised S201 Catalog of Far-UV Objects (NRL Report 8487), a density-volume

$$V = 0.037\ n \tag{1}$$

where n is the number of photoelectrons forming the far-UV image. Thus,

$$V/E = 2.22\ n \text{ per sec} \tag{2}$$

where E is the exposure time in min, and n/sec is related to the photons arriving each sec from the object. The detection efficiency (photoelectrons per photon, based on preflight calibrations) of the S201 Camera in the imaging mode averages 0.05 over the range 1050-1600 Å with the LiF corrector, and 0.04 over the range 1250-1600 Å with the CaF_2 corrector. Hence, the photon flux in these wavelengths is

$$N_L = n_L/0.05(30.0) = 0.300\ (V_L/E) \text{ photons/sec cm}^2 \text{ for } 1300\ \text{Å} \pm 250\ \text{Å}, \tag{3}$$

and

$$N_C = n_C/0.04(30.0) = 0.375\ (V_C/E) \text{ photons/sec cm}^2 \text{ for } 1400\ \text{Å} \pm 150\ \text{Å}, \tag{4}$$

where 30.0 cm^2 is the aperture area of the S201 camera. Since these photons each carry 1.52×10^{-11} erg and 1.42×10^{-11} erg respectively, the far-UV flux is

$$F_L = 4.92 \times 10^{-10}\ (V_L/E) \text{ erg sec}^{-1} \text{ cm}^{-2} \tag{5}$$

and

$$F_C = 5.33 \times 10^{-10}\ (V_C/E) \text{ erg sec}^{-1} \text{ cm}^{-2}. \tag{6}$$

These were corrected for interstellar extinction, based on previous estimates (7) of the visual reddening (RE = E(B-V)). In order to estimate reddening for all our measurements of V/E, for which specific values of RE were not available, we plotted Lucke's (7) RE values and sketched in

contour lines (see Fig. 1). Although Lucke's 81 measured values are good to $\pm$ 0.05, corresponding to $\pm$ 16 to $\pm$ 17% in corrected ultraviolet flux, UF, there is inevitably some uncertainty in the interpolated values of RE, due to small scale variations in the extinction at a given distance, and the uncertainty in distance to an object along the line of sight. The stellar associations for which Lucke determined RE may lie in front of or behind far-UV objects with nearly the same celestial coordinates. However, it is highly likely that an LH cluster and an associated Henize nebula are in close 3-dimensional proximity.

In the Atlas, we used the "average" galactic interstellar extinction curve of Bless and Savage (8). However, measurements with the ANS satellite (9,10) in the 30 Doradus region, and with IUE (3) there and elsewhere in the LMC indicate a higher ratio of far-UV extinction to E(B-V) in the LMC than is typical in the local region of our galaxy (see Figure 2). Using the extinction curve of Ref. (3) with A_λ = 3 E(B-V) + E(λ-V), we have, for effective wavelengths of 1300 Å (LiF corrector) and 1400 Å (CaF_2 corrector), E(1300-V)/E(B-V) = 8.97 and E(1400-V)/E(B-V) = 7.09. Therefore, the ultraviolet fluxes corrected for reddening are

$$UF_L = F_L \, 10^{4.8\ RE} \tag{7}$$

$$UF_C = F_C \, 10^{4.0\ RE} \tag{8}$$

As expected, UF_L values for an object are generally larger than the UF_C values because of the wider bandpass and larger extinction correction at the effective wavelength of 1300 Å. The scatter in the LMC extinction curve of Nandy et al. (3) is about 0.2 mag. The extinction correction at Hα is assumed to be A_{6563} = 2.5 RE; hence the corrected Hα flux is UHA = HA$\cdot 10^{RE}$, approximately, where HA is the Hα flux as measured by Henize et al. (11,12) in units of 10^{-4} erg/cm^2 sec sterad. The HA values given here are often summed for several close H II regions that could not be separately resolved on our S201 photos. For instance, N180A-C means the summed flux from N180A, N180B, and N180C. In order to get a single hydrogen index representing all measurements of a given object, we averaged the values for two ILi frames with 1/2 the values for two ICa frames:

$$\text{H Ind}_L = \text{UHA}/\text{UF}_L \tag{9}$$

$$\text{H Ind}_C = \text{UHA}/\text{UF}_C \tag{10}$$

$$\text{H Ind} = (\text{H Ind}_{L1} + \text{H Ind}_{L2} + 1/2\ \text{H Ind}_{C1} + 1/2\ \text{H Ind}_{C2})/4 \tag{11}$$

The major errors in V/E, UF, and H Ind are due to uncertainty in background, b. As can be seen from the isodensity contour plots in the Atlas, many of the objects measured are in regions where the background density is changing. The local background was estimated on mosaics of d, taking the first minimum in d in each of four directions from the peak density, along +x, +y, −x, and −y, and averaging these to get b. The background is high and posed the most difficulties on the 3-min ILi exposure, frame A125.

The HA values are probably good to $\pm$ 10%, although values near zero are subject to larger percentage errors. In fact, DEM, in a careful survey of a 5-hour exposure with the SRC 48-inch Schmidt camera using an interference filter with 100 Å bandpass centered on Hα and [NII], found the faint Henize H II regions much larger, and detected 100 more, most of them fainter than Henize's limit. They give no quantitative measurements of brightness, but use the steps vf (very faint), f (faint), fb (fairly bright), b (bright), and vb (very bright). We calibrated this scale against HA by assigning the numbers vf = 1, f = 2, fb = 3, b = 5, vb = 10, and multiplying by the dimensions given in arc-min. For instance, a faint (f) nebula of size 3.5' x 2' has a brightness $(\text{arc-min})^2$ of 2 x 3.5 x 2 = 14. Fig. 3 is a plot of these values against HA for 64 cases where the DEM dimensions are roughly the same as Henize's. To a fairly good approximation,

$$\text{DEM brightness } (\text{arc-min})^2 = 3 \text{ HA}. \quad (12)$$

Using this calibration, we could fill in 227 H II regions at positions in the LMC where we had measured far-UV flux, leaving out only 19 DEM objects of the total of 356. (These positions were all searched on our mosaics.)

In the Revised Listing (Appendix P), we list density volumes for 473 objects or regions in the LMC. We also list values of UF, defined here as simply the density volumes corrected for extinction as per Equations 7 and 8. (True UF values, in ergs/sec cm^2, can be obtained by multiplying by the factors 4.92×10^{-10} for F_L and 5.33×10^{-10} for F_C, respectively.) Likewise, the H Ind values are the corrected density volumes divided by UHA. Figure 4 is a contour plot of H Ind (times 100), individual values of which are given in the Listing.

We thank Dr. Karl Henize for useful discussions. This work was supported, in part, by NASA Grant NASW-3023 to T.P.

REFERENCES

1. R. D. Davies, K. H. Elliott, and J. Meaburn, Mem. R. Astr. Soc., 81, 89 (1976).

2. J. Koornneef and J. S. Mathis, Astrophys. J., 245, 49 (1981).

3. K. Nandy, D. H. Morgan, A. J. Willis, R. Wilson, P. M. Gondhalekhar, and L. Houziaux, Nature, 283, 725 (1980).

4. A. D. Code, A. V. Holm, and R. L. Bottemiller, Astrophys. J. Supp., 39, 195 (1979).

5. A. N. Witt and M. W. Johnson, Astrophys. J., 181, 363 (1973).

6. R. C. Henry, Astrophys. J. Supp., 33, 451 (1977).

7. P. B. Lucke, Astrophys. J. Supp., 28, 73 (1974).

8. R. C. Bless and B. D. Savage, Astrophys. J., 171, 293 (1972).

9. J. Borgman and A. C. Danks, Astron. and Astrophys., 54, 41 (1977).

10. J. Koornneef, Astron. and Astrophys., 64, 179 (1978).

11. K. G. Henize, Astrophys. J. Supp., 2, 315 (1956).

12. L. Doherty, K. G. Henize, and L. H. Aller, Astrophys. J. Supp., 2, 345 (1956).

13. R. X. McGee, J. W. Brooks, and R. A. Batchelor, Astr. J. Phys., 25, 581 (1972).

14. P. B. Lucke and P. W. Hodge, Astron. J., 75, 171 (1970).